

Index

Page numbers followed by *f* and *t* indicate figures and tables, respectively.

- A bands, 241, 242*f*, 243*f*, 245*f*
 Abdomen, 36–37
 developmental conditions involving, 336
 diseases of, 337
 internal anatomy of, 315, 317*f*, 318*f*
 of neonate, 299*t*
 quadrants of, 37, 39*f*
 subdivisions of, 36–37, 38*f*, 38*t*
 surface anatomy of, 312–313, 312*f*
 trauma to, 336–337
 veins of, 579
 Abdominal aorta, 566, 567*t*, 569*f*, 581*f*
 Abdominal aortic plexus, 441
 Abdominal cavity, 40*f*, 41, 41*f*, 44*f*
 arteries of, 569*f*
 serous membranes of, 43
 Abdominal muscles. *See also specific muscles*
 in respiration, 620
 Abdominal organs, 638*f*
 Abdominal reflexes, 430*t*, 431*f*
 Abdominal thrust maneuver, 608, 627, 628*f*
 Abdominal wall, muscles of, 258, 259*f*, 260*t*
 Abdominopelvic cavity, 40*f*, 41, 41*f*, 42*f*, 44*f*
 Abducens nerve (VI), 360*f*, 402*f*, 404*t*, 406, 408*f*, 413*t*
 Abduction, 207, 208*f*, 211*f*, 212*f*
 Abductor digiti minimi muscle, 271*f*, 274*f*, 275*t*, 275*t*, 290*f*, 291*f*, 325*f*
 Abductor hallucis muscle, 285*f*, 291*f*, 329*f*
 Abductor pollicis brevis muscle, 271*f*, 274*f*, 275*t*, 275*t*, 325*f*
 Abductor pollicis longus muscle, 271*f*, 272, 272*f*, 273*t*, 321*f*, 325*f*
 tendon of, 274*f*
 Abortion, 748, 762
 Abrasion, 125*f*
 Abscess, 596
 Absorption, 114, 635, 653
 Accelerator fibers, 377
 Accessory digestive organs, 635
 Accessory hemiazygos vein, 576, 577*f*
 Accessory nerves (XI), 309*f*, 402*f*, 405*t*, 412, 412*f*, 413*t*, 621*t*
 Accessory nipples, 25*f*
 Accessory olivary nuclei, 377
 Accessory pancreatic duct, 654*f*, 663*f*
 Accessory reproductive glands, 708–709
 Accessory structures, of eyes, 499–502
 Accommodation (sensory), 490
 Accommodation (visual), 510, 514
 Acetabular labrum, 220, 220*f*
 Acetabular notch, 181*f*, 183
 Acetabulum, 181, 181*f*, 182*f*
 Acetylcholine (ACh), 244, 358, 396, 444, 445, 446*f*
 ACh. *See Acetylcholine*
 Achilles reflex. *See Ankle reflex*
 Achilles tendon. *See Tendo calcaneus*
 Achondroplasia, 169
 Acid(s), 51
 Acid-base balance, 51, 85
 Acid phosphatase, 709
 Acinar cells, 664*f*
 Acinar glands, 88*f*, 89*t*
 Acne, 107*t*, 128
 Acoustic nerve. *See Vestibulocochlear nerve*
 Acquired heart disease, 594
 Acquired immune deficiency syndrome (AIDS), 720, 721*t*
 Acromegaly, 166, 334, 462, 480, 481*f*
 Acromial extremity, 173, 175*f*
 Acromioclavicular joint, 173, 225*t*
 Acromioclavicular ligament, 216*f*
 Acromion, 173, 175*f*, 311*f*, 319*f*, 320*f*
 Acrosomal reaction, 756
 Acrosome, 704–705, 706*f*, 756
 ACTH. *See Adrenocorticotropic hormone*
 Actin myofilaments, 243*f*
 Action potential, 357, 357*f*
 Active transport, 55*t*
 Acupuncture, 8, 9*f*
 Acute pain, 492
 Acute prostatitis, 722
 Acute purulent otitis media, 533
 Acute renal failure, 693
 Adam's apple. *See Laryngeal prominence*
 Addison's disease, 483
 Adduction, 207, 208*f*, 211*f*, 212*f*
 Adductor brevis muscle, 276*f*, 277, 278*f*, 281*t*, 282*f*
 Adductor hallucis muscle, 290*f*
 Adductor hiatus muscle, 278*f*
 Adductor longus muscle, 235*f*, 276*f*, 277, 278*f*, 279*f*, 281*f*, 281*t*, 328*f*, 331*f*
 Adductor magnus muscle, 235*f*, 276*f*, 277, 279*f*, 280*f*, 281*f*, 281*t*, 282*f*, 328*f*
 Adductor minimus muscle, 277
 Adductor pollicis muscle, 271*f*, 274*f*, 275, 275*t*, 325*f*
 Adenine, 65, 68
 Adenohypophysis, 373, 460, 461*f*, 462*f*, 464*t*, 477
 Adenoidectomy, 608
 Adenoids, 584*f*, 607
 Adenylate cyclase, 459, 459*f*
 ADH. *See Antidiuretic hormone*
 Adipocytes, 93, 445*t*
 Adipose cells. *See Adipocytes*
 Adipose tissue, 93–94, 94*f*, 95*t*, 107*f*, 297, 298*f*
 Adolescence, 778–779, 779*t*, 781*t*
 Adrenal cortex, 440, 457*t*, 471, 473*t*, 478
 Adrenal glands, 456, 456*f*, 472*f*, 473*f*
 autonomic nervous system and, 440
 description of, 471
 development of, 478
 disorders of, 483
 functions of, 471–473
 Adrenal hormones, 473*t*
 Adrenaline. *See Epinephrine*
 Adrenal medulla, 440, 457*t*, 471
 autonomic nervous system effects on, 445*t*
 development of, 478
 tumors of, 483
 Adrenal medullary hormones, 473*t*
 Adrenergic stimulation, 444
 Adrenocorticotropic hormone (ACTH), 462, 464*t*
 Adulthood, 779–781, 781*t*
 Adventitia. *See also Tunica externa*
 of stomach, 650*f*
 of ureters, 684
 of urinary bladder, 687
 Afferent glomerular arterioles, 677, 680*f*, 681*f*
 Afferent lymphatic vessels, 583
 Afferent nerves, 356*f*
 Afferent neuron, 352
 Afterbirth, 775
 Aging, 73–74
 of muscles, 288–289, 292*f*
 of skeletal system, 167–168, 167*f*
 of skin, 127, 127*f*
 Aging (senile) atrophy, 72
 Agranulocytes, 542, 544*t*
 AIDS. *See Acquired immune deficiency syndrome*
 Air movements, nonrespiratory, 621, 622*t*
 Air pressure, hearing and, 519
 Air spaces, 622*t*
 Airways, 622*t*
 Akinesia, 389
 Alar cartilage, 305*f*, 605
 Alar nasal sulcus, 304*f*, 304*t*
 Alar plates, 390
 Albinism, 109, 128, 128*f*
 Albumin, 545, 545*t*
 Alcohol
 cytologic effects of, 57
 intoxication with, 376
 liver effects of, 579
 Aldosterone, 457*t*, 471
 Alendronate (Fosamax), 168
 Alexandrian Era, and history of anatomy, 10–11
 Alisphenoid, 142*f*
 Allantois, 667, 764
 Alleles, 782–783
 Alligator, brain of, 26*f*
 Allogenic transplant, 544
 Allografts, 102
 All-or-none contraction, 437
 All-or-none response, 357
 Alopecia, 128
 Alpha cells, 470, 470*f*
 Alpha globulin, 545, 545*t*
 Alpha waves, 368*t*
 Alveolar bone destruction, 669*f*
 Alveolar ducts, 611, 612, 613*f*
 Alveolar process, of maxilla, 150*f*, 154, 155*f*
 Alveolar sacs, 611, 612, 613*f*
 Alveolar ventilation, 622*t*
 Alveolus, 136*t*
 Alzheimer's disease, 396
 Amblyopia, 511, 532
 Amelia, 192, 337
 Amenorrhea, 747
 Amine, 457*f*, 458, 458*t*, 459
 Amino acids, 51
 Amnesia, 392
 Amniocentesis, 763, 765*f*, 787
 Amnion, 762–763
 Amniotic cavity, 80, 760
 Amniotic fluid, 762–763
 Amniotic sac, 762–763
 Amoebic dysentery, 669
 Amphiarthroses, 197
 Ampulla
 of ductus deferens, 699*f*, 707, 710*f*
 of inner ear, 526*f*
 of uterine tube, 729*f*, 734
 Ampulla of Vater. *See Hepatopancreatic ampulla*
 Amputation, phantom pain and, 492
 Amsler grid, 532
 Amylase, 654*t*
 Anabolic effects, of androgens, 703*t*
 Anabolic steroids, 703
 Anal canal, 635*f*, 657, 657*f*, 658*f*, 667
 Anal column, 657, 658*f*
 Anal membrane, 667
 Anal pit, 667
 Anal region, pH of, 85
 Anal triangle, 39*f*, 700, 701*f*
 Anaphase, 70, 71*f*, 703, 704, 704*t*, 705*f*
 Anastomosis, 555
 Anatomical dead space, 622*t*
 Anatomical position, 33, 35*f*
 Anatomical snuffbox, 322, 322*f*
 Anatomical terminology, 30
 singular and plural forms of, 33*t*
 standardization of, 17
 Anatomy
 definition of, 2
 developmental, 17
 gross, 17
 historical documentation of, 6*t*
 history of, 1–21, 5*t*
 case study, 1, 20
 microscopic, 17
 prescientific period, 2–4
 radiographic, 18–19, 18*f*, 19*f*
 regional approach to, 29
 in scientific period, 4–19
 surface, 17
 systematic (systemic) approach to, 29
 terminology of, 2
 in 17th Century, 15–16
 in 18th Century, 15–16
 in 19th Century, 16
 in 20th Century, 16–19
 Anatomy Lesson of Dr. Tulp, *The* (Rembrandt), 15*f*
 Anconeus muscle, 267*f*, 268, 269*f*, 270*t*, 271*f*, 272*f*, 321*f*
 Androgens, 472, 698, 703, 703*t*
 Anemia, 541, 542, 592
 Anencephaly, 333, 392
 Anesthesia, 157, 391–392, 775
 Aneurysm, 595, 596*f*
 Angina pectoris, 335, 594
 Angiocardiogram, 18, 587
 Angiography, 18
 Angle
 of mandible, 149*f*, 156*f*, 307*f*
 of rib, 165, 165*f*
 Angle of Louis. *See Sternal angle*
 Angora hair, 117
 Angular gyrus, 371, 371*f*
 Angular movements, 207, 208*f*, 212*f*
 Animal kingdom, 23, 27*t*
 Ankle, 40
 muscles of, 281–285, 286*t*
 sprain of, 224
 Ankle joint. *See Talocrural joint*
 Ankle reflex, 430*t*, 431*f*
 Ankylosis, 230*t*
 Annular ligament, 217, 218*f*
 ANS. *See Autonomic nervous system*
 Ansa cervicalis, 416*t*
 Antagonistic muscles, 238, 239*f*
 Antebrachium, 38
 bones of, 177–178
 internal anatomy of, 325*f*
 muscles of, 267–268, 268–272, 270*t*, 271*f*, 272*f*, 273*t*
 surface anatomy of, 320–322, 321*f*
 Anteflexion, of uterus, 748
 Anterior, 36*t*
 Anterior arch, of axis, 160*f*
 Anterior body cavity, 40*f*, 41, 44*f*
 Anterior border, of tibia, 186*f*
 Anterior cavity, of eye, 505*f*, 508
 Anterior cerebral artery, 563, 563*f*
 Anterior cervical triangle, 307, 307*f*, 308*f*, 308*t*
 Anterior chamber, of eye, 500*f*, 505*f*, 508, 512*f*
 Anterior commissure, 368, 370*f*
 Anterior communicating artery, 563*f*
 Anterior corneal epithelium, 504
 Anterior corticospinal tract, 387, 388*t*, 389*t*
 Anterior cranial fossa, 149*f*
 Anterior crest, of tibia, 185
 Anterior cruciate ligament, 221, 221*f*, 222*f*
 Anterior crural muscles, 281–283, 283*f*
 Anterior division
 of brachial plexus, 416
 of lumbar plexus, 421
 of sacral plexus, 421
 Anterior ethmoidal foramina, 150*f*
 Anterior fontanel, 144, 145*f*
 Anterior funicular, 386, 386*f*
 Anterior gluteal line, 182*f*, 183
 Anterior horn, 365*f*, 384, 386*f*, 390

822 Index

- Anterior humeral circumflex artery, 565, 565f
 Anterior inferior iliac spine, 181–183, 181f, 182f
 Anterior intercostal arteries, 567f
 Anterior interosseous artery, 565, 565f
 Anterior interventricular artery, 548f, 551, 552f
 Anterior interventricular vein, 548f, 551
 Anterior lobe, of cerebellum, 375f
 Anterior median fissure, 384, 386f
 Anterior membranous ampulla, 519f
 Anterior nasal spine, 148f
 Anterior pituitary gland. *See* Pars distalis
 Anterior ramus, of spinal nerves, 414, 414f
 Anterior reticulospinal tract, 388t, 389t
 Anterior root, of spinal nerves, 386f, 414, 414f
 Anterior sacral foramina, 162, 181f
 Anterior semicircular canal, 519f
 Anterior spinocerebellar tract, 388t, 389t
 Anterior spinothalamic tract, 388t, 389t
 Anterior sternoclavicular ligament, 215, 215f
 Anterior superior iliac spine, 181, 181f, 182f, 312f
 Anterior surface
 of patella, 186f
 of stomach, 650
 Anterior talofibular ligament, 222, 223f
 Anterior tibial artery, 560f, 570, 570f
 Anterior tibial vein, 573f, 576, 578f
 Anterior tibiofibular ligament, 223f
 Anterior tibiotalar ligament, 223f
 Anterior trunk, of internal iliac artery, 569f
 Anterior vagal trunk, 441
 Anterolateral fontanel, 144, 145f
 Anteversion, of uterus, 748
 Anthropometry, 780–781, 782f
 Antibodies, 52
 Anticodons, 68–69, 69f
 Antidiuretic hormone (ADH), 457t, 463, 464t, 481
 Antihelix, 517f
 Antitragus, 517f
 Antrum, 729, 730f, 733f
 Anus, 330f, 635f, 657, 658f, 699f, 727f, 737f
 Anvil, etymology of term, 30
 Anxiety, 396
 Aorta, 559, 567t, 568f
 abdominal portion of, 566, 567t, 569f, 581f
 ascending portion of, 314f, 548f, 550, 552f, 559, 561f, 567t
 autonomic nervous system effects on, 448t
 descending portion of, 549f, 560f
 thoracic portion of, 566, 567t
 Aortic arch, 24, 314f, 549f, 552f, 559–561, 560f, 561f, 567t, 590, 591f
 Aortic area, 554, 554f
 Aortic bodies, 623
 Aortic impression, 615f
 Aortic (semilunar) valve, 548t, 549f, 550
 Apex
 of cochlea, 519f
 of heart, 314f, 545, 548f, 553f
 of lung, 614, 615f
 of nose, 304f, 304t
 of patella, 185, 186f
 Apical ectodermal ridge, 192
 Apical foramen, 645, 645f
 Apical turn, of cochlea, 520f
 Aplastic anemia, 541
 Apnea, 622t, 628
 Apneustic area, 374, 374f, 623
 Apocrine glands, 87, 88f, 89t, 118
 Aponeuroses, 236, 317f
 Appendectomy, 313
 Appendicitis, 656
 Appendicular skeleton
 bones of, 132t, 134
 case study, 172, 191
 clinical considerations, 189–191
 clinical practicum, 193
 development of, 192, 192f
 muscles of, 234, 263–285
 Appendix, 635f, 656, 657f, 658f
 Appositional bone growth, 137
 Aqueduct of Sylvius. *See* Mesencephalic aqueduct
 Aqueous humor, 508, 512f
 Arachnoid, 378f, 379, 379f, 381f
 Arachnoid mater, 385f
 Arachnoid villi, 378f
 Arbor vitae, 370f, 375, 375f
 Arches, of foot, 188, 188f
 Arcuate artery, 677, 680f
 Arcuate fasciculus, 371, 371f
 Arcuate line, 182f
 Arcuate popliteal ligament, 221, 221f
 Arcuate vein, 678, 680f
 Areola, 259f, 312f, 739, 739f
 Areolar glands, 739
 Areolar tissue. *See* Loose connective (areolar) tissue
 Argentaffin cells, 651
 Aristotle, 7, 9–10, 11f
 Arm. *See* Brachium; Upper extremity
 Armpit. *See* Axilla
 Arrector pili muscle, 107f, 113, 116, 445t
 Arrhythmia, 587
 Arterial blood, 540
 Arterial pressure points, 570, 572f
 Arteries, 540, 555, 556f, 559–571, 560f, 561f, 590, 591f. *See also specific arteries*
 Arteriography, 587
 Arterioles, 540, 555, 556f, 557f
 Arteriosclerosis, 595
 Arthralgia, 230
 Arthritis, 60, 167f, 202, 226, 227f
 Arthrolith, 230
 Arthrology, 197
 Arthrometry, 230
 Arthroncus, 230
 Arthropathy, 230
 Arthroplasty, 200, 230
 Arthroscopy, 227–229, 227f
 Arthrosis, 230
 Arthroseitis, 230
 Articular capsule. *See* Joint capsule
 Articular cartilage, 137, 202, 206
 Articular disc, 202, 206
 Articular surface
 of fibula, 186f
 of head of rib, 165f
 of palatine bone, 156f
 of patella, 185, 186f
 of tubercle, 165f
 Articulating surface, of bones, 136t
 Articulations, 196–232. *See also* Joints
 Artificial implantation, 785
 Artificial insemination, 714
 Artificial ligaments, 200
 Artificial respiration, 629f
 Arytenoid cartilage, 609
 Ascending aorta, 314f, 548f, 550, 552f, 559, 561f, 567t
 Ascending colon, 318f, 635f, 638f, 656, 657f
 Ascending corticospinal tract, 387f, 388t
 Ascending limb, of nephron loop, 680f, 682, 683t
 Ascending lumbar veins, 576
 Ascending pharyngeal artery, 563
 Ascending tracts, of spinal cord, 384, 389t
 Aspirin, 358
 Association fibers, 368, 369f
 Association neurons, 352
 Asthma, 611, 628
 Astigmatism, 531, 531f
 Astrocytes, 350f, 351, 351t
 Astrocytomas, 394
 Atheroma, 595
 Atherosclerosis, 595, 595f
 Athlete's bradycardia, 592
 Athlete's foot, 128
 Atlantoaxial joint, 225t
 Atlanto-occipital joint, 161, 210, 225t
 Atlas, 158f, 160f, 161, 204f
 Atoms, 28
 Atresia, 531
 Atretic, 730
 Atrial septal defect, 593, 593f
 Atrioventricular bundle (AV bundle), 551–552, 553f
 Atrioventricular node (AV node), 551–552, 553f
 Atrioventricular valves (AV valves), 547, 548t
 Atrium, 547, 589, 590t
 Atrophy, 72, 102, 286
 aging (senile), 72
 disease, 72
 disuse, 72, 102
 muscle, 102
 senescence, 102
 Atropine, 445
 Audiology, 527
 Audiometry, 527
 Auditory area, 366f
 Auditory nerve. *See* Vestibulocochlear nerve
 Auditory ossicles, 24, 132, 132t, 157, 158f, 517, 518f, 529
 Auditory tube, 24, 517, 517f, 518f, 529, 605f, 607, 641f
 Auerbach's plexus. *See* Myenteric plexus
 Auricle
 of ear, 301, 302, 516, 517f, 529
 of heart, 547
 Auricular abnormalities, 530–531
 Auricular region, of face, 301, 302–303
 Auricular surface, 162, 163f, 182f, 183
 Auscultation, 35, 297
 Australoid (Ngatjatjara man), 27f
 Autograf, 102, 124
 Autonomic dysreflexia, 450–451
 Autonomic ganglion, 435
 Autonomic motor fibers, 354, 356f
 Autonomic motor nerve, 345t
 Autonomic nervous system (ANS), 344f, 345, 345t, 434–453
 case study, 434, 451
 clinical considerations, 450–451
 clinical practicum, 451
 control of, 448–450
 dual innervation, 446–447
 functions of, 444–448, 445
 neurotransmitters of, 444, 446f
 organization of, 435–436
 parasympathetic division of, 436, 440–443, 442f, 443t, 444t
 and somatic nervous system, 435, 435t, 436f
 structure of, 438–443
 sympathetic division of, 436, 438f, 439f, 440f, 441f, 442f, 443t, 444t
 visceral effector organs of, 436–438
 Autonomic reflexes. *See* Visceral reflexes
 Autopsy, 18–19
 Autosomal chromosomes, 782
 Autotransplant, 544
 AV node. *See* Atrioventricular node
 Avulsion, 125f, 190
 AV valves. *See* Atrioventricular valves
 Axial muscles, 265–267
 Axial skeleton, 132–134
 bones of, 132t
 clinical considerations, 165–168
 clinical practicum, 168–169
 development of, 141
 muscles of, 234, 250–263
 Axilla, 36, 311f, 312f, 319, 320f
 Axillary artery, 560f, 565, 565f
 Axillary fossa, 36
 Axillary lymph nodes, 584, 584f
 Axillary nerve, 324f, 416, 418f, 418t
 Axillary process, of breast, 739
 Axillary region, 36
 Axillary vein, 573f, 575, 575f
 Axis, 158f, 160f, 161, 204f
 Axon, 101, 348, 349f, 350f, 351, 354f
 Axonal transport, 348
 Axon plate, 247f
 Axon terminal, 244, 247f, 358
 Axoplasmic flow, 348
 Aye-aye, hands of, 26f
 Azygos vein, 549f, 575–576, 577f
 Babinski's reflex, 387, 430t, 431f
 Back, surface anatomy of, 309–310, 310f
 Backbone. *See* Vertebral column
 Back pain, 226
 Bacterial endocarditis, 335–336, 594
 Bacteriuria, 692
 Baculum, 713
 Balance, 516–527. *See also* Equilibrium
 Ball-and-socket joint, 203, 205f, 205t
 Baroreceptors, 490, 561
 Bartholin's glands. *See* Vestibular glands
 Basal cell carcinoma, 120, 123
 Basal metabolic rate (BMR), 480
 Basal nuclei, 365f, 368–369, 370f
 Basal plates, 390
 Basal turn, of cochlea, 520f
 Base
 of heart, 545
 of lung, 614
 of metacarpals, 178, 179f
 of metatarsals, 186, 187f, 188f
 of patella, 185, 186f
 of phalanges, 180f
 of sacrum, 181f
 Basement membrane, 80
 Bases, 51, 68
 Basilar artery, 360f, 561, 562f, 563f
 Basilar membrane, 520, 520f, 521f
 Basilar part, of occipital bone, 154f
 Basilic vein, 321f, 573f, 575, 575f
 Basle Nomina Anatomica (BNA), 17
 Basophil, 542, 542f, 544t
 Ba spirit, 8
 BBB. *See* Blood-brain barrier
 Bedsores, 111, 112f
 Behavioral effects, of androgens, 703t
 Bell's palsy, 250, 409
 Belly, of muscle, 236
 Benign neoplasms, 73
 Benign prostatic hypertrophy (BPH), 709, 722
 Benign viral infections, 119
 Berengario, Jacopo, 13, 15
 Beta cells, 470, 470f
 Beta globulin, 545, 545t
 Beta waves, 368t
 Biaxial joint, 202
 Biceps brachii muscle, 235f, 239f, 259f, 264f, 267, 268f, 270f, 270t, 313f, 319f, 320f
 Biceps femoris muscle, 235f, 277, 280f, 281, 281f, 282f, 282t, 284f, 287f, 289f, 328f, 328f, 330f, 331f, 333f
 tendon of, 328f
 Biceps reflex, 430t, 431f
 Bicipital aponeurosis, 268f
 Bicornuate uterus, 746, 746f
 Bicuspid area, 554, 554f
 Bicuspid. *See* Premolars
 Bicuspid valve. *See* Left atrioventricular valve
 Bifid spinous process, 160
 Bifurcate ligament, 223f
 Bile, 662, 663f
 Bile canaliculi, 662, 662f, 663f
 Bile duct, 663f
 Bile ducts, 662
 Biliary calculi. *See* Gallstones
 Biliary ductule, 662f, 663f
 Binocular vision, 499
 Biology, definition of, 2
 Biomechanics, 197
 of body movements, 210–213
 Biopsy, 102
 Bipedal locomotion, 25–27, 183
 Bipolar neurons, 352, 356f, 506
 Birth, effects of lysosomes on, 59
 Birth control. *See* Contraception
 Bitter taste, 497, 498f
 Blackhead. *See* Comedo
 Blanching, 592
 Blastocoel, 80
 Blastocyst, 80, 734, 757, 758f, 760t
 Blastocyst cavity, 757
 Blastomeres, 757
 Bleeding, control of, 596–597, 597f
 Blind spot, 507, 511f
 Blister, 128
 Blood, 98, 99f, 540–545. *See also specific components*
 analysis of, 592–593
 circulatory routes of, 550–551

- color of, 541
disorders of, 592–593
Blood-brain barrier (BBB), 351, 355f, 383–385
Blood-cerebrospinal fluid barrier, 382
Blood clotting, 125–126, 126f, 542
Bloodletting, 1
Blood plasma, 98, 540, 541f, 545
Blood platelets, 125–126, 126f
Blood pressure, 558–559
 measurement of, 558f, 559f
 variation in, 552
Blood vessels, 445t, 540, 555–559. *See also*
 specific types
BMR. *See* Basal metabolic rate
BNA. *See* *Basle Nomina Anatomica*
Body
 of axis, 160f
 of clavicle, 175f
 of corpus callosum, 361f
 of epididymis, 707f
 of femur, 184, 184f
 of fibula, 186f
 of humerus, 173, 175f, 176f
 of hyoid bone, 157, 157f
 of ischium, 181f
 of mandible, 156f, 157
 of metacarpals, 178, 179f
 of metatarsals, 186, 187f
 of nail, 117, 117f
 of pancreas, 664f, 668
 of penis, 710, 710f, 711, 716
 of phalanges, 180f
 of pubis, 183
 of radius, 177f, 178
 of rib, 165, 165f
 of sphenoid bone, 152
 of sternum, 164, 164f, 311f
 of stomach, 649, 649f, 650f
 of tibia, 186f
 of tongue, 642f
 of ulna, 177f
 of uterus, 729f, 734
 of vertebrae, 159, 160f, 161f, 162f
Body cavities, 40f, 41–42, 41f, 44f
Body composition, 781t
Body membranes, 42–45, 85
Body organization, 28–29, 29f
Body proportions, 777, 777f, 778f, 780–781,
 780f, 782f
Body regions, 35–40, 37f
Body support, muscular system and, 234
Body temperature
 variation in, 552
 water in, 51
Boil, 128, 334
Bolus, 644
Bone(s). *See also* Skeletal system; *specific bones*
 deminerization of, 97, 97f
 shapes of, 135–136, 136f
 structure of, 135–138
 surface features of, 136t
Bone cells, 138, 138f, 139f
Bone growth, 140–144, 140f, 141, 141f
Bone-lining cells, 138
Bone marrow, 134, 137, 584f
Bone marrow transplant, 544
Bone neoplasms, 167
Bone scan, 167, 167f
Bone shaft, 136
Bone tissue, 95–98, 139f
Bony callus, 191
Bony labyrinth, 519, 519f, 529
Botulism, 669
Bowman's capsule. *See* Glomerular capsule
BPH. *See* Benign prostatic hypertrophy
Brachial artery, 560f, 565, 565f
 pressure point for, 321f, 572f
Brachial block, 416
Brachialis muscle, 235f, 239f, 267, 267f,
 268f, 269f, 270f, 270t
Brachial plexus, 257f, 309f, 313f, 324f, 385f,
 401f, 416–419, 417f, 418t
Brachial vein, 573f, 575, 575f
Brachiocephalic trunk, 314f, 549f, 559–561,
 560f, 561f, 562f, 567t
Brachiocephalic vein, 574
Brachioradialis muscle, 235f, 267, 267f, 268f,
 269f, 270t, 271f, 313f, 320f, 321f,
 323f, 325f
Brachioradialis reflex. *See* Supinator reflex
Brachium, 38
 bones of, 173–176
 internal anatomy of, 313f, 323f, 324f
 muscles of, 268f
 surface anatomy of, 319–320, 323f
Brachium pontis, 375f
Bradycardia, 587, 592, 592f
Bradykinin, 447
Braille, 491
Brain, 23, 344, 360f–361f, 370f
 blood supply to, 561–563, 563f, 564f
 derivation of, 362t
 development of, 346–347, 346f, 347f
 effects of androgens on, 703t
 functions of, 362t
 general features of, 358–359
 language and, 369–371, 371f
 of newborn, 359
 respiratory centers of, 623
 sections of, 34f
 in taxonomy, 24, 25, 26f
 trauma to, 367, 377, 450
Braincase. *See* Cranium
Brain stem, 306f, 373–374
Brain waves, 367–368
Breast(s), 312f, 738–740, 739f, 748
Breast buds, 779
Breast cancer, 264, 335, 740, 745, 748
Breast self-examination (BSE), 319, 335,
 745–746, 745f
Breathing, 256
 abnormal patterns of, 630
 mechanics of, 618–621, 619f
 regulation of, 623, 623f
Breathing reflex, 776
Breech presentation, 775
Bridge, of nose, 303, 304f, 304t
Broad ligament, 728, 729f, 735
Broca's area. *See* Motor speech area
Bronchial arteries, 566, 567t
Bronchial segments, 614–615
Bronchial tree, 610–611, 618t
Bronchial wall, 606f
Bronchioles, 445t, 611, 612f, 613f
Bronchitis, 628
Bronchogram, 612, 612f
Bronchopulmonary segments, of lungs, 616f
Bronchoscopy, 335
Bronchus, 604f, 610f, 615f
Brunner's glands. *See* Duodenal glands
Brush border, 655
Buccal cavity. *See* Oral cavity
Buccal surface, of teeth, 642
Buccinator muscle, 250f, 251f, 251t, 253f, 305f
Bulb, of penis, 686f, 710–711, 710f
Bulbar conjunctiva, 500f, 501, 501f
Bulboreticulospinal tract, 388t, 389t
Bulbospongiosus muscle, 260, 260t, 261f,
 686f, 701f
Bulbourethral ducts, 686f
Bulbourethral glands, 686f, 687, 698, 699f,
 700t, 709
Bulbs of Krause, 489t, 491
Bulbus cordis, 590t
Bulimia nervosa, 645
Bundle of His. *See* Atrioventricular bundle
Bunion, 202
Burns, 72, 105, 122–123, 123f, 124f
Bursae, 202, 203f
Bursitis, 226, 338
Buttock, 37
 internal anatomy of, 330, 330f
 muscles of, 276–277
 surface anatomy of, 326, 326f
Butt suture. *See* Plane suture
Cadavers, dissection of, 2, 15
 history of, 4f
 during Renaissance, 13, 13f
Caffeine, 358
Calcaneofibular ligament, 222, 223f
Calcaneus muscle, 133f, 174f, 185–186,
 187f, 188f, 287f, 329f
 tendon of, 285f
Calcification, 140
Calcitonin, 457t, 466, 467, 467t, 468
Calcitriol, 114
Calcium, 135
 deficiency, 97
Calculus. *See* Urinary stones
Callus, 109, 323f
Calyces, 677f
Canaliculi, 98, 138f, 140
Cancellous bone. *See* Spongy bone
Cancer, 73, 73f
 of breast, 264, 335, 740, 745, 748
 cervical, 119
 etymology of term, 30
 of lung, 615, 630f
 pancreatic, 669
 of respiratory system, 628
 of skin, 110, 112, 119–121
 uterine, 747
Cancer cells, 584
Canine teeth, 148f, 154, 304f, 640f, 642,
 643f, 644t
Capacitation, 756
CAPD. *See* Continuous ambulatory
 peritoneal dialysis
Capillaries, 540, 555–557, 556f, 557f, 563
Capillary network, of respiratory system, 613f
Capitate bone, 178, 179f, 180f
Capitulum, 176, 176f
Capoid (Kalahari bushmen), 27f
Capsular space, 680
Carbohydrates, 51, 52, 52t
Carboxypeptidase, 654t
Carbuncle, 128
Carcinogens, 73
Cardia, 649, 650f
Cardiac arrhythmia, 587
Cardiac catheterization, 550
Cardiac center, of medulla oblongata, 377
Cardiac cycle, 551
Cardiac impression, 614, 615f
Cardiac muscle, 99, 100f, 100t, 234, 435,
 436–437
Cardiac output, 552
Cardiac plexus, 441
Cardiac septum, congenital defects of, 590
Cardiac tamponade, 335
Cardiac veins, 551, 573f
Cardiac vessels, 547
Cardinal ligament, 735
Cardiogenic area, 589
Cardiovascular assessment, 587–592
Cardiovascular regulation, hypothalamus
 and, 372–373
Cardiovascular system, 540
Carina, 610, 610f
Carotene, 110
Carotid bodies, 561, 623
Carotid canal, 146t, 148f, 151
Carotid hemorrhage, 307
Carotid sheath, 307, 574
Carotid sinus, 560f, 561, 562f
Carotid triangle, 308f, 308t
Carpal bones, 133f, 174f, 179f, 180f, 181t
Carpal extensor retinaculum, 325f
Carpal tunnel syndrome, 338
Carpometacarpal joint, 225t
Carpus, 38, 178
 articulation of, 204f
 flexion of, 269–271
 muscles that move, 268–272, 273t
 surface anatomy of, 323f
Carrier molecules, 54
Cartilage, 95, 97t
 alar, 305f, 605
 articular, 137, 202, 206
 arytenoid, 609
 corniculate, 609, 609f
 costal, 95, 133f, 164f, 165, 165f, 174f
 cricoid, 142f, 306, 306f, 609, 610f
 cuneiform, 609, 609f
 elastic, 95, 97f
 epiglottic, 608
 fibrocartilage, 95, 96f, 97f
 greater alar, 305f, 605f
 hyaline, 95, 96f, 97f
 hyoid, 142f
 lateral, 605, 605f
 lateral alar, 305f
 Meckel's, 142f
 septal, 605
 styloid, 142f
 thyroid, 142f, 306, 306f, 307f, 608, 610f
 tracheal, 610f, 611f
 zone of calcified, 143
 zone of hypertrophic, 143
 zone of proliferating, 142
 zone of resting, 142
Cartilaginous joints, 197, 199–200, 205t
Case study
 body organization, 22, 45
 clinical
 appendicular skeleton, 172, 191
 articulations, 196, 229
 autonomic nervous system, 434, 451
 body organization, 22, 45
 central nervous system, 343, 396
 circulatory system, 537, 598
 cytology, 48, 74
 developmental anatomy, 789
 digestive system, 634, 671
 endocrine system, 454, 483
 female reproductive system, 725
 growth and development, 754
 histology, 77, 103
 history of anatomy, 1, 20
 integumentary system, 105, 127
 male reproductive system, 697, 722
 muscular system, 233, 289
 peripheral nervous system, 400, 430
 regional anatomy, 296, 339
 respiratory system, 602, 630
 sensory organs, 487, 533
 skeletal system, 131, 168
 urinary system, 675, 694
Cataracts, 530, 531–532
Catecholamines, 472
Catheterization, of heart, 587
CAT scan. *See* Computerized axial tomography
Cauda equina, 384, 385f
Caudal. *See* Inferior
Caudate lobe, of liver, 660–661, 661f
Caudate nucleus, 365f, 368, 370f
Causoid, 27f
Cavernous sinus, 574f
Cavities. *See* Dental caries
CCK. *See* Cholecystokinin
Cecal diverticulum, 666
Cecum, 635f, 638f, 656, 657f
Celiac plexus, 440, 441
Celiac trunk, 560f, 566, 567t, 568f
Celiac ganglia, 440
Cell(s), 28
 components of, 53, 53t, 54f
 diversity of, 49
 as functional units, 49
 shapes of, 49, 50f
 sizes of, 49
 structure of, 52–63, 53t, 54f
 surfaces of, 49
 trauma to, 72
Cell body, 101, 348, 349f, 350f
Cell cycle, 65–70, 70f
Cell division, 69–70
Cell membrane, 53–57, 53t, 54f, 55f
 ionic charge of, 54
 movement through, 55t, 56f
 permeability of, 54
 pressure differences between, 54
 structure of, 54
Cell theory, 16, 49
Cellular adaptations, 70–72
Cellular biology, 17
Cellular chemistry, 50–52, 52t
Cellular level, organization at, 28
Celsus, 11, 13

824 Index

- Cementum, 644, 645f
 Center, in reflex arc, 427, 427f
 Central artery, 505f, 507
 Central canal
 of bone tissue, 138–140
 of spinal cord, 358, 381, 382f, 384, 386f
 Central (haversian) canal, 97–98
 Central chemoreceptors, 623
 Central nervous system (CNS), 343–399,
 344f, 345, 345t, 359f. *See also*
 Autonomic nervous system; Nervous
 system; Peripheral nervous system
 case study, 343, 396
 clinical considerations, 391–396
 developmental disorders of, 392
 injuries to, 392–393
 neoplasms of, 394
 relationship with peripheral nervous
 system, 355f
 Central nervous system, clinical practicum, 396
 Central sulcus, 360f, 363, 364f, 366f
 Central vein, 505f, 507, 661, 662f, 663f
 Central vessels, of retina, 516
 Centrioles, 54f, 61, 61f
 Centromere, 65
 Centrosome, 53t, 61, 61f
 Cephalic. *See* Superior
 Cephalic phase, of gastric secretion, 651t
 Cephalic vein, 313f, 321f, 573f, 575, 575f
 Cephalization, 624
 Cerebellar arteries, 563f
 Cerebellar cortex, 375
 Cerebellar peduncles, 375, 376f
 Cerebellar veins, 574
 Cerebellum, 306f, 360f, 361f, 362t, 375,
 375f, 376f
 and autonomic nervous system, 449, 450f
 trauma to, 376
 Cerebral angiogram, 391
 Cerebral aqueduct. *See* Mesencephalic
 aqueduct
 Cerebral arterial circle, 561
 Cerebral arteries, 563f
 Cerebral cortex, 363, 365f, 367f, 378f
 Cerebral embolism, 595
 Cerebral gyri, 363, 364f
 Cerebral hypophysis, 373. *See also* Pituitary gland
 Cerebral medulla, 365f
 Cerebral palsy, 376, 394
 Cerebral peduncles, 362t, 374
 Cerebral sulci, 363, 364f
 Cerebral thrombosis, 395
 Cerebral veins, 574
 Cerebrospinal fluid (CSF), 345t, 358,
 381–382, 383f
 Cerebrovascular accident (CVA), 376, 395, 595
 Cerebrum, 306f, 361f, 362t, 363–371, 364f,
 365f, 366f
 and autonomic nervous system, 449, 450f
 lobes of, 363–367, 366t
 relative sizes of, 26f
 structure of, 363
 white matter of, 368, 369f
 Cerumen, 119, 303, 516
 Ceruminous glands, 119, 516
 Cervical canal, 734
 Cervical cancer, 119
 Cervical curve, 158f, 159
 Cervical enlargement, of spinal cord, 384, 385f
 Cervical lymph nodes, 307, 584, 584f
 Cervical muscles, 309f
 Cervical nerves, 401f, 413, 621t
 Cervical plexus, 385f, 401f, 415–416, 415f,
 416t, 417f
 Cervical region, 35
 Cervical rib, 334
 Cervical spinal nerve, 385f
 Cervical vertebrae, 159, 160–161, 160f,
 163t, 306f
 Cervix
 of neck, 306
 of uterus, 727f, 729f, 734
 Cesarean section, 775
 Chalazion, 532
 Chancroid, 721t
 Cheeks, 640
 Chemoreceptors, 489, 490, 561, 623
 Chest, of neonate, 299t
 Chest cavity. *See* Thoracic cavity
 Cheyne-Stokes breathing, 630
 Chief cells. *See* Principal cells
 Childhood, 777–778, 781t
 Chilitis, 672
 Chimpanzee, brain of, 26f
 Chin, 303, 304f, 304t
 China, and history of anatomy, 8
 Chlamydia, 721t
 Choana, 604f, 605f, 606
 Choking, 608, 627, 628f
 Cholecystokinin (CCK), 457t, 476t
 Cholera, 9
 Cholesterol, 52
 Cholinergic, 444
 Cholinergic stimulation, 445
 Cholinesterase, 358
 Chondritis, 230
 Chondroblasts, 141
 Chondrocranium, 141, 142f
 Chondrocytes, 95, 140
 Chordae tendineae, 549f, 550
 Chorda tympani nerve, in taste sensation,
 498f, 499
 Chorea, 389
 Chorion, 757, 764–765
 Chorion frondosum, 765
 Chorionic villus biopsy, 765
 Choroid, 500f, 504–505, 505f, 508t, 516
 Choroid plexus, 370f, 373, 382
 Chromaffin, 471
 Chromatids, 64f, 704
 Chromatin, 53t, 54f, 63
 Chromatophilic substances, 348, 349f
 Chromosomal abnormalities, 72–73
 Chromosomes, 63, 64f, 65
 Chronic meningitis, 395
 Chronic pain, 492
 Chronic prostatitis, 722
 Chronic renal failure, 693
 Church, influence on study of anatomy, 11, 12
 Chyme, 649
 Chymotrypsin, 654t
 Cilia, 53t, 61, 63f, 83, 606f
 Ciliary arteries, 507
 Ciliary body, 500f, 504f, 505, 505f, 506f,
 508t, 512f, 516
 Ciliary ganglion, 441
 Ciliary glands, 501
 Ciliary muscles, 445t, 503t, 505, 506f
 Ciliary processes, 505
 Cineradiography, 18
 Circle of Willis. *See* Cerebral arterial circle
 Circular fibers, 506f
 Circular layer, of pharyngeal muscles, 647
 Circular movements, 207–209, 209f
 Circular muscles. *See* Sphincter muscles
 of stomach, 650f
 Circulation, fetal, 580–581, 581f, 582t
 Circulatory routes, 550–551
 Circulatory system, 32f, 537–601, 539f
 case study, 537, 598
 clinical considerations, 587–598
 clinical practicum, 598
 components of, 540
 development of, 588–591
 functions of, 538–539
 relation to lymphatic system, 583f
 relation to other body systems, 538f
 trauma to, 596–598
 Circumcision, 711
 Circumduction, 209, 209f
 Circumflex artery, 551, 552f
 Circumflex branches, 548f
 Cirrhosis, 579, 670
 Cisterna, 57
 Cisterna chyli, 582, 584f
 Cisternal puncture, 391
 Class Mammalia, 24, 27t
 Claustrophobia, 365f, 369, 370f
 Clavicle, 133f, 173, 174f, 175f, 181t, 307,
 307f, 308f, 309f, 311f
 Clavicopectoral triangle, 311f, 319, 319f
 Clavicular notch, 164, 164f
 Cleavage, 757, 758f, 760t
 Cleft lip, 155, 166, 333, 626, 627f
 Cleft palate, 155, 166, 333, 624, 626, 627f, 669
 Clinical considerations
 appendicular skeleton, 189–191
 autonomic nervous system, 450–451
 axial skeleton, 165–168
 central nervous system, 391–396
 circulatory system, 587–598
 cytology, 70–74
 developmental anatomy, 785–789
 digestive system, 669–671
 endocrine system, 480–483
 histology, 101–103
 integumentary system, 119–127
 joints, 224–229
 male reproductive system, 714–722, 744–751
 muscular system, 285–289
 regional anatomy, 330–339
 respiratory system, 626–630
 sensory organs, 527–533
 urinary system, 688–694
 Clinical practicum
 appendicular skeleton, 193
 autonomic nervous system, 451
 axial skeleton, 168–169
 central nervous system, 396
 circulatory system, 598
 developmental anatomy, 790
 digestive system, 672
 endocrine system, 484
 female reproductive system, 751
 integumentary system, 128
 joints, 229–230
 male reproductive system, 722
 muscular system, 292–293
 peripheral nervous system, 432
 regional anatomy, 340
 respiratory system, 631
 sensory organs, 534
 urinary system, 694–695
 Clinical procedures, terminology of, 34–35
 Clitoris, 716, 727f, 727t, 737f, 738, 743
 Cloaca, 667, 690
 Cloacal membrane, 667
 Closed fractures, 189
Clostridium botulinum, 669
Clostridium tetani, 250
 Clubfoot, 189, 189f, 338
 Coarctation, 595
 Coccygeal cornua, 163, 163f
 Coccygeal nerves, 401f, 413
 Coccygeal trauma, 163
 Coccygeal vertebrae, 159
 Coccygeus muscle, 260, 260t, 261f, 281f
 Coccyx, 133f, 158f, 159, 162–163, 162f, 163f,
 163t, 174f, 181f, 182f, 326f, 330f
 Cochlea, 30, 517f, 519f, 520, 520f, 521f,
 522f, 529, 529f
 Cochlear duct, 519f, 520, 520f, 521f, 529
 Cochlear nerve, 410, 410f, 517f, 519f, 520f, 521f
 Cochlear window, 158f, 517f, 518f, 520
 Codfish, brain of, 26f
 Codons, 68–69, 68f, 69f
 Coelom, 41, 44f
 Coitus, 698, 726
 Cold receptors, 491–492
 Cold sore, 128
 Colitis, 672
 Collagen, 51, 74
 Collagenous fibers, 91
 Collarbone. *See* Clavicle
 Collateral branches, of axons, 348, 349f
 Collateral ligaments, 218, 219f, 222f, 274f
 Collecting duct. *See* Papillary duct
 Colles' fracture, 178, 190, 338
 Colliculi, of midbrain, 361f
 Colloid, 467
 Colloid substances, 57
 Colon, 638f
 Coloration
 of hair, 116
 of skin, 109–110, 300
 Color blindness, 513, 784–785
 Color vision, 513
 Colostomy, 672
 Coma, 377
 Comatose, 392
 Comedo, 128
 Comminuted fractures, 189, 190f
 Commissural fibers, 368, 369f
 Commissures, of eye, 500
 Common bile duct, 635f, 652, 654f, 663f, 664f
 Common carotid artery, 307, 314f
 pressure point for, 572f
 Common cold, 628
 Common fibular nerve, 333f, 423, 424t
 Common flexor tendon, 272f
 Common hepatic artery, 566, 567t, 568f
 Common hepatic duct, 663f
 Common iliac artery, 560f, 567t, 581f, 736f
 Common iliac vein, 573f, 576
 Common nerve pathways, 492
 Communicating veins, 577f
 Communication, skin and, 114
 Compact bone, 97, 98f, 136, 138–140, 139f
 Compensatory hypertrophy, 72
 Complete fractures, 189
 Compound fractures, 189
 Compound glands, 87, 88f, 89t
 Compounds, 50–51, 51t
 Compression fracture, 161
 Computerized axial tomography (CT scan/
 CAT scan), 18, 19f, 33, 391, 587
 Concha, 517f
 Conchal crest, 156f
 Concussion, 392
 Condoms, 750f
 Conducting division, of respiratory system, 603
 Conducting passages, 604–612, 612f
 Conduction, of nerve impulse, 488
 Conduction aphasia, 371
 Conduction deafness, 533
 Conduction myofibers, 552, 553f
 Conduction system, of heart, 551–552, 553f
 Conductivity, 357
 Condylar process, 147f, 156f, 157
 Condyle, 136t
 Condyloloid canal, 148f, 149f, 151
 Condyloloid joint, 202, 204f, 205t
 Cone cells, 506, 510f, 513
 Congenital bilateral absence of ductus
 deferens, 722
 Congenital cataracts, 530
 Congenital deafness, 530
 Congenital defects, 789
 Congenital diaphragmatic hernia, 336
 Congenital dislocation of hip, 338
 Congenital heart defects, 593
 Congenital megacolon, 336
 Congenital syphilis, 334
 Congenital uterine abnormalities, 746, 746f
 Conjoined twins, 786
 Conjugated proteins, 51
 Conjunctiva, 302f, 302t, 501, 504f, 505f,
 506f, 516
 Conjunctival sac, 500f, 501
 Conjunctivitis, 532
 Connecting stalk, 768
 Connective tissue, 78, 89–98
 characteristics of, 89–90
 classification of, 89–90
 dense irregular, 92, 93f, 95t
 dense regular, 92, 92f, 95t
 elastic, 92, 93f, 95t
 embryonic, 90, 90f
 loose, 91, 91f, 95t
 reticular, 92, 94f, 95t
 Connective tissue proper, 90–94, 95t
 Conoid tubercle, 173, 175f
 Constipation, 660
 Constriction, of pupil, 510–511
 Constrictor muscles, of pharynx, 647, 647f
 Continuous ambulatory peritoneal dialysis
 (CAPD), 693
 Continuous capillary, 556f, 557, 557f
 Contraception, 475, 749–751, 750f
 Contraceptive sponge, 750f

- Contractions, 234
of cardiac muscle, 437
of skeletal muscles, 243, 245f, 246f
of smooth muscle, 437
- Contrecoup fracture, 334
- Conus medullaris, 384, 385f
- Convergence, of eyeball, 511
- Convergent muscles, 238, 239t
- Convulsions, 363, 364f
- Convulsion, 293
- Copulation, 698
- Coracoacromial ligament, 216f
- Coracobrachialis muscle, 259f, 264f, 266t, 267, 268f, 270f, 313f
- Coracoclavicular ligament, 216f
- Coracohumeral ligament, 216, 216f
- Coracoid process, 173, 175f
- Coranoid fossa, 176f
- Corn, 128, 327, 330f
- Cornea, 302f, 302t, 500f, 504, 504f, 505f, 506f, 508t, 512f
- Corniculate cartilage, 609, 609f
- Cornification, 108
- Corona glandis, 710f, 711
- Coronal plane, 33, 33f, 34f
- Coronal suture, 144, 145f, 146, 147f, 148f
- Corona radiata, 729, 730f, 733f, 755
- Coronary arteries, 560f
- Coronary artery bypass surgery, 594f
- Coronary circulation, 550–551, 552f
- Coronary embolism, 595
- Coronary sinus, 551, 552f, 589
- Coronary sulcus, 547, 549f, 550
- Coronoid fossa, 176
- Coronoid process, 147f, 149f, 156f, 157, 177, 177f
- Corpora cavernosa
of clitoris, 738
of penis, 710f, 711
- Corpora quadrigemina, 370f, 374, 376f
- Corpus albicans, 732, 733f
- Corpus callosum, 306f, 361f, 363, 365f, 368, 370f
- Corpus cavernosum penis, 686f
- Corpuscles of touch, 489t, 490–491
- Corpus luteum, 475, 732, 733f
- Corpus spongiosum penis, 686f, 710f, 711
- Corpus striatum, 368, 370f
- Corrugator supercilli muscle, 250f, 251f, 251t, 305f
- Cortex, of cerebellum, 370f
- Cortex layer, 359
- Cortical nephrons, 682, 683f
- Corticoids. See Corticosteroids
- Corticospinal tracts, 386, 389f
- Corticosteroids, 471
- Corticotropin-releasing hormone (CRH), 462, 463
- Cortisol, 457f, 471, 472
- Costal angle, 165, 310, 311f
- Costal cartilage, 95, 133f, 164f, 165, 165f, 174f
- Costal groove, 165, 165f
- Costal margin, of rib cage, 165, 310, 311f, 312
- Costal notches, 164, 164f
- Costal surface, of lung, 614
- Costal tuberosity, 173, 175f
- Costocervical trunk, 565
- Costochondral joint, 165f
- Costoclavicular ligament, 215, 215f
- Costovertebral joint, 225t
- Coughing, 83, 622t
- Cowper's glands. See Bulbourethral glands
- Coxal joint, 205f, 220, 220f, 225t
muscles of, 275–277, 278t, 281t
- Coxarthrosis, 230
- Crabs, 721t
- Cramped muscle, 286
- Cranial. See Superior
- Cranial bones, 132t, 144, 145–153
- Cranial cavity, 40f, 44f, 45f, 144, 149f
- Cranial dura mater, 378
septae of, 380t
- Cranial encephalocele, 333, 392
- Cranial meningocele, 392
- Cranial nerves, 401, 401f, 402f, 403–413, 404t–405t. See also specific nerves
neurological assessment of, 412, 413t
and parasympathetic division
of ANS, 441
- Cranial region, 35
- Cranial root, of accessory nerves, 412, 412f
- Craniosacral division, of autonomic nervous system. See Parasympathetic division, of autonomic nervous system
- Craniotomy, 169
- Cranium, 35, 301
- Cremasteric reflex, 430t
- Cremaster muscle, 700, 701f, 710f
- Crest, of bones, 136t
- Cretinism, 481
- Crib death, 628
- Cribriform foramina, 146t, 153, 153f
- Cribriform plate, of ethmoid bone, 148f, 150f, 153, 153f, 154f
- Crick, Francis, 66
- Cricoid cartilage, 142f, 306, 306f, 609, 610f
- Cricothyroid muscle, 255f
- Crista ampullaris, 526, 526f
- Cristae, 58, 60f
- Crista galli, 148f, 149f, 150f, 153, 153f, 154f
- Crossed extensor reflex, 428–430, 429f
- Cross-sectional plane. See Transverse plane
- Crown, of tooth, 644, 645f
- Crown-rump length, 773
- Crura, 738
- Crural muscles, 281–285, 285f
- Crural region, 40
- Crus, of penis, 686f, 710–711, 710f
- Crutch paralysis, 419
- Crying, 502, 622t
- Crying reflex, 776
- Cryptorchidism, 336, 715, 715f
- CSF. See Cerebrospinal fluid
- CT scan. See Computerized axial tomography
- Cubital fossa, 38, 320, 321f
- Cubital lymph nodes, 584
- Cubital region, 38
- Cuboid bones, 186, 187f, 188f
- Cumulus oophorus, 729, 730f, 733f
- Cuneiform bones, 186, 188f
- Cuneiform cartilage, 609, 609f
- Cupola, of lung. See Apex, of lung
- Cupula, 526, 526f
- Curette, 102
- Cushing's syndrome, 483
- Cuspids. See Canine teeth
- Cutaneous prepatellar bursa, 221, 221f
- Cutaneous receptors, 114, 489t
- Cuticle. See Eponychium
- CVA. See Cerebrovascular accident
- Cyanosis, 110, 300, 592, 628
- Cyclic AMP, 459, 459f
- Cyclopia, 530
- Cycloplegic drugs, 527
- Cyst(s), dermal, 119
- Cystic duct, 663f, 664f
- Cystic fibrosis, 626, 672, 790
- Cystic vein, 579
- Cystitis, 687, 692
- Cystoscopy, 692, 692f
- Cytokinesis, 70
- Cytology, 17, 48–76
case study, 48, 74
cell cycle, 65–70
cellular chemistry, 50–52
cellular structure, 52–63
clinical considerations, 70–74
introduction to, 49
- Cytoplasm, 53, 53t, 54f, 57–61
- Cytosine, 65, 68
- Cytotrophoblast, 759
- Dandruff, 128
- Dark Ages, and history of anatomy, 12
- Dartos, 700
- Daughter cells, 705f
- David (Michelangelo), 2, 3f
- da Vinci, Leonardo, 13, 14f
- Deafness
conduction, 533
congenital, 530
perceptive, 533
- Death
autopsy and, 18–19
somatic, 102
- Decibels (dB), 522
- Decidua basalis, 765
- Deciduous teeth, 642, 644t
- Decubitus ulcers, 111, 112f, 128
- Decussation, 386
- Deep artery, of penis, 710f
- Deep brachial artery, 565, 565f
- Deep digital flexor muscle, 271, 272f, 273t
tendon of, 274f, 325f
- Deep dorsal vein, of penis, 710f
- Deep fascia, 236, 238t, 710f
- Deep femoral artery, 560f, 568, 570f
- Deep femoral vein, 576, 578f
- Deep fibular nerve, 423, 425f
- Deep iliac circumflex artery, 568, 569f
- Deep infrapatellar bursae, 221, 221f
- Deep palmar arch, 575
- Deep palmar arch artery, 565f, 566
- Deep transversus perinei muscles, 261f
- Deep veins, 572, 573f
- Defecation, 635, 659t
- Defecation reflex, 659
- Defibrillation, 592
- Definitive hair, 117
- Deglutition, 635, 648–649, 659t
- de Graaf, Regnier, 15
- de Humani Corporis Fabrica (Vesalius), 14, 14f
- Dehydration, 51
- Delirium, 392
- Delivery, and molding of fetal head, 144
- Delta waves, 368t
- Deltoid ligament, 222, 223f
- Deltoid muscle, 235f, 259f, 264f, 265f, 266t, 267, 267f, 268f, 269f, 270f, 308f, 310, 311f, 313f, 316f, 319f, 320f, 323f, 324f
- Deltoid region, 38
- Deltoid tuberosity, 176, 176f
- de' Luzzi, Mondino, 13, 15
- Demifacet, for rib, 161f
- Dendrites, 101, 348, 349f, 350f
- Dendritic spinules, 348
- Dendritic zone, 348
- Dens, of axis, 160f, 161
- Dense bone. See Compact bone
- Dense irregular connective tissue, 92, 93f, 95t
- Dense regular connective tissue, 92, 92f, 95t
- Dental alveoli, 154, 199f, 644, 645f
- Dental caries, 645, 669–670, 669f
- Dental cusps, 642, 644
- Dental formula, 642
- Dental pulp, 645f
- Dentate nuclei, 375
- Denticulate ligament, 381f
- Dentin, 644, 645f
- Dentistry, 302
- Dentoalveolar joint, 198
- Deoxyribose, 67f
- Deoxyribose nucleic acid (DNA), 52t, 64f, 67f
replication of, 66f
structure of, 65–66, 65f
- Depolarization, 357, 357f
- Depressed fracture, 190
- Depression
of bones, 136t
mental, 396
as type of movement, 209, 210f
- Depressor anguli oris muscle, 250f, 251f, 251t, 305f
- Depressor labii inferioris muscle, 250f, 251f, 251t
- Dermabrasion, 128
- Dermal cysts, 119
- Dermatitis, 107t, 119, 128
- Dermatoglyphics, 110
- Dermatology, 128
- Dermatomes, 426, 426f
- Dermis, 107f, 108f, 110–112
Descending aorta, 549f, 560f
- Descending colon, 635f, 638f, 656, 657f
- Descending limb, of nephron loop, 680f, 682, 683t
- Descending tracts, of spinal cord, 384, 387f, 388t, 389t
- Descriptive terminology, 33–35
- Detached retina, 506
- Detrusor muscle, 687
- Development, prenatal
of appendicular skeleton, 192, 192f
of axial skeleton, 141
of brain, 346–347, 346f, 347f
case study, 754
of circulatory system, 588–591
of digestive system, 665–668, 665f
of ear, 528–529
of endocrine system, 477–478
of eye, 515–516, 515f
of female reproductive system, 743
of integumentary system, 120–121
of male reproductive system, 716–719
of muscular system, 248–249, 248f, 249f
of peripheral nervous system, 426, 426f
of respiratory system, 624–626
of spinal cord, 390, 390f
of synovial joints, 206, 206f
of tissues, 79–80
of urinary system, 689–690
- Developmental anatomy, 17
case study, 789
clinical considerations, 785–789
clinical practicum, 790
- Developmental disorders, 789
of abdomen, 336
of central nervous system, 392
of digestive system, 669
of ears, 527–531
of eyes, 527–530
of female reproductive system, 746
of head, 333
of hip, 338
of lower extremity, 338
of male reproductive system, 714–715
of neck, 333
of respiratory system, 626
of shoulder, 337
skeletal, 166, 189
of thoracic region, 334–335
of upper extremity, 337
of ureters, 691
of urethra, 691
of urinary bladder, 691
of urinary system, 688–691
- Diabetes insipidus, 463, 481
- Diabetes mellitus, 471, 482
- Diapedesis, 542
- Diaphragm, 24, 40f, 41, 42f, 43f, 258, 258f, 276f, 314f, 317f, 318f, 618, 620f, 635f
- Diaphragm (contraceptive), 750f
- Diaphragma sellae, 380t
- Diaphragmatic surface, of lung, 615f
- Diaphysis, 136
- Diarrhea, 639, 660, 670
- Diarthroses, 197
- Diastole, 552
- Diastolic pressure, 559
- Diencephalon, 347, 362t, 365f, 372–373, 376f
- Dieting, 94. See also Nutritional disorders
- Diffusion, 56f
facilitated, 55t
simple, 55t
- Digastric fossa, 149f
- Digastric muscle, 255f, 256, 257f, 257t, 308f, 309f
- Digestion, 51, 635
- Digestive enzymes, 654t
- Digestive system, 32f, 634–674, 635f
case study, 634, 671
and circulatory system, 539
clinical considerations, 669–671
clinical practicum, 672
developmental disorders of, 669
development of, 665–668, 665f
introduction to, 635–636
- Digestive tract. See Gastrointestinal tract

826 Index

- Digit(s), 38, 40
bones of, 178, 179f, 187f
muscles that move, 273t
in taxonomy, 24
- Digital arteries, 565f, 566, 570f, 571
- Digital rays, 192, 768
- Dihybrid cross, 784, 784f
- Dilation stage, of labor, 775, 776f
- Diphyodont, 642
- Diploe, 136, 137f
- Diploid chromosomes, 782
- Diplopia, 511f, 532
- Directional terms, 34, 36t
- Disaccharides, 52
- Discontinuous capillary, 557, 557f
- Disease atrophy, 72
- Dislocated articular facet, 226
- Dislocation of joints, 225–226
- Displaced fracture, 190
- Dissection, of cadavers, 2, 15
history of, 4f
during Renaissance, 13, 13f
- Distal, 36t
- Distal convoluted tubule, 679f, 680f, 682, 683t
- Distal interphalangeal joints, 322f
- Distal phalanx, 179f, 180f, 187f
- Distal radioulnar joint, 225t
- Distal tibiofibular joint, 225t
- Disuse atrophy, 72, 102
- Diverticulitis, 671
- Diverticulosis, 670–671
- Dizygotic twins, 785–786, 787f
- Dizziness, 527
- DNA. See Deoxyribose nucleic acid
- Dominant alleles, 783, 783t
- Dopamine, 351, 390, 463
- Dorsal. See Posterior
- Dorsal arch, 570
- Dorsal artery, of penis, 710f
- Dorsal calcaneocuboid ligament, 223f
- Dorsal cuneonavicular ligament, 223f
- Dorsal hollow nerve cord, 23, 23f
- Dorsal interosseous muscle, 271f, 274f, 275, 275t, 290f
- Dorsal motor nucleus, 411
- Dorsal nerve, of penis, 710f
- Dorsal pedal artery, 560f, 570, 570f
pressure point for, 329f, 572f
- Dorsal pedal vein, 578f
- Dorsal talonavicular ligament, 223f
- Dorsal tarsometatarsal ligament, 223f
- Dorsal vein, of penis, 710f
- Dorsiflexion, 207, 208f, 212f
- Dorsum
of foot, 40
of hand, 38
- Dorsum sellae, 149f, 153f
- Double helix, 65, 65f, 66f
- Double-jointed, 200
- Double uterus, 746, 746f
- Double vagina, 746f
- Double vision, 511f, 532
- Down syndrome, 73, 763
- Dropsy, 1
- Drug(s), cytologic effects of, 57, 72
- Drug abuse, 391–392
- Dry skin, 107t
- DSR scan. See Dynamic spatial reconstructor scan
- Dual innervation, 446–447
antagonistic effects, 446, 447f
complementary effects, 446
cooperative effects, 446
- Ductus arteriosus, 581, 581f, 582t, 590
- Ductus deferens, 698, 699f, 700t, 701f, 707–708, 708f, 710f, 716
- Ductus venosus, 580, 581f, 582t
- Duodenal glands, 652
- Duodenal papilla, 652, 654f, 663f, 664f
- Duodenojejunal flexure, 652, 653f
- Duodenum, 456, 635f, 638f, 649f, 650f, 652, 653f, 654f, 655f, 663f, 664f
- Duplication of ureters, 691
- Dural sheath, 379
- Dural sinuses, 378, 378f
- Dura mater, 360f, 378–379, 378f, 379f, 380t, 381f, 385f
- Dutch, and history of anatomy, 8
- Dutrochet, René H., 16
- Dwarfism, 166, 462, 480, 481f
- Dynamic spatial reconstructor (DSR) scan, 18, 19f, 391
- Dysentery, 669
- Dyslexia, 394
- Dysmenorrhea, 747
- Dysplasia, 748
- Dyspnea, 621, 622t
- Dysuria, 691
- Ear(s), 517f. See also Hearing; Inner ear; Middle ear; Outer ear
developmental disorders of, 527–531
development of, 528–529
disorders of, 527–533
of neonate, 299t
- Eardrum. See Tympanic membrane
- Earlobe, 303, 516, 517f
- Earwax. See Cerumen
- Eccrine sweat glands, 118, 118f
- ECG. See Electrocardiogram
- Ectoderm, 80, 80t, 760, 761f
- Ectopic pacemakers, 592
- Ectopic pregnancy, 734, 746–747, 785, 786f
- Eczema, 128
- Edema, 1, 92, 582, 592
- EEG. See Electroencephalogram
- Effector, in reflex arc, 427, 427f
- Efferent ductules, 702f, 703, 716
- Efferent glomerular arterioles, 678, 680f, 681f
- Efferent lymphatic vessels, 583
- Efferent nerves, 356f
- Efferent neuron, 352
- Egg cells. See Oocytes
- Egypt, and history of anatomy, 5–8
- Ejaculate. See Semen
- Ejaculation, 712, 713–714, 713f
- Ejaculatory ducts, 686f, 687, 698, 699f, 700t, 708, 716
- EKG. See Electrocardiogram
- Elastic arteries, 555, 556f
- Elastic cartilage, 95, 97f
- Elastic connective tissue, 92, 93f, 95t
- Elastic fibers, 91
- Elasticity, of muscle, 234
- Elastin, 74
- Elbow, surface anatomy of, 321f
- Elbow joint, 204f, 213f, 217, 218f, 219f, 225t
muscles of, 267–268, 270t
- Electrical defibrillation, 592
- Electrocardiogram (ECG/EKG), 552–554, 553f, 587, 595f
- Electroencephalogram (EEG), 367–368, 368t, 391
- Electrolytes, 51, 52t, 373
- Electromagnetic spectrum, 511, 513f
- Electromyography (EMG), 285
- Electronic Monitoring of Fetal Heart Rate and Uterine Contractions (FHR-UC) Monitoring, 787–789, 789f
- Electron microscope, 17, 17f, 78
- Elements, 50
- Elevation, 209, 210f
- Embalming, 7, 13
- Embedding, 102
- Embolic, 595
- Embryo, 762, 763f, 764f, 773f. See also Development
bone development in, 141, 141f
changes by week, 767–769, 769f, 770f, 771f
chordate, 23f
connective tissue of, 90, 90f
skull of, 142, 142f
- Embryoblast, 80, 757
- Embryology, 762
- Embryonic disc, 760
- Embryonic period, 762–769
- Emetics, 651
- EMG. See Electromyography
- Emission, 712, 713, 713f
nocturnal, 714
- Emmetropia, 531f
- Empysema, 615, 628, 630f
- Enamel, 645, 645f
- Encephalitis, 394
- Encephalomyelitis, 394
- Endemic goiter, 481, 481f
- Endocarditis, 335, 547
- Endocardium, 547, 547t
- Endochondral ossification, 95, 140, 141, 141f, 192
- Endocrine cells (G cells), 651
- Endocrine disorders, 480
- Endocrine glands, 455, 455f, 457t
- Endocrine organs, 456f
- Endocrine system, 31f, 454–486. See also specific components
case study, 454, 483
clinical considerations, 480–483
clinical practicum, 484
control of, 373
development of, 477–478
glands of, 456
and nervous system, 455, 455t
placenta in, 765–766, 766t
- Endocrinology, 480
- Endocytosis, 55t
- Endoderm, 80, 80t, 760, 761f
- Endolymph, 519, 526f
- Endometriosis, 748
- Endometrium, 729f, 736
- Endomysium, 236, 237f
- Endoneurium, 352
- Endoplasmic reticulum (ER), 53t
rough, 54f, 57, 58f
smooth, 54f, 57, 58f
- Endorphins, 359
- Endosteum, 137
- Endothelium, 81, 555, 556f
- Endothermic animals, 540
- Energy deficit, 72
- Enkephalins, 359
- Entamoeba histolytica, 669
- Enteritis, 337, 670
- Enterokinase, 654t
- Enuresis, 692
- Enzymes, 52
digestive, 654t
proteolytic, 757
synthetase, 69
- Eosin and hematoxylin stain, 542
- Eosinophils, 542, 542f, 544t
- Ependymal cells, 350f, 351, 351t
- Ependymomas, 394
- Epicanthic fold, 501
- Epicardium, 546, 547t
- Epicondyles, 136t, 185
- Epicranial muscle, 251t
- Epidermal derivatives, 115–119
- Epidermis, 106–110, 107f, 108f, 109t
- Epididymis, 698, 699f, 700t, 701f, 702f, 707, 707f, 710f, 716
- Epidural anesthesia, 775
- Epidural space, 379, 379f
- Epigastric region, 38f, 38t
- Epiglottic cartilage, 608
- Epiglottis, 604f, 605f, 608, 609f, 641f, 642f
- Epilepsy, 363, 393–394
- Epimysium, 236, 237f
- Epinephrine, 246, 440, 446f, 457t, 458, 472, 473t
- Epiphyseal line, 137
- Epiphyseal plate, 137, 142–143, 142f, 143f
- Epiphysiolysis, 169
- Epiphysis, 137
- Epiploic appendages, 657f, 659
- Episiotomy, 260, 737
- Epispadias, 691, 691f
- Epistaxes, 627
- Epithalamus, 373
- Epithelial tissue, 78, 79–89, 86t
- Epithelium
glandular, 87–89
keratinized stratified squamous, 85, 86t
membranous, 79–81
nonkeratinized stratified squamous, 85, 86t
- pseudostratified ciliated columnar, 83, 84f, 86t
respiratory, 83
simple, 81–83, 86t
simple ciliated columnar, 83, 83f, 86t
simple columnar, 81–83, 82f, 86t
simple cuboidal, 81, 82f, 86t
simple squamous, 81, 86t
stratified, 83–85, 86t
stratified cuboidal, 85, 85f, 86t
stratified squamous, 83–85, 84f, 86t
transitional, 85, 86f, 86t
- Epitympanic recess, 517, 518f
- Eponychium, 117, 117f
- Eponyms, elimination of, 17
- Equilibrium, 526f
mechanics of, 425f, 523–527
neural pathways for, 526–527
- ER. See Endoplasmic reticulum
- Erasistratus, 11
- Erb-Duchenne palsy, 338
- Erb's point, 338
- Erection
female, 738
male, 711f, 712–713, 712f
- Erector spinae muscle, 262, 262f, 263t, 310
- ERV. See Expiratory reserve volume
- Erythema, 110, 128, 592
- Erythroblastosis fetalis, 765
- Erythrocytes, 98, 99f, 540–541, 541f, 542f, 544t
circulation of, 538–539
shape of, 50f
- Erythropoiesis, 544
- Erythropoietin, 457t
- Esophageal arteries, 566, 567t
- Esophageal atresia, 669
- Esophageal hiatus, 648
- Esophageal plexus, 441
- Esophagus, 306f, 314f, 604f, 605f, 635, 635f, 636t, 641f, 648, 648f, 649f, 650f, 659t
- Esotropia, 532
- Estradiol-17 β , 457t
- Estrinol, during pregnancy, 766
- Estrogen, 472, 741, 766t
- Estrogens, 474–475
- Ethmoidal crest, 156f
- Ethmoidal sinus, 605f, 607, 607f
- Ethmoid arch, 150f
- Ethmoid bone, 147f, 153, 153f, 605
- Ethmoid sinus, 151f, 153
- Ethylene glycol poisoning, 48
- Eupnea, 622t
- Eustachian tube. See Auditory tube
- Eustachius, 15
- Evaporative cooling. See Sweating
- Eversion, 209, 210f
- Examination, 102
- Ex anopsia, 511
- Excretory lacrimal ductules, 501f
- Excretory system, and circulatory system, 539
- Exercise, and muscle aging, 289
- Exhalation. See Expiration
- Exocoelomic membrane, 763
- Exocrine glands, 87, 88f, 89t, 455, 455f, 639f
- Exocytosis, 55t
- Exophthalmos, 482, 482f
- Exotropia, 532
- Expiration, 256, 618, 619–620, 619f, 621t
muscles of, 258f, 620f
- Expiratory portion, of rhythmicity area, 623
- Expiratory reserve volume (ERV), 621t, 622f
- Expulsion stage, of labor, 775, 776f
- Exstrophy of urinary bladder, 691
- Extensibility, of muscle, 234
- Extension, 207, 208f, 211f, 212f
- Extensor carpi brevis muscle, tendons of, 272f
- Extensor carpi longus muscle, tendons of, 272f
- Extensor carpi radialis brevis muscle, 267f, 271f, 271f, 273t, 325f
tendon of, 325f
- Extensor carpi radialis longus muscle, 267f, 269f, 271, 271f, 273t, 320f, 321f
tendon of, 325f
- Extensor carpi radialis muscle, tendons of, 272f

- Extensor carpi ulnaris muscle, 267f, 272, 272f, 273t, 321f, 325f
- Extensor digiti minimi muscle, 271f, 272, 273t, 325f
tendon of, 322f, 325f
- Extensor digitorum brevis muscle, 285, 291f, 329f
- Extensor digitorum communis muscle, 271f, 272, 272f, 273t, 325f
tendon of, 325f
- Extensor digitorum longus muscle, 235f, 283, 283f, 284f, 286t, 332f
tendon of, 329f, 332f
- Extensor digitorum muscle, 267f, 272f, 321f
tendon of, 274f, 322f
- Extensor hallucis brevis muscle, 291f
- Extensor hallucis longus muscle, 283, 283f, 284f, 286t
tendon of, 329f, 332f
- Extensor indicis muscle, 271f, 272f
tendon of, 325f
- Extensor pollicis brevis muscle, 271f, 272, 272f, 273t
tendon of, 274f, 322f, 325f
- Extensor pollicis longus muscle, 272, 272f, 273t
tendon of, 322f, 325f
- Extensor retinaculum, 271f
- External, 36t
- External abdominal oblique muscle, 235f, 258, 258f, 259f, 260t, 264f, 265f, 312f, 313, 313f, 316f, 317f, 323f, 324f, 620f
- External acoustic canal, 302, 516, 517f, 529
- External acoustic meatus, 147f, 148f, 149f, 151, 152f, 158f, 516
- External anal sphincter, 260, 261f, 657, 658f
- External carotid artery, 560f, 561, 562f, 563–564
- External hydrocephalus, 381
- External iliac artery, 560f, 566, 567t, 568, 568f, 569f, 581f
- External iliac vein, 573f, 576, 578f
- External intercostal muscles, 258, 258f, 259f, 264f, 311f, 313f, 618, 620f
- External jugular vein, 307, 309f, 324f, 572, 573f, 574
- External occipital protuberance, 148f, 152, 315f
- External otitis, 533
- External respiration, 603
- External spermatic fascia, 701f, 710f
- External urinary sphincter, 686f, 687
- Exteroceptors, 489–490
- Extraembryonic membranes, 762–765, 763f, 764f
- Extramembranous, 394
- Extrapyramidal tracts, 389, 389f
- Extrinsic eye muscles, 502, 503t
- Extrinsic laryngeal muscles, 609
- Extrinsic ocular muscles, 502f, 514, 516
- Extrinsic tongue muscles, 252, 255f, 255t
- Eye(s)
accessory structures of, 499–502
autonomic nervous system effects on, 445t
comparison with camera, 499t
developmental disorders of, 527–530
development of, 515–516, 515f
diseases of, 532
disorders of, 527–530
diagnosis of, 527
functional impairments of, 531–532, 531f
human, comparison with other species, 499
infections of, 532
movements of, 502, 503f, 513–514
muscles of, 502, 503t
of neonate, 299t
- Eyeball
blood supply to, 507
cavities of, 508
chambers of, 508
convergence of, 511
function of, 509–511
internal anatomy of, 511f
structure of, 504–508, 504f, 506f, 508t
trauma to, 508
- Eyebrows, 302, 302f, 302t, 500, 500f, 501f
- Eyelashes, 302, 302f, 302t, 500, 500f, 501, 501f
- Eyelids, 302, 302f, 302t, 500, 501f, 516
- Eye movement test, 504
- Face, surface anatomy of, 301–303, 301f
- Facet, of bone, 136t, 161, 161f
- Facial artery, 305f, 309f, 562f, 563
pressure point for, 572f
- Facial bones, 132t, 144, 154–157
- Facial expressions, 252f
muscles of, 301–302
- Facial muscles, 24, 28, 250, 250f, 251f, 251t
- Facial nerve (VII), 250, 360f, 402f, 404t–405t, 409, 409f, 410f, 413t, 498f, 499, 517f
- Facial region, 35
- Facial vein, 305f, 574f
- Facilitated diffusion, 55t
- Fainting, 392
- Falciform ligament, 314f, 317f, 637, 638f, 660
- Fallopian tubes. *See* Uterine tubes
- Fallopian, 15
- False labor, 775
- False pelvis, 180, 183f
- False ribs, 164f, 165
- False vocal cords. *See* Vestibular folds
- Falx cerebelli, 375, 380t
- Falx cerebri, 363, 378f, 380t
- Familial cretinism, 790
- Family Hominidae, 24, 27t
- Farsightedness. *See* Hyperopia
- Fascia, 91, 236, 237f, 238t
- Fasciculus, 236, 237f, 352
- Fasciculus cuneatus, 388t, 389t
- Fasciculus gracilis, 388t, 389t
- Fat, 52, 134. *See also* Adipose tissue
- Fat body, 259f
- Fauces, 640, 641f
- Fecal fistula, 336
- Feeding center, 373
- Female
comparison with male physique, 780, 780f
distribution of hair in, 115f
growth rate of, 726, 728f
hypodermis of, 297, 298f
infertility in, 747
orgasm in, 738
puberty in, 726
sexual maturation of, 779
- Female condoms, 750f
- Female infertility, 747
- Female reproductive system, 32f, 701f, 725–753, 727f, 729f
case study, 725
clinical practicum, 751
comparison with male, 743t
developmental disorders of, 746
development of, 716, 717f, 718f, 743, 743f
diseases of, 720–721
disorders of, 747f
- Female sterilization, 744
- Femoral artery, 331f, 560f, 568, 570f, 571f
pressure point for, 572f
- Femoral circumflex vein, 578f
- Femoral hernia, 293
- Femoral nerve, 331f, 401f, 420t, 421, 422f, 571f
- Femoral region, 40
- Femoral ring, 571f
- Femoral triangle, 326, 327f, 568, 571f
- Femoral vein, 331f, 571f, 573f, 576, 578f
- Femur, 133f, 174f, 184–186, 184f, 185f, 188t
- Fenestrae, 680, 681f, 682f
- Fenestrated capillary, 556f, 557, 557f
- Fertilization, 755–756, 755f, 757f, 758f
- Fetal circulation, 580–581, 581f, 582t
- Fetal head, molding of, 144
- Fetal issue transplantation, 103
- Fetal length, 773
- Fetal monitoring, 786–789
- Fetal period, 772–774
- Fetal skull, 145f
- Fetoscopy, 787, 788f
- Fetus, 769, 771f, 772, 773f
changes by week, 772–774
external appearance of, 772f
- Fever blister, 128
- FHR-UC. *See* Electronic Monitoring of Fetal Heart Rate and Uterine Contractions Monitoring
- Fibrillation, 293, 592, 592f
- Fibrils, 53t, 61
- Fibrin, 126f
- Fibrinogen, 125–126, 126f, 545, 545t
- Fibroadenoma, 748
- Fibroblasts, 91, 126
- Fibrocartilage, 95, 96f, 97f
- Fibrocystic disease. *See* Dysplasia
- Fibromyositis, 287
- Fibrous capsule. *See* Renal capsule
- Fibrous digital sheath, 325f
- Fibrous joints, 197–198, 205t
- Fibrous layer, of vagina, 737
- Fibrous pericardium, 546
- Fibrous tunic, of eyeball, 504–508, 504f, 508t
- Fibula, 133f, 174f, 185, 185f, 186f, 188t, 328f
- Fibular artery, 570, 570f
- Fibular collateral ligament, 221f
- Fibular nerve, 425f
- Fibular notch, 185
- Fight-or-flight response, 444, 473, 474f
- Filiform papillae, 497, 497f, 642, 642f
- Filtration, 55t, 56f
- Filtration slits, 681f, 682f
- Filum terminale, 384
- Fimbriae, 727f, 729f, 734
- Fimbriated fold, 640f
- Fingerprints, 110, 110f
- Fingers. *See also* Digits
flexion of, 269–271
muscles that move, 268–272
- First-class lever, 210, 213f
- First-degree burns, 122, 123f
- First-degree frostbite, 123
- First dorsal interosseous muscle, 274f, 321f, 325f
- First lumbrical muscle, 274f
- First meiotic division, 704, 704t, 705f, 706f
- First rib, 164f
- First sound, of heartbeat, 554
- First trimester, of pregnancy, 785
- Fissure, 136t
- Fissured fractures, 189, 190f
- Fissure of Rolando. *See* Central sulcus
- Fissure of Sylvius. *See* Lateral sulcus
- Fistula, 313
- Fixation, 102
- Fixed action pattern, 345
- Flaccid paralysis, 393
- Flagella, 53t, 61, 63f, 704, 706f
- Flat bones, 136, 136f
- Flatfoot, 188
- Flexion, 207, 208f, 211f, 212f, 269–271
- Flexion creases, 110, 323f
- Flexion lines, 110
- Flexor carpi radialis muscle, 269, 271f, 273t
tendon of, 321f, 323f, 325f
- Flexor carpi ulnaris muscle, 267f, 269, 271f, 273t, 325f
tendon of, 274f, 323f
- Flexor digiti minimi muscle, 271f, 274f, 275, 275t, 290f, 325f
- Flexor digitorum brevis muscle, 290f
- Flexor digitorum longus muscle, 284–285, 285f, 286t, 287f, 288f
- Flexor digitorum profundus muscle, 272f. *See also* Deep digital flexor muscle
tendons of, 274f
- Flexor digitorum superficialis muscle. *See* Superficial digital flexor muscle
- Flexor hallucis brevis muscle, 290f
- Flexor hallucis longus muscle, 284, 285f, 286t, 288f
- Flexor pollicis brevis muscle, 271f, 274f, 275, 275t, 325f
- Flexor pollicis longus muscle, 271, 271f, 272f, 273t
tendon of, 274f
- Flexor reflex, 428, 429f
- Flexor retinaculum, 269, 271f, 274f, 285f, 287f
- Flexure, 658f
- Floating ribs, 164f, 165
- Fluoroscopic analysis, 587
- Fold, of buttock, 326, 326f
- Folia, 375
- Follicles, 729–730, 729f, 730f, 733f
- Follicle-stimulating hormone (FSH), 462, 464t, 741
- Follicular cells, 467, 743
- Follicular epithelium, 729
- Follicular hyperkeratosis, 107t
- Fontanel, 144, 300
- Food poisoning, 669
- Foot, 224. *See also* Pes
muscles of, 281–285, 285, 286t, 290f, 291f
surface anatomy of, 327, 329f
- Footdrop, 339
- Foramen, 136t
of skull, 144–145, 146t
- Foramen cecum, 149f, 478
- Foramen lacerum, 146t, 148f, 149f, 152
- Foramen magnum, 146t, 148f, 149f, 151
- Foramen of Magendie. *See* Median aperture
- Foramen of Monro. *See* Interventricular foramen
- Foramen ovale, 146t, 148f, 149f, 152, 153f, 580–581, 581f, 582t, 589
- Foramen rotundum, 146t, 149f, 152, 153f
- Foramen spinosum, 146t, 149f, 152, 153f
- Foramina of Luschka. *See* Lateral apertures
- Forearm. *See* Antebrachium
- Forebrain. *See* Prosencephalon
- Foregut, 624, 665–666, 666f
- Foreskin. *See* Prepuce
- Formed elements, 98, 99f, 540–542, 541f, 544t
- Fornix, 500f, 729f, 736
- Fosamax. *See* Alendronate
- Fossa, 136t
- Fourth ventricle, of brain, 361f, 374, 376, 381, 382f
- Fovea capitis femoris, 184, 184f
- Fovea centralis, 505f, 506
- Fracture hematoma, 190
- Fractures, 189–191
of clavicle, 173
closed, 189
Colles', 178, 190, 338
comminuted, 189, 190f
complete, 189
compound, 189
compression, 161
contrecoup, 334
depressed, 190
displaced, 190
of fibula, 185
fissured, 189, 190f
greenstick, 189, 190f
impacted, 189
of long bone, 137, 200
nondisplaced, 190
oblique, 189, 190f
open, 189
partial, 189, 190f
pathologic, 189
Pott's, 185, 190
of radius, 178
of scaphoid, 178
simple, 189
of skull, 198
of spine, 161
spiral, 189, 190f
stress, 339
transverse, 189, 190f
traumatic, 189
treatment for, 190–191, 191f
- Fraternal twins. *See* Dizygotic twins
- Freckles, 109
- Free border of nail, 117, 117f
- Free nerve endings, 489t, 491
- Frenulum, 710f, 711
- Frequency, of sound, 522
- Frog, brain of, 26f
- Frontal bone, 133f, 142f, 145–146, 145f, 147f, 148f, 149f, 150f, 174f, 306f
- Frontal fontanel. *See* Anterior fontanel
- Frontalis muscle, 235f, 250f, 251f, 251t, 305f, 324f
- Frontal lobe, 360f, 361f, 363, 364f, 366f, 366t
- Frontal plane. *See* Coronal plane
- Frontal process, of maxilla, 154f, 155f

828 Index

- Frontal sinus, 45f, 146, 148f, 151f, 154f, 306f, 605f, 607, 607f
- Frontal sulcus, 364f
- Frostbite, 72, 123
- FSH. See Follicle-stimulating hormone
- Functional heart murmur, 554
- Functional proteins, 52
- Functional syncytium, 437
- Fundus
of stomach, 649, 649f, 650f
of uterus, 729f, 734
- Fungiform papillae, 497, 497f, 642, 642f
- Funiculi, 386
- Funnel chest, 312, 334
- Furuncle, 128
- Gage, Phineas P., 450
- Galactosemia, 790
- Galea aponeurotica muscle, 250f, 251f, 378f
- Galen, 11–12
- Gallbladder, 317f, 635, 635f, 638f, 661f, 662–663, 663f, 664f
- Gallstones, 663, 664f
- Gametes, 474, 698
- Gamma globulin, 545, 545t
- Ganglion, 348
- Ganglionic gliocytes, 351, 351t
- Ganglionic neurons, 506
- Gangrene, 102, 123, 128
- Gaseter. See Belly, of muscle
- Gas exchange, 603
- Gastric folds, 650, 650f
- Gastric glands, 650, 651f
- Gastric inhibitory peptide (GIP), 476t
- Gastric juice enzyme, 654t
- Gastric phase, of gastric secretion, 651t
- Gastric pits, 650, 651f
- Gastric secretion, 651t
- Gastrin, 457t, 476t
- Gastrocnemius muscle, 235f, 280f, 281f, 283, 283f, 284f, 285f, 286t, 287f, 288f, 289f, 328f, 329f, 332f, 333f
- Gastrocolic reflex, 659
- Gastroileal reflex, 659
- Gastrointestinal activity, control of, hypothalamus and, 373
- Gastrointestinal hormones, 476t
- Gastrointestinal tract (GI tract), 635, 636t
autonomic nervous system effects on, 445t
disorders of, 670–671, 671f
innervation of, 639–640
irritation of, 639
layers of, 637–639, 639f
mechanical activity in, 659t
organs of, 635
pathogens of, 669
- G cells. See Endocrine cells
- General anesthesia, 392
- General interpretative area, 366f
- General senses, 488
- Genes, 782–783
- Genetics, medical, 72–73
- Genetic sex, 716
- Genetic transcription, 67–68, 67f, 68f
- Genetic translation, 68, 68f, 69f
- Geniculate ganglion, 409
- Geniculostriate system, 513
- Genioglossus muscle, 252, 255f, 255t
- Geniohyoid muscle, 255f, 255t
- Genital herpes, 721t
- Genitalia. See also Female reproductive system; Male reproductive system
external
differentiation of, 718f
female, 737f
of neonate, 299t
- Genital tract, 743
- Genital tubercle, 716, 743
- Genitofemoral nerve, 420t
- Genotype, 783
- Genu, of corpus callosum, 361f, 370f
- German Anatomical Society, 17
- Germinal epithelium, 704, 728, 733f
- Germinal layer, 120
- Germ layers, 761f
derivatives of, 80t
formation of, 760
- Gestation, 760, 775
- GH. See Growth hormone
- Gigantism, 166, 462, 480, 481f
- Gingiva, 644, 645f
- Gingivitis, 672
- GIP. See Gastric inhibitory peptide
- GI tract. See Gastrointestinal tract
- Glabellar reflex, 431f
- Glands. See also specific glands
autonomic nervous system effects on, 445t
- Glandular epithelium, 87–89, 89t, 435
- Glans clitoridis, 738
- Glans penis, 686f, 699f, 710, 710f, 711, 716
- Glaucoma, 530, 532
- Glenohumeral joint, 215–217, 216f, 217f, 225t, 264–267, 266t
- Glenohumeral ligament, 216
- Glenoid cavity, 173, 175f
- Glenoid labrum, 216, 216f, 217f
- Glial cells, 101. See also Neuroglia
- Gliding joint, 202, 204f, 205t
- Gliomas, 394
- Glisson, Francis, 15
- Globulin, 545, 545t
- Globus pallidus, 365f, 369, 370f
- Glomerular capsule, 679f, 680, 680f, 681f, 683t
- Glomerular filtration, 682f
- Glomerulonephritis, 692
- Glomerulus, 678, 680f, 681f, 683t
- Glossopalatine arch, 640f, 641
- Glossopharyngeal nerve (IX), 402f, 405t, 410–411, 410f, 413t, 498f, 499
- Glottis, 608, 609f
- Glucagon, 457t, 470, 663
- Glucocorticoids, 457t, 471, 473t
- Gluteal arteries, 569f
- Gluteal cleft. See Natal cleft
- Gluteal fascia, 265f
- Gluteal lines, 183
- Gluteal region, 37
internal anatomy of, 330f
muscles of, 265f
surface anatomy of, 326, 326f
- Gluteal surface, 183
- Gluteal tuberosity, 184f
- Gluteus maximus muscle, 235f, 261f, 265f, 276, 277, 278t, 280f, 281f, 316f, 326f, 330f, 331f
- Gluteus medius muscle, 235f, 265f, 276, 277, 278t, 279f, 280f, 330f
- Gluteus minimus muscle, 276, 277, 278t, 330f
- Glycogen, 52
- Glycoproteins, 51
- GnRH. See Gonadotropin-releasing hormone
- Goblet cells, 61, 83, 87, 87f, 610, 637, 650
- Goiter, 468, 468f, 481, 482f
- Golgi complex (Golgi apparatus), 53t, 54f, 58, 59f
- Golgi tendon organs, 493
- Gomphoses, 198, 199f, 205t
- Gonadal arteries, 567t, 568f
- Gonadal ridge, 716, 743
- Gonadocorticoids, 472, 473t
- Gonadotropin-releasing hormone (GnRH), 462, 741
- Gonadotropins, 462
- Gonads
differentiation of, 717f
endocrine functions of, 456
female, 474–475, 726
male, 474, 698
- Gonorrhea, 720–721, 721t
- Goose, brain of, 26f
- Gonilla, hands of, 26f
- Gout, 790
- Gouty arthritis, 227
- G1 phase, 69–70, 70f
- G2 phase, 69–70, 70f
- Graafian follicle. See Vesicular ovarian follicle
- Gracilis muscle, 235f, 276f, 277, 278f, 279f, 280f, 281f, 281t, 287f, 289f, 328f, 331f
tendon of, 285f
- Grand mal epilepsy, 393–394
- Granular endoplasmic reticulum. See Rough endoplasmic reticulum
- Granulation tissue, 126
- Granulocytes, 542, 544t
- Granulosa cells, 730f
- Graves' disease, 481–482
- Gray commissure, 384, 386f
- Gray matter
of brain, 359, 365f
of spinal cord, 384
- Gray rami communicantes, 439, 439f
- Gray ramus, 414
- Great auricular nerve, 315f
- Great cardiac vein, 552f
- Greater alar cartilage, 305f, 605f
- Greater auricular nerve, 416t
- Greater cornua, 157, 157f
- Greater curvature, of stomach, 650, 650f
- Greater multangular. See Trapezium bone
- Greater occipital nerve, 309f, 315f
- Greater omentum, 42f, 43–45, 317f, 637, 638f
- Greater palatine foramen, 146t, 148f, 155, 156f
- Greater palatine groove, 155f
- Greater sciatic foramen, 183f
- Greater sciatic notch, 182f, 183
- Greater trochanter, of femur, 182f, 184, 184f, 326f, 330f
- Greater tubercle, of humerus, 175f, 176, 176f
- Greater wing, of sphenoid bone, 147f, 148f, 149f, 150f, 152, 153f
- Great saphenous vein, 329f, 571f, 573f, 576, 578f, 579
- Grecian period, and history of anatomy, 8–10
- Greek language, and anatomical terminology, 2
- Greenstick fractures, 189, 190f
- Gristle, 95
- Gross anatomy, 17
- Ground substance, 90
- Growth, 29, 30f. See also Development
rates of, male vs. female, 728f
- Growth hormone (GH), 166, 462, 464t, 480
- Growth hormone-inhibiting hormone (GH-IH), 462
- Growth hormone-releasing hormone (GH-RH), 462
- Growth-inhibiting substances, 70
- Guanine, 65, 68
- Gubernaculum, 716
- Gums. See Gingiva
- Gustatory cells, 496–497, 497f
- Gustatory microvilli, 497, 497f
- Gustatory pathway, 498f, 499
- Gustatory receptors, 496
- Gustatory sense, 496–499
- Gut, 635, 637f
- Gynecological examination, 744–746
- Gynecology, 744
- Hair, 107f, 115–117, 116f
distribution of, male vs. female, 115f
nutritional deficiencies and, 107t
in taxonomy, 24
- Hair bud, 121
- Hair bulb, 107f, 115, 116f, 121
- Hair cells
of ear, 57, 526f
of sacculle, 515, 515f
of spiral organ, 521f
of utricle, 515, 515f
of vestibular organ, 524, 524f
- Hair color, 116
- Hair cortex, 115–116
- Hair follicle, 107f, 115, 116f, 121
- Hairline, 301
- Hair matrix, 121
- Hair medulla, 115
- Hair papilla, 121
- Hair root, 115, 116f
- Hair shaft, 115, 116f
- Hallitosis, 672
- Hallux, 188
- Hallux valgus, 202
- Hamate bone, 178, 179f, 180f
- Hamlet (Shakespeare), 2
- Hammertoe, 327, 330f
- Hamstring injuries, 281
- Hamstring muscles, 280, 326f
- Hand. See also Manus
bones of, 178, 179f, 180f
extension of, 271–272
flexion of, 269–271
internal anatomy of, 325f
muscles of, 268–272, 273–275, 273t, 274f, 275t
pronation of, 268
supination of, 268
surface anatomy of, 321f, 322, 322f, 323f
- Hard palate, 604f, 605f, 640f, 641, 641f
- Harvey, William, 15, 16f
- Haustal churning, 659, 659t
- Haustrum, 657, 657f, 658f
- Haversian canal. See Central canal
- Haversian systems, 138
- H bands, 245f
- hCG. See Human chorionic gonadotropin
- hCS. See Human chorionic somatomammotropin
- Head, 35
arteries of, 307, 561–564, 562f
cavities within, 42, 45f
clinical considerations, 330–334
developmental disorders involving, 333
diseases of, 334
internal anatomy of, 303–304, 305f, 306f, 324f
surface anatomy of, 301–303
trauma to, 333–334
veins of, 572–574, 574f, 576f
- Head (anatomical)
of bones, 136t
Gristle, 95
of condylar process, 156f
of epiphyseal, 707f
of femur, 182f, 184, 184f
of fibula, 185, 186f, 328f
of humerus, 173, 175f, 176f
of metacarpals, 178, 179f
of metatarsals, 186, 187f
of pancreas, 664f, 668
of phalanges, 180f
of radius, 177f, 178
of rib, 165, 165f
of spermatozoa, 704, 706f
of tibia, 185f
of ulna, 177, 177f
- Headaches, 392, 564
- Hearing, 516–527. See also Ear
air pressure in, 519
neural pathways for, 523, 523f
- Hearing loss, 533
- Heart, 540, 545–554
autonomic nervous system effects on, 445t
catheterization of, 587
chambers of, 547–550, 589f
conduction system of, 551–552, 553f
description of, 545–546
development of, 588f, 589, 589f, 590t
feedback mechanisms of, 553f
innervation of, 553f
location of, 36, 545–546, 546f
serous membranes surrounding, 43f
structure of, 548f–549f
in taxonomy, 24
valves of, 547–550, 548t, 551f
- Heart attack, 551
- Heartbeat, variation in, 552
- Heartburn, 648, 672
- Heart cords, 589
- Heart disease, 593–595
- Heart murmur, 335, 554, 593
- Heart sounds, 554, 554f
- Heart tube, 589
- Heart wall, 546–547, 547t
- Heat exhaustion, 113
- Heat production, muscular system and, 234
- Heat receptors, 491–492
- Heat stroke, 113
- Heavy metals, exposure to, 116
- Heel, 40

- Height, losses in, 163
 Heimlich maneuver, 608, 627, 628f
Helicobacter pylori, 670
 Helicotrema, 520
 Helix, 303, 516, 517f
 Hemarthrosis, 230
 Hematoxylin and eosin (H & E) stains, 102
 Hematuria, 691–692
 Heme, 541
 Hemiazygous vein, 576, 577f
 Hemiplegia, 393
 Hemispheres, of cerebellum, 375
 Hemivertebrae, 334
 Hemocytoblasts, 544
 Hemodialysis, 691f, 693
 Hemoglobin, 110, 541
 Hemophilia, 785
 Hemopneumothorax, 602
 Hemopoiesis, 134, 135f, 543f, 544
 Hemorrhage, 570
 control of, 596–597, 597f
 Hemorrhoidal vessels, 658f
 Hemorrhoids, 596, 657, 672
 Hemothorax, 335
 Heparin, 91
 Hepatic artery, 581f, 662f
 Hepatic buds, 666
 Hepatic ducts, 662, 663f, 664f
 Hepatic flexure, 317f, 656, 657f
 Hepatic plate, 661, 662f, 663f
 Hepatic porphyria, 790
 Hepatic portal system, 579, 580f
 Hepatic portal vein, 579, 580f, 581f, 662f
 Hepatic sinusoids. *See* Liver sinusoids
 Hepatic triad, 662f
 Hepatic veins, 573f, 580f
 Hepatitis, 670
 Hepatitis A, 670
 Hepatitis B, 670
 Hepatocytes, 661
 Hepatomas, 670
 Hepatopancreatic ampulla, 652, 654f
 Herbs, Chinese beliefs in, 8
 Hereditary hemochromatosis, 790
 Hereditary leukomelanopathy, 790
 Hermaphroditism, 714–715
 Hernia
 congenital diaphragmatic, 336
 femoral, 293
 hiatal, 293, 336, 670
 inguinal, 293
 umbilical, 293, 313
 Herniated disc, 24, 24f, 226, 423, 425f
 Herophilus, 11
 Herpes zoster, 414
 Hertz (Hz), 522
 H & E stains. *See* Hematoxylin and eosin stains
 Heterodont dentition, 24, 642
 Heterografts, 102
 Heterotransplant, 124
 Heterozygous, 783
 Hiatal hernia, 293, 336, 670
 Hiccups, 622t
 Hidden border of nail, 117, 117f
 Hilum, 583, 614, 677, 728
 Hindbrain. *See* Rhombencephalon
 Hindgut, 667, 668f
 Hinge joint, 202, 204f, 205t
 Hip, 40
 congenital dislocation of, 338
 developmental conditions involving, 338
 diseases of, 339
 dislocation of, 338, 339
 internal anatomy of, 331f
 muscles of, 276f
 trauma to, 339
 Hip joint. *See* Coxal joint
 Hippocrates, 8–9
 Hippocratic Oath, 8, 10f
 Hirschsprung's disease, 336
 Hirsutism, 115
 Histamine, 91
 Histology, 77–104
 case study, 77, 103
 clinical considerations, 101–103
 connective tissue, 89–98
 definition of, 17, 28
 Histopathology, 102
 Histotechnology, 102
 Hives, 128
 Hodgkin's disease lymphomas, 596
 Holocrine glands, 88f, 89, 89t
 Homer, 8
 Hominidae, 24
 Homologous chromosomes, 782, 782f, 783f
 Homologous structures, 716, 726, 743t
Homo sapiens, 23, 24, 27t
 Homotransplant, 102
 Homozygous, 783
 Homozygous dominant, 783
 Homozygous recessive, 783
 Homunculus, 16
 Hooke, Robert, 16, 49
 Hordeola, 532
 Horizontal plane. *See* Transverse plane
 Horizontal plates, of palatine bone, 155, 156f
 Hormonal disorders, skeletal effects, 166–167
 Hormonal hypertrophy, 72
 Hormones, 52, 456–459. *See also* specific hormone
 classes of, 458t
 definition of, 455
 secretion of, 459–460, 460f
 Horse, brain of, 26f
 Horseshoe kidney, 691
 Human chorionic gonadotropin (hCG), 479, 759, 759f, 766t
 Human chorionic somatomammotropin (hCS), 766t
 Human Genome Project, 73
 Humans
 brain of, 26f
 characteristics of, 25–28, 25f
 classification of, 23–28, 27t
 eyes of, 499
 hands of, 26f
 races of, 27f
 visuception of, 10, 11
 Humeral condyle, 176
 Humeroradial joint, 217
 Humeroulnar joint, 217
 Humerus, 133f, 173–176, 174f, 175f, 181t
 muscles of, 264–267, 267f
 Humoral theory, 8–9
 Hunchback. *See* Kyphosis
 Hunger contractions, 659t
 Hunger regulation, hypothalamus and, 373
 Huntington's chorea, 790
 Hyaline cartilage, 95, 96f, 97f
 Hyaline membrane disease, 620, 626
 Hyaloid artery, 516
 Hyaloid vein, 516
 Hyaluronidase, 756
 Hydrocele, 722
 Hydrocephalism, 382f
 Hydrocephalus, 333, 381, 392
 Hydrocortisone. *See* Cortisol
 Hydrogen peroxide, 60
 Hydrolysis, 51
 Hydronephrosis, 693
 Hydroregulation, skin and, 112
 Hydroureter, 693
 Hygiene, 119
 Hymen, 736, 737f, 743
 Hymenal tag, 300
 Hyoglossus muscle, 252, 255f, 255t, 257f
 Hyoid bone, 132, 157, 157f, 256, 306, 308f, 309f, 641f
 Hyoid cartilage, 142f
 Hyperextension, 207, 211f, 212f
 Hyperglycemia, 470
 Hyperkeratoses
 follicular, 107t
 seborrhic, 110
 Hyperopia, 531, 531f
 Hyperpigmentation, 107t
 Hyperplasia, 72
 Hypertension, 559, 587, 595–596
 Hyperthermia, 72
 Hypothyroidism, 481–482, 482f
 Hypertrophic zone, 142–143
 Hypertrophy, 287
 compensatory, 72
 hormonal, 72
 Hyperventilation, 622t
 Hypodermis, 107f, 112
 comparison of male and female, 297, 298f
 Hypogastric region, 38f, 38t
 Hypoglossal canal, 146t, 148f, 151
 Hypoglossal nerve (XII), 402f, 405t, 412, 412f, 413t, 498f
 Hypoglossal nucleus, 376
 Hypoglycemia, reactive, 482
 Hyponychia, 117, 117f
 Hypophyseal pouch, 478
 Hypophysectomy, 480
 Hypopituitarism, 480
 Hypospadias, 691, 691f
 Hypotension, 335
 Hypothalamo-hypophyseal portal system, 464, 466f
 Hypothalamo-hypophyseal tract, 463
 Hypothalamus, 306f, 362t, 370f, 372–373, 448–449, 449f, 456, 456f, 457t
 Hypothenar eminence, 275, 321f, 323f
 Hypothenar muscles, 275t
 Hypothermia, 72, 113
 Hypothyroidism, 334, 481
 Hypoventilation, 622t
 Hysterectomy, 747
 Hysterosalpingogram, 744, 744f
 H zone, 241–242, 243f

 I bands, 241, 242, 242f, 243f, 245f
 ICSH. *See* Interstitial cell-stimulating hormone
 Identical twins. *See* Monozygotic twins
 Ileocecal valve, 653, 656, 657f
 Ileum, 317f, 638f, 653, 653f, 657f
 Iliac crest, 181, 181f, 182f, 276f, 313, 326f, 330f
 Iliac fossa, 181f, 183
 Iliac tuberosity, 182f, 183
 Iliacus muscle, 275, 276f, 278t, 279f, 281f, 331f
Iliad (Homer), 8
 Iliococcygeus muscle, 261f
 Iliocostalis cervicis muscle, 256f, 262f, 263t
 Iliocostalis lumborum muscle, 262f, 263t
 Iliocostalis muscle, 262
 Iliocostalis thoracis muscle, 262f, 263t, 265f
 Iliofemoral ligament, 220, 220f
 Iliohypogastric nerve, 420t
 Iliinguinal nerve, 420t
 Iliolumbar artery, 568, 569f
 Iliopsoas muscle, 235f, 276, 276f, 278f, 279f
 Iliotibial tract, 235f, 276, 277, 279f, 280f, 282f, 284f, 328f
 Ilium, 133f, 174f, 181–183, 181f, 182f
 Immunosuppressive drugs, for tissue transplants, 102
 Impacted fractures, 189
 Imperforate anus, 669
 Imperforate hymen, 743
 Impetigo, 129
 Implantable contraceptives, 751
 Implantation, 757–759, 758f, 759f, 760f
 abnormal sites of, 785, 786f
 artificial, 785
 Impotence, 715
 Incisive foramen, 146t, 148f, 154, 155f
 Incisors, 148f, 154, 304f, 640f, 642, 644t
 Incontinence, urinary, 692, 694
 Incus, 157, 158f, 517, 518f
 Indian subcontinent, people of, 27f
 Induced abortion, 748
 Induced tissue, 768
 Induction, 768
 Inductor tissue, 768
 Infancy, 777, 781t. *See also* Development; Neonate
 Infections
 benign viral, 119
 cytologic effects of, 72
 of eyes, 532
 of nasal cavity, 154
 of paranasal sinuses, 154
 of skin, 119
 of urinary system, 692
 Inferior, 36t
 Inferior angle, of scapula, 173, 173f, 310
 Inferior articular process, 160, 161f, 162f
 Inferior cerebellar peduncles, 375
 Inferior colliculi, 362t, 374, 376f
 Inferior concha, 501f
 Inferior constrictor muscle, 647, 647f
 Inferior epigastric artery, 317f, 568, 569f
 Inferior extensor retinaculum muscle, 283f, 285f, 291f, 332f
 Inferior gemellus muscle, 277, 330f
 Inferior gluteal artery, 568, 569f
 Inferior gluteal line, 182f, 183
 Inferior gluteal nerve, 424t
 Inferior horn, 365f
 Inferior labial frenulum, 640f
 Inferior lacrimal canaliculi, 502
 Inferior lacrimal punctum, 501f
 Inferior limb buds, 768
 Inferior lobe, of lung, 604f, 614, 615f, 616f
 Inferior meatus, of palatine bone, 156f
 Inferior mesenteric artery, 560f, 566, 567t, 568f, 569f
 Inferior mesenteric ganglia, 440
 Inferior mesenteric vein, 579, 580f
 Inferior nasal concha, 147f, 150f, 154f, 155, 306f, 605f, 606
 Inferior nasal meatus, 501f, 605f
 Inferior oblique muscle, 252, 254f, 254t, 404, 502, 502f, 503t
 Inferior olivary nuclei, 377
 Inferior orbital fissure, 146t, 147f, 150f, 155
 Inferior parathyroid glands, 469
 Inferior peduncle, 376f
 Inferior phrenic artery, 566, 567t, 568f
 Inferior phrenic vein, 579
 Inferior ramus
 of ischium, 181f, 182f
 of pubis, 181f, 182f, 183
 Inferior rectal artery, 568f, 569f
 Inferior rectus muscle, 252, 254f, 254t, 404, 502, 502f, 503t, 505f
 Inferior sagittal sinus, 574f
 Inferior suprarenal arteries, 568f
 Inferior surface, of rib, 165f
 Inferior thyroid veins, 577f
 Inferior trunk, of brachial plexus, 416
 Inferior vena cava, 314f, 548f, 549f, 550, 552f, 572, 573f, 578f, 579, 580f, 581f
 Inferior vermis, 375f
 Inferior vesicular artery, 568, 569f
 Infertility
 female, 747
 male, 700, 715–720
 Inflammation, 126
 Inflammatory skin disorders, 119, 122f
 Influenza, 628
 Infraglenoid tubercle, 175f
 Infrahyoid muscles, 256
 Infraorbital foramen, 146t, 147f, 150f, 155, 155f
 Infrapinnatus muscle, 217, 235f, 265f, 266t, 267, 267f, 310, 315f, 316f, 323f, 324f
 Infrapinnatus fossa, 173, 175f
 Infundibulum, 460, 461f, 478, 729f, 732
 Ingestion, 635
 Ingrown toenail, 327, 330f
 Inguinal canal, 708
 Inguinal hernia, 293
 Inguinal ligament, 279f, 312f, 317f, 318, 578f
 Inguinal nodes, 583, 584f
 Inhalation. *See* Inspiration
 Inheritance, 58, 782–785, 783f, 783t
 Inhibitory fibers, 377
 Injury. *See also* Fractures; Trauma
 cellular, 72
 to knee, 207
 to respiratory system, 627–628
 skeletal, 189–191
 Inner ear, 517f, 519–521, 519f, 528, 528f
 Inner-ear cavity, 144
 Innervation, 239. *See also* Nervous system
 dual, 446–447
 of gastrointestinal tract, 639–640
 of heart, 553f
 of ovaries, 728–729

830 Index

- of skin, 111
- of ureters, 688f
- of urethra, 688f
- of urinary bladder, 688f
- of uterus, 736
- Inorganic compounds, 50
- Insertion, 236, 236f
- Inspection, 34
- Inspiration, 256, 618–619, 619f, 621t
 - muscles of, 258f, 620f
- Inspiratory portion, of rhythmicity area, 623
- Inspiratory reserve volume (IRV), 621t, 622f
- Instincts, 345
- Insula, 365f, 366t, 367
- Insulin, 457t, 470–471, 663
- Insulin-dependent diabetes mellitus, 482
- Integration, 345
- Integumentary system, 31f, 105–130. *See also* Skin
 - clinical considerations, 119–127
 - clinical practicum, 128
 - development of, 120–121
- Intensity, of sound, 522
- Intention tremor, 389
- Interatrial septum, 547, 553f
- Intercalated discs, 99, 436
- Intercarpal joint, 225t
- Interclavicular ligament, 215, 215f
- Intercondylar eminence, 185, 186f
- Intercondylar fossa, 184f, 185
- Intercostal arteries, 560f
- Intercostal muscles, 258, 259f, 264f
- Intercostal nerves, 621t
- Intercostal spaces, 164f, 165
- Intercostal veins, 576, 577f
- Interlobar arteries, 677, 680f
- Interlobar veins, 678, 680f
- Interlobular arteries, 677, 680f
- Interlobular veins, 678, 680f
- Intermediate commissure, 370f
- Intermediate cuneiform bone, 186, 187f
- Intermediate mass, 361f
- Intermediate muscles, of hand, 275, 275t
- Internal, 36t
- Internal abdominal oblique muscle, 258, 258f, 259f, 260t, 264f, 317f, 620f
- Internal acoustic meatus, 148f, 149f, 152f
- Internal anal sphincter, 657, 658f
- Internal anatomy
 - of abdomen, 315, 317f, 318f
 - of antebrachium, 325f
 - of brachium, 313f, 323f, 324f
 - of buttock, 330, 330f
 - of eyeball, 511f
 - of gluteal region, 330f
 - of hand, 325f
 - of head, 303–304, 305f, 306f, 324f
 - of hip, 331f
 - of leg, 332f, 333f
 - of lower extremity, 330
 - of neck, 306f, 307, 309f, 324f
 - of shoulder, 313f, 322, 323f, 324f
 - of thigh, 331f
 - of thorax, 313–315, 313f, 314f, 324f
 - of trunk, 313–315, 316f
 - of upper extremity, 322
- Internal carotid artery, 307, 360f, 560f, 561, 562f, 563, 563f
- Internal hydrocephalus, 381
- Internal iliac artery, 560f, 566, 567t, 568, 568f, 569f, 570f, 581f, 736f
- Internal iliac vein, 573f, 576, 578f
- Internal intercostal muscles, 258, 258f, 259f, 264f, 313f, 618, 620f
- Internal jugular vein, 307, 314f, 573f, 574, 574f
- Internal obturator nerve, 424t
- Internal occipital crest, 149f
- Internal pudendal artery, 568, 569f
- Internal respiration, 603
- Internal spermatic fascia, 701f
- Internal surface, of rib, 165f
- Internal thoracic artery, 560f, 564–565, 567f
- Internal thoracic vein, 573f
- Internal tunic, of eyeball, 504f, 505–507, 508t
- Internal urinary sphincter, 686f, 687
- International Congress of Anatomists*, 17
- Interneurons, 352
- Interosseous borders, 177f
- Interosseous ligaments, 198, 223f
- Interosseous membrane, 272f
- Interosseous talocalcaneal ligament, 223f
- Interphalangeal joints, 218, 219f, 225t
- Interphase, 69–70, 70f, 71f
- Interpretation, of nerve impulse, 488
- Intersegmental reflex arc, 428
- Interstitial cells, 474, 700t, 702f, 703
- Interstitial cell-stimulating hormone (ICSH), 462, 464t
- Interstitial fluid, 92, 540
- Interstitial systems, 140
- Intertarsal joint, 225t
- Intertendinous connections, 325f
- Intertrochanteric crest, 184, 184f
- Intertrochanteric line, 184, 184f
- Intertubercular groove, 176, 176f
- Interventricular aqueduct, 382f
- Interventricular foramen, 381, 382f
- Interventricular septum, 547, 549f, 553f, 589
- Interventricular sulci, 547
- Intervertebral discs, 24, 24f, 158, 158f, 161f, 162f
 - compression of, 95, 163
- Intervertebral foramen, 161f, 162f
- Intervertebral foramina, 158f, 159
- Intervertebral joints, 199f, 225t
- Intestinal crypt, 655, 655f
- Intestinal juice enzyme, 654t
- Intestinal phase, of gastric secretion, 651t
- Intestinal wall, 653f
- Intestine, autonomic nervous system effects on, 445t
- Intracranial tumors, 394
- Intraembryonic mesoderm, 768
- Intramedullary tumors, 394
- Intramembranous ossification, 141
- Intraocular pressure, 508
- Intraspinal tumors, 394
- Intrauterine device (IUD), 750f, 751
- Intravenous pyelogram (IVP), 692
- Intravertebral tumors, 394
- Intrinsic eye muscles, 503t
- Intrinsic factor, 651, 652
- Intrinsic laryngeal muscles, 609
- Intrinsic ocular muscles, 514
- Intrinsic tongue muscles, 252
- Introns, 68
- Inversion, 209, 210f
- In vitro fertilization, 785
- Iodine, 468
- Iodine-deficiency goiter, 468
- Ion(s), 51
- Ionic charge, of cell membrane, 54
- Ipsilateral reflex, 428, 428f
- Iris, 302f, 302t, 445t, 447f, 500f, 501f, 504f, 505, 505f, 506f, 508t, 512f, 516
- Iron-deficiency anemia, 541
- Irregular bones, 136, 136f
- Irritability
 - of muscle, 234
 - of neurons, 357
- IRV. *See* Inspiratory reserve volume
- Ischemia, 594, 594f, 595f
- Ischial tuberosity, 182f, 183, 701f
- Ischiocavernosus muscle, 260, 260t, 261f, 701f
- Ischiofemoral ligament, 220, 220f
- Ischium, 133f, 174f, 181f, 182f, 183
- Islam, and history of anatomy, 12
- Islets of Langerhans. *See* Pancreatic islets
- Isograft, 102
- Isometric contractions, 243, 246f
- Isotonic contractions, 243, 246f
- Isthmus, 466
- Isthmus of uterus, 734
- IUD. *See* Intrauterine device
- IVP. *See* Intravenous pyelogram
- Janssen, Zacharius, 15
- Japan, and history of anatomy, 8
- Jaundice, 110, 300, 592, 670
- Jaw articulation, in taxonomy, 24
- Jawbone. *See* Mandible
- Jejunum, 317f, 638f, 652, 653f
- Joint(s), 196–232, 225t. *See also* specific joints
 - classification of, 197
 - cracking, 202
 - diseases of, 226–227
 - dislocation of, 225–226
 - disorders of, treatment of, 227–229
 - kinds of, 205t
 - trauma to, 225–226, 229f
- Joint capsule, 200, 206
- Joint cavity, 200, 206
- Joint kinesthetic receptors, 493
- Joint prostheses, 228f, 229
- Joints
 - case study, 196, 229
 - clinical considerations, 224–229
 - clinical practicum, 229–230
- Jugular foramen, 146t, 149f, 151
- Jugular fossa, 148f
- Jugular notch, 164, 164f, 307, 307f, 311f
- Juxtamedullary nephrons, 682, 683f
- Kaitai Shinsho*, 8
- Kalahari bushmen, 27f
- Karyotype, 782, 782f
- Keratin, 51–52, 85, 108
- Keratinization, 108
- Keratinized stratified squamous epithelium, 85, 86t
- Keratinocytes, 108
- Keratitis, 532
- Keratohyalin, 108
- Keratoplasty, 504
- Keratosis, 129
- Kidneys, 457t, 676f, 677f, 678f, 679f
 - appearance of, 677
 - congenital anomalies involving, 691, 691f
 - development of, 689–690, 689f, 690f
 - endocrine functions of, 456
 - gross structure of, 677
 - microscopic structure of, 677–682
 - position of, 677, 678f
 - transplantation of, 693
 - trauma to, 692
- Kidney stone. *See* Renal stone
- Kinesiology, 197
- Kinesthetic sense, 492–493
- Kinocilium, 524, 524f
- Klinefelter's syndrome, 715
- Klüver-Bucy syndrome, 514
- Knee, 40, 185f
 - injury to, 207
 - surface anatomy of, 327f, 328f
- Kneecap. *See* Patella
- Knee-jerk reflex, 428, 428f, 430t, 431f
- Knee joint. *See* Tibiofemoral joint
- Kupffer cells, 661
- Kyphosis, 226
- Labial frenulum, 640, 640f
- Labial surface, of teeth, 642
- Labia majora, 686f, 701f, 716, 727f, 727t, 737, 737f, 743
- Labia minora, 686f, 701f, 716, 727f, 727t, 737, 737f, 743
- Labioscrotal swelling, 716
- Labor, 775, 776f
 - induction of, 463
- Labyrinth, 519
- Laceration, 125f
- Lacrimal apparatus, 501f, 502
- Lacrimal bone, 147f, 150f, 154f, 155
- Lacrimal canaliculus, 501f
- Lacrimal caruncle, 302f, 302t, 500, 501f
- Lacrimal duct, 516
- Lacrimal fluid, 502
- Lacrimal gland, 445t, 501f, 502, 516
- Lacrimal groove, 155f
- Lacrimal puncta, 502
- Lacrimal sac, 501f
- Lacrimal secretions, 302
- Lacrimal sulcus, 155
- Lactase, 654t
- Lacteals, 582, 655
- Lactic acid, accumulation of, 239
- Lactiferous ducts, 739, 739f
- Lactiferous sinus, 259f, 739, 739f
- Lacuna, 95, 98, 138f, 139f, 140
- Lamarck, Jean, 16
- Lambdoid suture, 144, 145f, 147f, 148f, 149f, 151
- Lamellae, 98, 138
- Lamellated corpuscles, 489t, 491
- Lamina, 159, 160f, 161f, 162f
- Lamina propria, 637
- Laminectomy, 160, 169
- Langerhans cells. *See* Nonpigmented granular dendrocytes
- Language, 369–371, 371f
- Lanugo, 116, 300, 773
- Laparoscope, 785, 786f
- Laparoscopy, 744
- Laparotomy, 313
- Lap suture. *See* Squamous suture
- Large artery, 556f
- Large intestine, 635, 636t, 656–659, 657f, 658f, 659t
 - mechanical activities of, 659
 - regions of, 656–659
 - structures of, 656–659
- Large vein, 556f
- Laryngeal muscles, 609
- Laryngeal nerve, in taste sensation, 498f
- Laryngeal prominence, 306, 608
- Laryngitis, 608, 628
- Laryngopharynx, 605f, 608, 641f, 647
- Laryngotracheal bud, 624
- Larynx, 256, 604f, 608–609, 608f, 610f, 618t
- Lateral, 36t
- Lateral alar cartilage, 305f
- Lateral angle, of scapula, 173, 175f
- Lateral apertures, 381
- Lateral border, of scapula, 173, 175f
- Lateral cartilage, 605, 605f
- Lateral cervical ligament. *See* Cardinal ligament
- Lateral collateral ligament, 222, 222f
- Lateral commissure, 302f, 302t, 500, 501f
- Lateral condyle, 184, 184f
 - trauma to, 692
- Lateral cord, of brachial plexus, 416
- Lateral corticospinal tract, 387, 388t, 389t
- Lateral crural muscles, 283, 284f
- Lateral cuneiform bone, 186, 187f
- Lateral cutaneous femoral nerve, 420t
- Lateral epicondyle
 - of femur, 184f, 185f, 327f, 328f
 - of humerus, 176, 176f, 320f, 321f
 - of tibia, 185
- Lateral epicondylitis, 177, 338
- Lateral femoral circumflex artery, 568, 570f
- Lateral femoral cutaneous nerve, 401f
- Lateral flexion, 211f
- Lateral funiculus, 386, 386f
- Lateral genicular arteries, 570f
- Lateral geniculate, 513
- Lateral horn, 384, 386f, 390
- Lateral ligament, of temporomandibular joint, 214, 214f
- Lateral malleolus, 185, 186f, 284f, 291f, 329f
- Lateral membranous ampullae, 519f
- Lateral meniscus, 221f, 222f
- Lateral patellar retinaculum, 221, 221f
- Lateral plantar artery, 570–571, 570f
- Lateral plantar nerve, 423, 424t, 425f
- Lateral plantar vein, 578f
- Lateral plate
 - of pterygoid process, 148f
 - of sphenoid bone, 154f
- Lateral process, of breast, 312f
- Lateral pterygoid muscle, 250, 253f, 253t
- Lateral pterygoid process, 148f, 153f
- Lateral rectus muscle, 252, 254f, 254t, 406, 502, 502f, 503t
- Lateral sacral artery, 568
- Lateral sacral crest, 163f
- Lateral semicircular canal, 519f
- Lateral spinothalamic tract, 388t, 389t, 491, 493
- Lateral sulcus, 360f, 363, 364f, 366f
- Lateral superior artery, 569f

- Lateral ventricle, 306f, 361f, 363, 365f, 381, 382f
Latin, and anatomical terminology, 2
Latissimus dorsi muscle, 235f, 259f, 264–265, 264f, 265, 265f, 266t, 267, 268f, 269f, 270f, 310, 311f, 313f, 315f, 316f, 320f, 323f, 324f
Laughing, 622t
Lazy eye, 511
Learning, 345, 363
Leber's hereditary optic neuropathy, 58
Leeuwenhoek, Antoni van, 15–16
Left atrioventricular valve, 548t, 549f, 550
Left atrium, 548f, 549f, 550, 552f
Left auricle, 561f
Left brachiocephalic vein, 314f, 561f, 573f, 577f
Left bronchus, 314f
Left bundle branch, 553f
Left colic flexure. *See* Splenic flexure
Left common carotid artery, 314f, 549f, 559, 560f, 561f, 567t
Left common iliac artery, 566, 568f, 569f
Left coronary artery, 550, 552f, 559, 567t
Left costal margin, of rib cage, 312
Left gastric artery, 566, 567t, 568f
Left gastric vein, 579, 580f
Left gastroepiploic artery, 568f
Left gastroepiploic vein, 579, 580f
Left hemisphere, of brain, 363, 366f
Left hepatic vein, 579
Left hypochondriac region, 38f, 38t
Left inguinal region, 38f, 38t
Left internal jugular vein, 561f
Left lateral region, 38f, 38t
Left lobe, of liver, 314f, 317f, 660, 661f
Left lung, 314f, 604f, 614, 616f
Left ovarian vein, 579
Left principal bronchus, 604f, 610, 610f, 612f
Left pulmonary artery, 548f, 549f, 550, 561f
Left pulmonary vein, 548f, 549f, 561f
Left subclavian artery, 314f, 549f, 559, 560f, 561f, 564, 567t
Left subclavian vein, 572, 573f, 584f
Left suprarenal vein, 579
Left testicular vein, 573f, 579
Left ventricle, 314f, 548f, 549f, 550, 552f
Leg, 40. *See also* Lower extremity
bones of, 185
internal anatomy of, 332f, 333f
surface anatomy of, 327, 329f
Lens, 500f, 504f, 505, 505f, 506f, 507f, 508t, 510, 512f
Lens capsule, 505, 506f, 512f, 516
Lens fovea, 515
Lens placode, 515
Lens vesicle, 516
Lentiform nucleus, 365f, 368–369, 370f
Leonardo da Vinci, 13, 14f
Lesions, 119
Lesser cornua, 157, 157f
Lesser curvature, of stomach, 650, 650f
Lesser multangular. *See* Trapezoid bone
Lesser occipital nerve, 315f, 416t
Lesser omentum, 42f, 43–45, 637, 638f
Lesser palatine foramen, 146t, 155, 156f
Lesser pelvis, 180, 183f
Lesser sciatic notch, 182f, 183
Lesser splanchnic nerve, 440
Lesser trochanter, of femur, 182f, 184, 184f
Lesser tubercle, of humerus, 176, 176f
Lesser wing, of sphenoid bone, 147f, 148f, 149f, 150f, 152, 153f
Leukemia, 542, 593
Leukocytes, 98, 99f, 540, 541f, 542, 544t
circulation of, 539
shape of, 50f
size of, 49
Leukocytosis, 542, 593
Leukopenia, 593
Leukopoiesis, 544
Levator anguli oris muscle, 250f, 251f, 251t
Levator ani muscle, 260, 260t, 261f, 281f, 658f
Levator costarum muscle, 262f
Levator labii superioris muscle, 250f, 251f, 251t, 305f
Levator palpebrae superioris muscle, 252, 254f, 404, 500, 500f, 502f
Levator scapulae muscle, 256f, 257f, 259f, 264, 265f, 266, 267f, 308f, 309f, 315f
Levers, 210–211, 213f
Levodopa, 351, 390
Leydig cells. *See* Interstitial cells
LH. *See* Luteinizing hormone
LH surge, 741
Lifting, proper procedure for, 262
Ligaments, 92, 202
Ligamentum arteriosum, 548f, 561f
Ligamentum capitis femoris, 220, 220f
Ligamentum denticulatum, 379
Ligamentum nuchae, 307, 309f
Ligamentum teres, 661, 729f, 735
Light
refraction of, 509–510, 512f
transmission of, 509
Light microscope, 17, 17f, 78
Limb buds, 192, 192f
Limbic system, and autonomic nervous system, 449, 450f
Linea alba, 258, 259f, 311f, 312, 312f, 313, 317f
Linea albicans, 111, 111f
Linea aspera, 184, 184f
Linear bone growth, 137
Linea semilunaris, 312f, 313
Lines of tension, on skin, 110, 111f
Lingual artery, 562f, 563
Lingual frenulum, 305f, 640f, 642
Lingual nerve, in taste sensation, 498f
Lingual surface, of teeth, 642
Lingual tonsils, 605f, 608, 641f, 642
Lipase, 654t
Lipids, 51, 52, 52t
Lipid solubility, 54
Lipoproteins, 51
Lips, 303, 304f, 304t, 640, 640f, 641f
Liver, 314f, 317f, 318f, 635, 635f, 638f, 660–662, 661f, 662f
autonomic nervous system effects on, 445t
disorders of, 670
effects of alcohol on, 579
location of, 660f
Mesopotamian views on, 7, 7f
Liver cells. *See* Hepatocytes
Liver lobules, 661, 662f, 663f
Liver sinusoids, 661, 662f, 663f
Liver spots, 110
Lobar bronchus, 604f, 610, 610f
Lobes
of liver, 660
of lungs, 604f, 616f
of mammary glands, 739, 739f
Lobules
of lungs, 616f
of mammary glands, 739, 739f
of testis, 701f, 702
Lobus nervosa, 460, 478
Lobus nervosus, 457t
Local anesthetics, 392
Local effects, 122
Lockjaw, 250
Locomotion, bipedal, 25–27
Long bones, 135–136, 136f, 137f
growth of, 140f
structure of, 136–137
Longissimus capitis muscle, 255, 256f, 262f, 263t, 309f
Longissimus cervicis muscle, 256f, 262f, 263t, 309f
Longissimus muscle, 262
Longissimus thoracic muscle, 256f, 262f, 263t, 265f
Longitudinal arch, 188, 188f, 327, 329f
Longitudinal cerebral fissure, 363, 364f, 365f
Longitudinal muscle, of stomach, 650f
Long plantar ligament, 223f
Loop of Henle. *See* Nephron
Loose connective (areolar) tissue, 91, 91f, 95t
Lordosis, 226
Lower esophageal sphincter, 648
Lower extremity, 40
arteries of, 566–571, 570f
bones of, 132t, 134, 178, 188t
developmental conditions involving, 338
diseases of, 339
internal anatomy of, 330
of neonate, 299t
surface anatomy of, 326–327
trauma to, 339
veins of, 576–579, 578f
Lower nerve block, 157
Lower respiratory system, 603
development of, 624, 626f
Lower spinal nerves, in expiration, 621t
Lumbago, 287
Lumbar arteries, 566, 567t
Lumbar curve, 158f, 159
Lumbar enlargement, of spinal cord, 384, 385f
Lumbar nerves, 401f, 413
Lumbar nodes, 583
Lumbar plexus, 385f, 401f, 420t, 421, 421f
Lumbar puncture, 391, 391f
Lumbar region, 37
Lumbar splanchnic nerve, 440
Lumbar veins, 579
Lumbar vertebrae, 159, 161–162, 162f, 163t, 164f
Lumbosacral plexus, 421, 424f
Lumbosacral trunk, 421
Lumbrales muscle, 272f, 274f, 275, 275t, 290f, 325f
Lumen, 556f
Lunate bone, 178, 179f, 180f
Lung cancer, 615, 630f
Lungs, 314f, 614–615, 615f, 616f, 618t
autonomic nervous system effects on, 445t, 448t
location of, 36
position of, 614f, 617f
respiratory division of, 612
serous membranes surrounding, 43f
Lung tissue, 613f
Lung volume, 619f
Lunula, 117, 117f
Luteinizing hormone (LH), 462, 464t, 741
Luxation, 225–226
Lymph, 540, 582
Lymphadenitis, 596
Lymphangitis, 596
Lymphatic capillaries, 582
Lymphatic nodules, 583
Lymphatic system, 31f, 582–586, 584f
disorders of, 596
relation to circulatory system, 540, 583f
Lymphatic vessels, 540, 582, 583f
Lymph ducts, 582
Lymph nodes, 540, 583–584, 584f, 585f, 587t, 740, 741f
Lymphoblasts, 544
Lymphocytes, 542, 542f, 544t
Lymphoid organs, 584–586, 584f, 587t
Lymphoid tissue, 544
Lymphoma, 596
Lysosomes, 53t, 54f, 59, 60, 60f
Lysozyme, 502
Macrophagic cells, 108
Macula, 515, 515f
Macula lutea, 506–507
Macular degeneration, 532
Magnetic resonance imaging (MRI), 18, 19f
Major calyx, 677, 679f, 682
Major vestibular glands, 738
Male
comparison with female physique, 780, 780f
distribution of hair in, 115f
growth rates of, 726, 728f
hypodermis of, 297, 298f
sexual maturation of, 779
Male infertility, 700, 715–720
Male pseudohermaphroditism, 714
Male reproductive system, 32f, 697–724, 699f, 700t, 701f
case study, 697, 722
clinical considerations, 714–722, 744–751
clinical practicum, 722
comparison with female, 743t
developmental disorders of, 714–715
development of, 716–719, 717f, 718f
diseases of, 720–721
Male sterility, 720
Malignant melanoma, 121, 123
Malignant neoplasms, 73
Malleus, 30, 157, 158f, 517, 518f
Malpighi, Marcello, 15
Malposition of teeth, 669f
Maltase, 654t
Mamillary body, 370f
Mammalia, 24
Mammary alveoli, 739
Mammary ducts, 739, 739f
Mammary gland lobule, 259f
Mammary glands, 25f, 119, 119f, 259f, 726, 727t, 738–740, 739f, 740f, 741f. *See also* Breast(s)
development of, 121, 121f
diseases of, 748
lymphatics of, 584f
Mammary lobes, 259f
Mammary region, 35–36
Mammary ridge, 25f
Mammary tissue, following weaning, 59
Mammography, 748, 749f
Mandible, 133f, 142f, 145f, 147f, 148f, 156f, 157, 174f, 306f, 308f
Mandibular condyle, 149f
Mandibular foramen, 146t, 149f, 156f, 157
Mandibular fossa, 146, 148f, 149f, 152f
Mandibular margin, 156f
Mandibular nerve, 404t, 405, 406
Mandibular nerve block, 406
Mandibular notch, 147f, 156f, 157
Manic-depressive psychosis, 393
Manometer, 391
Manubrium, 164, 164f, 306f
Manus, 38. *See also* Hand
articulations of, 204f
bones of, 178, 179f, 180f
Marfan's syndrome, 790
Marginal artery, 552f
Massage, 491
Masseeteric tuberosity, 156f
Masseeter muscle, 235f, 250, 250f, 251f, 253f, 253t
Mass movements, 659, 659t
Mast cells, 91
Mastectomy, 264, 748
Mastication, 635, 659t
muscles of, 250, 253f, 253t
Mastoidal air cells, 517
Mastoid cells, 151
Mastoid fontanelles. *See* Posterolateral fontanelles
Mastoid foramen, 148f, 149f, 151
Mastoiditis, 151, 519
Mastoid part, of temporal bone, 151, 152f
Mastoid process, 147f, 148f, 149f, 151, 152f, 308f
Masturbation, 720
Matrix, 78
Maxilla, 133f, 142f, 145f, 147f, 148f, 150f, 154–155, 154f, 155f, 174f, 306f
Maxillary artery, 562f, 563–564
Maxillary nerve, 404t, 405, 406
Maxillary nerve block, 406
Maxillary sinus, 150f, 151f, 155, 155f, 605f, 607, 607f
McBurney's point, 312f, 313
Meatal plug, 529
Mechanoreceptors, 489, 490
Meckel's cartilage, 142f
Meckel's diverticulum, 336
Medial, 36t
Medial border, of scapula, 173, 175f
Medial collateral ligament, 222f
Medial commissure, 302f, 302t, 500, 501f
Medial condyle, 184, 184f, 185, 186f
Medial cord, of brachial plexus, 416
Medial cuneiform bone, 186, 187f

832 Index

- Medial epicondyle
of femur, 184f, 327f, 328f
of humerus, 176, 176f, 320f, 321f
of tibia, 185
- Medial femoral circumflex artery, 568, 570f
- Medial genicular arteries, 570f
- Medial lemniscus, 493
- Medial malleolus, 185, 291f, 329f
- Medial meniscus, 221f, 222f
- Medial patellar retinaculum, 221, 221f
- Medial plantar artery, 570–571, 570f
- Medial plantar nerve, 423, 424t, 425f
- Medial plate
of pterygoid process, 148f
of sphenoid bone, 154f
- Medial pterygoid muscle, 250, 253f, 253t
- Medial pterygoid process, 148f, 153f
- Medial rectus muscle, 252, 254f, 254t, 404, 502, 502f, 503t
- Medial reticulospinal tract, 388t, 389t
- Medial talocalcaneal ligament, 223f
- Medial aperture, 381
- Median cubital vein, 321f, 573f, 575, 575f
- Median eminence, 464
- Median furrow, 309, 310
- Median nerve, 322, 401f, 418t, 419, 420f
- Median palatine suture, 148f
- Median sacral crest, 162, 163f
- Median umbilical ligament, 685, 764
- Median vein, 321f
- Mediastinal surface, of lungs, 614
- Mediastinum, 41, 41f, 44f, 614, 617f
- Medical genetics, 72–73
- Medium-sized artery, 556f
- Medium-sized vein, 556f
- Medulla oblongata, 360f, 361f, 362t, 370f, 374f, 375f, 376–377, 376f, 377f, 385f, 448, 448t
- Medullary cavity, 136–137
- Megakaryoblasts, 544
- Megakaryocytes, 542
- Meiosis, 703–704, 704t, 705f, 757f
- Meissner's corpuscles. *See* Corpuscles of touch
- Meissner's plexus. *See* Submucosal plexus
- Melancholy, 9
- Melanin, 108, 109, 121
- Melanoblasts, 121
- Melanocytes, 108, 109f
- Melanocyte-stimulating hormone (MSH), 463, 464t
- Melanoma, 112, 129
- Melatonin, 457t, 475–476
- Membranous ampulla, 519f, 520
- Membranous epithelia, 79–81
- Membranous labyrinth, 519, 519f
- Membranous part, of urethra, 686f, 687, 709
- Memory, 345
- Menarche, 726, 779
- Menes, 7
- Ménière's disease, 533
- Meningeal branch, of spinal nerve, 414
- Meningeal layer, of dura mater, 378, 378f
- Meningeal veins, 574
- Meninges, 345t, 358, 378–381, 379f, 381f
- Meningiomas, 394
- Meningitis, 154, 394
- Meningocele, 166f
- Meniscus, 95, 202, 206
- Menopause, 726
- Menorrhagia, 747
- Menses, 736
- Menstruation, 726, 740–741, 742f, 742t, 747
- Mental artery, 305f
- Mental foramen, 146t, 147f, 156f, 157
- Mental illness, 393
- Mentalis muscle, 250f, 251f, 251t, 305f
- Mental nerve, 305f
- Mental protuberance, 149f, 156f
- Mental retardation, 392
- Mental spine, 156f
- Mental vein, 305f
- Mentolabial sulcus, 304f
- Meridional fibers, 506f
- Merkel cells. *See* Tactile cells
- Merocrine glands, 87, 88f, 89t
- Mesencephalic aqueduct, 361f, 374, 381, 382f
- Mesencephalon, 347, 362t, 373–374
- Mesenchyme, 90, 90f, 120, 141, 768
- Mesenteric lymph nodes, 584f
- Mesenteric patches, 584, 653
- Mesentery, 42f, 45, 318f, 636, 637f, 638f, 652
- Mesocolon, 636, 638f, 657f
- Mesoderm, 80, 80t, 760, 761f
- Mesonephric duct, 716
- Mesonephros, 689, 690
- Mesopotamia, and history of anatomy, 5–8
- Mesothelium, 81
- Mesovarium, 728, 729f
- Messenger RNA (mRNA), 67, 69, 69f
- Metabolism, 49
- Metacarpal arteries, 566
- Metacarpal bones, 133f, 174f, 179f, 180f, 181t, 205f
- Metacarpophalangeal joints, 204f, 218, 219f, 225t, 322f
- Metacarpus, 38, 178
- Metanephrogenic mass, 690
- Metanephros, 689, 690
- Metaphase, 70, 71f, 704t, 705f, 757f
- Metaplasia, 72
- Metarterioles, 555
- Metastases, 73, 394, 584
- Metatarsal bones, 133f, 174f, 187f, 188f, 188t, 329f
- Metatarsophalangeal joints, 186
- Metatarsus, 40, 186
- Metencephalon, 347, 362t, 374–376
- Metopic suture, 145
- Metrorrhagia, 747
- MI. *See* Myocardial infarction
- Michelangelo, 2
- Microcephaly, 333, 392
- Microcirculation, 557f
- Microrrhagia, 348–351, 350f
- Micromelia, 192, 337
- Microscope and microscopy
and cytology, 49
development of, 15–16
types of, 17f
- Microscopic anatomy, 17
- Microtubules, 53t, 54f, 61, 62f
- Microvilli, 54–57, 56f, 653–655, 655f
- Micturition, 676, 687–688, 688t
- Midbrain. *See* Mesencephalon
- Midclavicular line, 310
- Middle Ages, and history of anatomy, 12
- Middle cerebellar peduncles, 375
- Middle cerebral artery, 563, 563f
- Middle concha, 501f
- Middle constrictor muscle, 647, 647f
- Middle ear, 517–519, 517f, 528, 530f
- Middle-ear cavity, 42, 45f, 144, 158f
- Middle lobe, of lung, 604f, 614, 615f, 616f
- Middle meatus, of palatine bone, 156f
- Middle nasal concha, 147f, 150f, 153, 153f, 154f, 605f, 606
- Middle peduncle, 376f
- Middle phalanx, 179f, 180f, 187f
- Middle rectal artery, 568, 568f, 569f
- Middle sacral artery, 566
- Middle superior artery, 569f
- Middle suprarenal arteries, 568f
- Middle trunk, of brachial plexus, 416
- Middle turn, of cochlea, 520f
- Middle vesicular artery, 568, 569f
- Midgut, 666–667, 667f
- Midgut loop, 666
- Midsagittal (median) plane, 33
- Migraine headaches, 392
- Milia, 300
- Milk teeth. *See* Deciduous teeth
- Mineralocorticoids, 471, 473t
- Minerals, 52t, 134–135
- Minor calyx, 677, 677f, 679f, 682
- Minor vestibular glands, 738
- Miscarriage, 748
- Mitochondria, 53t, 54f, 58, 60f, 242f, 247f
- Mitosis, 65, 70, 70f, 71f, 706f
- Mitral valve. *See* Left atrioventricular valve
- Mixed glands, 456, 663
- Mixed nerves, 352, 401, 403
- Mnemonic devices, 403
- Modified radical mastectomy, 748
- Molars, 148f, 154, 640f, 642, 643f, 644t
- Molding, of fetal head, 144
- Molecules, 28, 50
- Mongolian spots, 300
- Mongoloid (Thailand), 27f
- Monoblasts, 544
- Monocytes, 542, 542f, 544t
- Monohybrid cross, 784
- Mononucleosis, 593
- Monosaccharides, 52
- Monosomy, 73
- Monosynaptic reflex arc, 428
- Monozygotic twins, 785–786, 788f
- Mons pubis, 701f, 737, 737f
- Morphogenesis, 756
- Morula, 79, 757, 760t
- Motor area, of cerebral cortex, 367f, 370f, 371f
- Motor end plates, 244, 247f
- Motor nerves, 352, 355f, 356f, 401, 403
- Motor neuron axon, 247f
- Motor neurons, 239, 345t, 349f, 352, 427, 427f
- Motor root, of trigeminal nerve, 405
- Motor speech area, 364f, 366f, 369–371, 371f
- Motor unit, 244–246
- Mounting, 102
- Mouth. *See* Oral cavity
- Mouth-to-mouth resuscitation, 629f
- Mouth-to-nose resuscitation, 629f
- Movement, 211f
muscular system and, 234
skeleton and, 134
- M phase, 70
- MRI. *See* Magnetic resonance imaging
- mRNA. *See* Messenger RNA
- MS. *See* Multiple sclerosis
- MSH. *See* Melanocyte-stimulating hormone
- Mucocutaneous corpuscles, 491
- Mucoid connective tissue, 90, 767
- Mucosa, 637, 639f
of stomach, 650f, 651f
of ureters, 684
of urinary bladder, 685
of uterine tube, 734
- Mucosal layer, 736
- Mucous cells, 645, 651f
- Mucous connective tissue, 90
- Mucous glands, autonomic nervous system effects on, 445t
- Mucous membranes, 42–43, 85, 303
- Müller, Johannes, 16
- Müllerian duct. *See* Paramesonephric duct
- Multicellular glands, 87–89, 88f, 89t
- Multifidus muscle, 262f
- Multiple pregnancy, 785–786, 787f, 788f
- Multiple sclerosis (MS), 395
- Multipolar neurons, 352, 356f
- Multiunit smooth muscle, 437, 437t
- Mummies, Egyptian, 7, 7f
- Mumps, 670
- Muscarine, 445
- Muscle(s). *See also* Cardiac muscle; Skeletal muscle; *specific muscle*
aging of, 288–289, 292f
condition of, 285
diseases of, 287–288
etymology of term, 30
functional conditions of, 286–287
functions of, 234
naming of, 246–247
neoplasms of, 288
soreness of, 239
trauma to, 92
- Muscle atrophy, 102, 286
- Muscle cells, 70
- Muscle cramp, 286
- Muscle fibers
architecture of, 238
development of, 248–249, 248f
skeletal, 240–243, 241f, 242f, 243f
- Muscle tissue, 78, 99, 100f, 100t, 234
- Muscular arteries, 555
- Muscular dystrophy, 287, 339
- Muscularis
of ureters, 684
of urinary bladder, 687
of uterine tube, 734
of vagina, 737
- Muscularis mucosa, 637
- Muscular system, 31f, 233–295. *See also specific muscles*
case study, 233, 289
clinical considerations, 285–289
clinical practicum, 292–293
development of, 248–249, 248f, 249f
- Musculocutaneous nerve, 418t, 419, 419f
- Musculotendinous cuff, 217, 267
- Mutations, 73
- Myalgia, 293
- Myasthenia gravis, 288
- Myelencephalon, 347, 362t, 376–377
- Myelin, 349f, 351
- Myelination, 351, 352f, 353f
- Myelin layer, 351, 352f, 353f
- Myeloblasts, 544
- Myenteric plexus, 637
- Mylohyoid muscle, 255f, 256, 257f, 257t, 308f, 309f
- Myoblasts, 248
- Myocardial disease, 594
- Myocardial infarction (MI), 335, 595
- Myocardial ischemia, 335, 594, 594f, 595f
- Myocardium, 436–437, 546, 547t
- Myofibrils, 241, 241f, 242f, 243f, 244f, 247f
- Myofilaments, 61, 241, 241f, 243f
- Myoglobin, 58
- Myokymia, 293
- Myoma, 293
- Myometrium, 729f, 736
- Myoneural junction. *See* Neuromuscular junction
- Myopathy, 293
- Myopia, 531, 531f
- Myosin, 241
- Myosin myofilaments, 243f
- Myotomes, 248
- Myotomy, 293
- Myotonia, 293
- Myringotomy, 533, 533f
- Myxedema, 481
- Nail(s), 117, 117f, 300, 322f
- Nail bed, 117, 117f, 300
- Nail fold, 117, 117f
- Nail groove, 117, 117f
- Nail matrix, 117, 117f
- Nares. *See* Nostrils
- Nasal bones, 142f, 145f, 147f, 148f, 150f, 154f, 155, 605, 605f
- Nasal cavity, 42, 45f, 144, 154, 154f, 154t, 501f, 604f, 605, 605f, 641f
- Nasal crest, 155f, 156f
- Nasal fossa, 144, 153, 605
- Nasalis muscle, 250f, 251f, 251t
- Nasal meatus, 606
- Nasal notch, 155f
- Nasal region, of face, 301, 303, 304f, 304t
- Nasal septum, 144, 501f, 605
- Nasal spine, 155f
- Nasal vestibule, 605, 605f
- Nasolacrimal canal, 146t, 155
- Nasolacrimal duct, 501f, 502, 605f
- Nasopharynx, 605f, 606, 607, 641f, 647
- Natal cleft, 326, 326f
- Nausea, 527, 652, 672
- Navel. *See* Umbilicus
- Navicular bone, 186, 187f, 188f. *See also* Scaphoid bone
- Nearsightedness. *See* Myopia
- Neck, 35
arteries of, 307, 561–564, 562f
clinical considerations, 330–334
developmental disorders involving, 333
diseases of, 334
of humerus, 176, 176f
internal anatomy of, 306f, 307, 309f, 324f
muscles of, 254–256, 257f, 257t, 259f, 265f
of neonate, 299t

- surface anatomy of, 306–307, 307f
trauma to, 333–334
triangles of, 307, 307f, 308f, 308t
- Neck (anatomical)
of condylar process, 156f
of femur, 182f, 184, 184f
of fibula, 186f
of humerus, 176, 176f
of radius, 177f
of rib, 165, 165f
of tooth, 645f
of urinary bladder, 685
veins of, 572–574, 574f
- Necrosis, 102, 595
- Negative feedback system, 459, 459f
- Negroid (Africa), 27f
- Neisseria gonorrhoeae*, 720
- Neonatal period, 776, 781t
- Neonate. *See also* Development
brain of, 359
flexion position of, 299, 299f
general appearance of, 299–300
palpable structures of, 300
surface anatomy of, 298–300, 299t
- Neoplasms. *See also* Cancer; Tumors
benign, 73
of bone, 167
of central nervous system, 394
malignant, 73
metastatic, 394
of muscle, 288
primary, 394
secondary, 394
of skin, 119–121
uterine, 747
- Nephritis, 692
- Nephron, 677, 679f, 680–682, 683t
- Nephron loop, 679f, 680f, 682, 683t
- Nerve(s), 345t. *See also* specific nerves
classification of, 352–354, 356f
structure of, 356f
- Nerve block, 157, 391–392, 406, 775
- Nerve cells. *See* Neurons
- Nerve fiber, 101, 348
- Nerve impulse, 357
conduction of, 384, 488
interpretation of, 488
transmission of, 357–358
- Nerve plexus, 345t, 415–423
- Nervous layer, of retina, 505
- Nervous system, 32f. *See also* Autonomic nervous system; Central nervous system; Peripheral nervous system
degenerative diseases of, 395–396
disorders of, 393–395
and endocrine system, 455, 455t
functions of, 345
organization of, 345
senescence of, 395
- Nervous tissue, 78, 100–101, 343–399
- Neural crest, 347
- Neural folds, 346
- Neural groove, 346
- Neural pathways
for equilibrium, 526–527
for hearing, 523, 523f
for somatic sensation, 493–494, 495f
for visual sense, 513–514
- Neural plate, 346
- Neural tube, 347
- Neurocranium, 141, 142f
- Neuroendocrine reflexes, 463
- Neuroepithelium, 80
- Neurofibril(s), 348, 349f
- Neurofibril nodes, 349f, 351
- Neuroglia, 101, 101f, 346, 348–351, 351t
- Neurohypophysis, 373, 460, 461f, 463f, 464t, 477
- Neurolemmal sheath, 351
- Neurolemmocytes, 347, 348, 349f, 351t
- Neurological assessment, 391, 412, 413t
- Neurology, 344–345
- Neuromuscular cleft, 244, 247f
- Neuromuscular junction, 244, 247f
- Neuromuscular spindles, 493
- Neurons, 101, 101f, 345, 345t, 348, 350f
classification of, 352–354
damage to, 70
development of, 346
mitotic activity of, 348
myelination of, 351, 352f, 353f
regeneration of, 354f
shape of, 50f
size of, 49
- Neuropeptides, 359
- Neuropores, 347
- Neurosis, 393
- Neurosyphilis, 395
- Neurotendinous receptors, 493
- Neurotransmitters
of autonomic nervous system, 444, 446f
diseases involving, 396
- Neutrophils, 542, 542f, 544t
- Nevi, 119, 129
- Ngatjatjara man, 27f
- Nicotine, harmful effects of, 559
- Nipples, 25f, 259f, 310, 311f, 312f, 739, 739f
- Nissl bodies. *See* Chromatophilic substances
- Nitrogenous bases, 65–66, 67f
- NMR. *See* Nuclear magnetic resonance
- Nociceptors, 490, 491–492
- Nocturnal emission, 714
- Nodes of Ranvier. *See* Neurofibril nodes
- Nonarticulating prominences, of bones, 136t
- Nondisplaced fractures, 190
- Non-Hodgkin's lymphomas, 596
- Non-insulin-dependent diabetes mellitus, 482
- Nonkeratinized stratified squamous epithelium, 85, 86t
- Nonpigmented granular dendrocytes, 108
- Nonrespiratory air movements, 621, 622t
- Norepinephrine, 440, 444, 446f, 457f, 458, 472, 473t
- Normal amenorrhea, 747
- Norplant, 750f
- Nose, 605–607, 605f, 618t. *See also* Nasal cavity
- Nostrils, 303, 304f, 304t, 604f, 605, 605f, 606
- Notochord, 23, 23f, 767
- Nucha, 306
- Nuchal ligament, 160
- Nuclear magnetic resonance (NMR), 18
- Nuclear membrane (envelope), 53t, 54f, 63
- Nuclear pores, 63
- Nuclease, 654t
- Nucleic acids, 52t
- Nucleolemma cisterna, 63
- Nucleolus, 53, 53t, 54f, 63, 349f
- Nucleoplasm, 57
- Nucleoproteins, 51
- Nucleotides, 65–66
- Nucleus
in brain, 359
of cell, 53, 54f, 63, 64f
of neurons, 348, 349f, 488
- Nucleus ambiguus, 376, 411
- Nucleus cuneatus, 377
- Nucleus gracilis, 377
- Nucleus pulposus, 23, 24, 24f
- Nurse cells. *See* Sustentacular cells
- Nutrient foramen, 137, 176, 176f
- Nutritional disorders. *See also* specific disorders
skeletal effects, 166–167
skin effects of, 107t
- Obesity, 636t, 778
- Oblique fissure, of lung, 615f
- Oblique fractures, 189, 190f
- Oblique line, 156f
- Oblique muscle(s), 252, 502, 503t
- Oblique muscle layer, of stomach, 650, 650f
- Oblique popliteal ligament, 221, 221f
- Obliquus capitis inferior muscle, 256f, 262f
- Obliquus capitis superior muscle, 256f, 262f
- Obturator artery, 568, 569f, 570f
- Obturator externus muscle, 277, 278f
- Obturator foramen, 181f, 182f, 183, 183f
- Obturator internus muscle, 261f, 277, 281f, 330f
- Obturator nerve, 420t, 421, 422f
- Occipital artery, 309f, 315f, 562f, 563
- Occipital bone, 133f, 142f, 145f, 147f, 148f, 149f, 151–152, 174f, 309f
- Occipital condyle, 148f, 149f, 151
- Occipital fontanel. *See* Posterior fontanel
- Occipitalis muscle, 235f, 251f, 251t
- Occipital lobe, 360f, 361f, 364f, 366–367, 366f, 366t
- Occipital vein, 574f
- Occipitomastoid suture, 149f
- Ocular muscles, 252, 254f, 254t, 503f
- Ocular region, of face, 301, 302, 302f, 302t
- Oculomotor nerve (III), 402f, 403–404, 404t, 408f, 413t
- Odontoid process. *See* Dens, of axis
- Oily skin, 107t
- Olecranon, 177, 177f, 320f, 321f
- Olecranon bursa, 217
- Olecranon fossa, 176, 176f
- Olfaction, 496f
- Olfactory bulb, 402f, 403, 406f, 496, 496f
- Olfactory hairs, 495, 496f
- Olfactory nerve (I), 402f, 403, 404t, 406f, 413t, 496
- Olfactory nerve fibers, 496f
- Olfactory pathway, 406f
- Olfactory pit, 624
- Olfactory placode, 624
- Olfactory receptor cells, 495, 496f
- Olfactory sense, 495–496
- Olfactory tract, 360f, 402f, 403, 406f, 496
- Oligodendrocytes, 348, 350f, 351, 351t
- Oligodendrogliomas, 394
- Oligospermia, 714
- Oliguria, 692
- Omoacromioclavicular triangle, 308f, 308t
- Omohyoid muscle, 255f, 256, 257f, 257t, 259f, 267f, 308f, 309f
- Omos, 38
- Omotracheal triangle, 308f, 308t
- Ontogeny, 690
- Oocytes, 58, 698, 729, 729f, 733f, 757f
primary, 729, 731f, 733f
secondary, 730, 730f, 731f, 732f, 733f
- Oogenesis, 733f
- Oogonia, 729, 743
- Oophoritis, 748
- Open fractures, 189
- Openings, of bones, 136t
- Ophthalmic artery, 562f, 563
- Ophthalmic nerve, 404t, 405, 406
- Ophthalmic vein, 574
- Ophthalmology, 302, 527
- Ophthalmoscopy, 511f, 527
- Opponens digiti minimi muscle, 274f, 275, 275t, 290f, 325f
- Opponens pollicis muscle, 274f, 275, 275t
- Opposable thumbs, 26f, 27
- Optic canal, 147f, 150f, 152, 153f
- Optic chiasma, 370f, 402f, 403, 407f, 513
- Optic cup, 516
- Optic disc, 504f, 507, 511f
- Optic fissure, 516
- Optic foramen, 146t, 149f
- Optic fovea, 529
- Optic nerve (II), 360f, 361f, 402f, 403, 404t, 407f, 408f, 413t, 504, 504f, 505f, 516
- Optic radiation, 513
- Optic tract, 403, 407f, 513
- Optic vesicle, 515
- Optometrist, 527
- Optometry, 302, 527
- Oral cavity, 42, 45f, 85, 144, 303, 305f, 306f, 605f, 635, 635f, 636t, 640, 640f, 641f, 659t
- Oral contraceptives, 749, 750f
- Oral membrane, 665
- Oral orifices, 640, 640f
- Oral pit, 665
- Oral region, of face, 301, 303, 304f, 304t
- Oral vestibule, 605f
- Ora serrata, 505, 505f
- Orbicularis oculi muscle, 235f, 250f, 251f, 251t, 305f, 500, 500f
- Orbicularis oris muscle, 235f, 250f, 251f, 251t, 253f, 305f
- Orbit, of eye, 42, 45f, 144, 145, 150f, 151t, 301, 499
- Orbital fat body, 305f
- Orbital muscle, 250f
- Orbital plate
of ethmoid bone, 147f, 150f, 153f
of frontal bone, 150f
- Orbital process, of palatine bone, 156f
- Orbital surface, of palatine bone, 156f
- Orbitosphenoid, 142f
- Orchiectomy, 722
- Orchitis, 722
- Order Primates, 24, 27t
- Organ(s), 28, 42
- Organelles, 28, 53, 57–61
- Organic compounds, 50
- Organ of Corti. *See* Spiral organ
- Organs of Ruffini, 489t, 491
- Orgasm
female, 738
male, 713–714
- Origin, of muscles, 236, 236f
- Oronasal membrane, 624
- Oropharynx, 605f, 608, 641f, 647
- Orthopedics, 169
- Orthopnea, 622t
- Os coxae, 133f, 174f, 180, 182f, 188t
- Osmosis, 55t, 56f
- Os penis, 713
- Ossification, 141, 143t
- Ossification zone, 143
- Osteitis, 169
- Osteoarthritis, 226–227
- Osteoblastoma, 170
- Osteoblasts, 138, 138f, 140
- Osteochondritis, 170
- Osteoclasts, 138, 138f
- Osteocytes, 50f, 97–98, 138, 138f, 139f
- Osteogenic cells, 138
- Osteogenic sarcoma, 167
- Osteoids, 140–142
- Osteology, 132
- Osteomalacia, 166
- Osteomas, 167
- Osteomyelitis, 170, 334
- Osteonecrosis, 170
- Osteons, 138, 138f, 139f
- Osteopathology, 170
- Osteoporosis, 167–168, 339
- Osteotomy, 170
- Otic capsule, 529
- Otic ganglion, 441
- Otocyst, 529
- Otolithic membrane. *See* Statoconial membrane
- Otoliths. *See* Statoconia
- Otorhinolaryngologist, 302
- Otorhinolaryngology, 527
- Osteoclerosis, 533
- Otoscope, 527
- Outer ear, 516, 517f, 528, 530f
- Ova. *See* Oocytes
- Oval window. *See* Vestibular window
- Ovarian arteries, 566, 567t, 733f, 736f
- Ovarian cortex, 728
- Ovarian cycle, 729–732, 758f
- Ovarian follicles, 475
- Ovarian fossa, 728
- Ovarian ligament, 728, 729f
- Ovarian medulla, 728
- Ovarian tumors, 746
- Ovarian veins, 733f
- Ovary(ies), 456, 456f, 457t, 474–475, 726, 727f, 727t, 729f, 733f
blood supply to, 728–729
function of, 728–732
innervation of, 728–729
palpation of, 729
position of, 728–729
problems involving, 746–747
structure of, 728–729
- Overriding aorta, 594f
- Oviducts. *See* Uterine tubes
- Ovulation, 726, 730–732, 732f, 733f, 740–741, 742t

834 Index

- Oxygen utilization, 603
 Oxyphil cells, 469
 Oxytocin, 457t, 463, 464t, 775
- Pacemaker, 592. *See also* Sinoatrial node
 Pacinian corpuscles. *See* Lamellated corpuscles
 Paget's disease, 166–167
 Pain receptors, 489t, 490, 491–492
 Palatal rugae. *See* Transverse palatine folds
 Palate, 641
 Palatine bone, 148f, 154f, 155, 156f
 Palatine process, of maxilla, 148f, 150f, 154, 155f
 Palatine tonsils, 305f, 605f, 608, 640f, 641, 641f, 642f
 Palatine uvula, 640f, 641, 641f
 Palatoglossal arch, 305f
 Palatoglossus muscle, 252, 255f, 255t
 Palatopharyngeal arch, 305f
 Paleopathology, 3–4
 Palmar arch, 575, 575f
 Palmar interossei muscles, 275, 275t
 Palmaris longus muscle, 269, 271f, 273t
 tendon of, 274f, 321f, 323f, 325f
 Palmar ligaments, 218, 219f
 Palmar plates, 274f
 Palmar region, 38
 Palpation, 34, 297, 300
 Palpebrae. *See* Eyelids
 Palpebral conjunctiva, 500f, 501
 Palpebral fissure, 302f, 302t, 500, 501f
 Palpebral muscle, 250f
 Pancreas, 456, 456f, 470f, 635, 635f, 638f, 654f, 663–669
 autonomic nervous system effects on, 445t
 description of, 469–470
 development of, 478
 endocrine function of, 469–471
 Pancreatic acinar cells, 664f, 668
 Pancreatic buds, 666
 Pancreatic cancer, 669
 Pancreatic duct, 652, 654f, 663f, 664f
 Pancreatic islets, 457t, 469–470, 470f, 478, 482, 663, 664f, 668
 Pancreatic juice, 478, 663, 664f
 Pancreatic enzyme, 654t
 Pancreatic vein, 579
 Pancreatoduodenal artery, 568f
 Panhypopituitarism, 480
 Papanicolaou (Pap) smear, 746
 Papilla, 111, 642, 642f
 Papillary constrictor muscle, 503t
 Papillary dilator muscle, 503t
 Papillary duct, 679f, 680f, 682, 683t
 Papillary muscle, 549f
 Papilloma, 129
 Papule, 129
 Parafollicular cells, 467
 Parallel muscles, 238, 239t
 Paralysis, 293, 393
 Paralysis agitans. *See* Parkinson's disease
 Paramesonephric duct, 716, 743
 Paranasal ducts, 607
 Paranasal sinuses, 144, 151f, 154, 605f, 607, 607f, 618t
 Paranoia, 393
 Paraplegia, 393
 Parasympathetic division, of autonomic nervous system, 436, 440–443, 442f, 443t, 444t, 446–447
 Parathyroid gland, 456, 456f, 457t, 468–469, 468f, 469f, 481–482
 Parathyroid hormone (PTH), 457f, 457t, 469, 469f
 Paraventricular nuclei, 463
 Parietal bone, 133f, 142f, 145f, 146, 147f, 148f, 149f, 174f
 Parietal cells, of stomach, 650, 651f
 Parietal lobe, 360f, 361f, 363–366, 364f, 366f, 366t
 Parietal pericardium, 43, 43f, 545–546
 Parietal peritoneum, 42f, 43, 317f, 636, 637f, 638f
 Parietal pleura, 43, 43f, 615
 Parietal portion, of serous membrane, 636
- Parkinson's disease, 351, 358, 390, 396
 Parotid duct, 305f, 645
 Parotid gland, 635f, 645, 646f, 647t
 Pars distalis, 457t, 460, 461f, 462f, 478
 Pars intermedia, 460, 478
 Pars tuberalis, 460, 461f, 478
 Partial fractures, 189, 190f
 Parturition, 775, 776f
 Patella, 40, 133f, 174f, 185, 185f, 186f, 188t, 327f, 328f, 332f
 Patellar ligament, 220, 221f, 278f, 279f, 283f, 327f, 332f
 Patellar reflex. *See* Knee-jerk reflex
 Patellar region, 40
 Patellar surface, 184f, 185
 Patellar tendon, 276f, 278f, 279f, 283f, 327f
 Patelofemoral joint, 220
 Patelofemoral stress syndrome, 207
 Patent foramen ovale, 334, 593
 Patent urachus, 336, 690
 Pathogens, cytologic effects of, 72
 Pathologic fractures, 189
 Pathology, 78
 PBI test. *See* Protein-bound iodine test
 Pectineus muscle, 235f, 276f, 277, 278f, 279f, 281f, 281t
 Pectoral girdle, 133f, 173, 174f
 bones of, 132t, 134, 181t
 muscles acting on, 266t
 Pectoralis major muscle, 259f, 264–265, 264f, 265, 266t, 268f, 270f, 308f, 311f, 312f, 313f, 319f, 320f, 324f
 Pectoralis minor muscle, 264, 264f, 266t, 268f, 313f, 324f
 Pectoralis muscle, 235f
 Pectus carinatum. *See* Pigeon breast
 Pectus excavatum. *See* Funnel chest
 Pedicels, 681f, 682, 682f
 Pedicle, 159, 160f, 161f, 162f
 Pellagra dermatitis, 107t
 Pelvic brim, 180, 182f, 183f
 Pelvic cavity, 40f, 41–42, 41f, 44f
 Pelvic curve, 158f, 159
 Pelvic diaphragm, 260
 Pelvic examination, 744–746
 Pelvic foramina, 162, 163f
 Pelvic girdle, 133f, 174f, 178, 180–183
 bones of, 132t, 134, 181f, 182f, 188t
 female, 183, 183f, 183t
 male, 183, 183f, 183t
 Pelvic inflammatory disease (PID), 637, 734, 748
 Pelvic inlet, 180, 182f, 183f
 Pelvic muscles, 276f
 Pelvic outlet, 180
 female, 261f
 male, 261f
 muscles of, 260, 260t, 261f
 Pelvic region, 37
 Pelvic surface, of sacrum, 181f
 Pelvimetry, 183
 Pelvis, 180
 arteries of, 566–571, 569f
 female, 685f
 male, 685f
 regions of, 38t
 surface anatomy of, 318
 trauma to, 692
- Pendular movements, 656, 659t
 Penis, 698, 699f, 700t, 710–711, 710f, 711f
 autonomic nervous system effects on, 445t
 trauma to, 711
- Pennate muscles, 238, 239t, 246
 Pepsin, 654t
 Peptic ulcers, 337, 651, 670
 Peptidase, 654t
 Perceptive deafness, 533
 Percussion, 34, 297
 Percutaneous muscle biopsy, 102
 Perforating canals, 140
 Perforating cutaneous nerve, 442t
 Perforating fibers, 137
 Pericapsulitis, 217
 Pericardial arteries, 566, 567t
 Pericardial cavity, 41, 41f, 43, 43f, 44f, 546
- Pericardial fluid, 546
 Pericardial membranes, 43
 Pericarditis, 335, 546, 594
 Pericardium, 314f
 Perichondrium, 95, 206
 Periderm, 120
 Perikaryon, 101
 Perilymph, 519, 529
 Perilymphatic space, 529
 Perimetrium, 729f, 735
 Perimysium, 236, 237f
 Perineal muscles, 260
 Perineal raphe, 700, 701f
 Perineum, 37, 309, 700
 female, 39f, 701f, 737, 737f
 male, 39f, 701f
 surface anatomy of, 318
 Perineurium, 352
 Periodontal disease, 198, 645, 670
 Periodontal membrane, 644, 645f
 Periodontitis, 669f
 Periosteal bone collar, 142
 Periosteal bud, 142
 Periosteal layer, of dura mater, 378, 378f
 Periosteum, 97, 137, 251f
 Peripheral chemoreceptors, 623
 Peripheral ganglia, 439–440
 Peripheral nervous system (PNS), 344f, 345, 345t, 355f, 400–433, 401f
 case study, 400, 430
 clinical practicum, 432
 cranial nerves, 403–413
 development of, 426, 426f
 introduction to, 401–403
 nerve plexuses, 415–423
 relationship with central nervous system, 355f
 spinal nerves, 413–415
 Peripheral vision, 513
 Peristalsis, 635, 656, 659t
 Peristaltic contraction, 648–649, 649f
 Peristaltic movements, 659
 Peritoneal cavity, 42f, 43, 636, 637, 637f
 Peritoneal lavage, 22
 Peritoneal membranes, 43, 636, 638f
 Peritoneum, 636
 Peritonitis, 337, 637, 656, 671
 Peritubular capillaries, 678, 680f
 Permanent teeth, 642, 643f, 644t
 Pernicious anemia, 541, 652
 Peroneal artery, 570
 Peroneal nerve. *See* Common fibular nerve
 Peroneus brevis muscle, 283, 283f, 284f, 286t, 287f, 288f, 333f
 Peroneus longus muscle, 235f, 283, 283f, 284f, 286t, 287f, 288f, 290f, 332f, 333f
 tendon of, 329f
 Peroneus tertius muscle, 283, 283f, 284f, 286t, 291f, 332f
 tendon of, 332f
- Peroxisomes, 53t, 60–61
 Perpendicular plate, of ethmoid bone, 147f, 148f, 150f, 153, 153f
 Pes, 40. *See also* Foot
 bones of, 185–188, 187f
 Pes planus, 188
 Pestinate muscles, 547
 Petit mal epilepsy, 393
 Petrous part, of temporal bone, 149f, 151, 152f
 PET scan. *See* Positron emission tomography scan
 Peyer's patches. *See* Mesenteric patches
 pH, 51, 85
 Phagocytic cells, 59, 92
 Phagocytosis, 55t, 61, 62f
 Phalanges, 38, 133f, 174f, 178, 179f, 180f, 181t, 187f, 188, 188f, 188t
 Phallus, 743
 Phantom pain, 492
 Pharyngeal pouches, 23, 23f
 Pharyngeal tonsils, 605f, 607, 641f
 Pharyngopalatine arch, 640f, 641
 Pharynx, 24, 604f, 607–608, 618t, 635, 635f, 636t, 640, 641f, 645–648, 647f, 659t
 Phasic receptors, 490
- Phenobarbital, cytologic effects of, 57
 Phenotype, 783
 Phenylketonuria (PKU), 790
 Pheochromocytoma, 483
 Philtrum, 304f, 304t
 Phimosis, 711
 Phlebitis, 596
 Phlegm, 9
 Phobias, 393
 Phosphate group, 65
 Phospholipids, 52
 Phosphorus, and bones, 135
 Photoreceptors, 57, 489
 Photorefractive keratotomy, 531
 Phrenic nerves, 314f, 416, 416t, 621t
 Phylogeny, 23, 690
 Phylum Chordata, 23, 23f, 27t
 Physical protection, of skin, 112
 Physiological contracture, 286
 Physiological dead space, 622t
 Physiological jaundice of the newborn, 670
 Physiology, definition of, 2
 Pia mater, 378f, 379, 379f, 381f
 PID. *See* Pelvic inflammatory disease
 Pigeon breast, 312, 334
 Pigmented layer, of retina, 505
 Pigmented moles (nevi), 119, 129
 Piles, 657
 Pineal gland, 370f, 373, 456, 456f, 457t, 475–476
 Pinna, 301
 Pinocytosis, 55t, 61, 62f
 Piriformis muscle, 261f, 265f, 277, 281f, 330f
 Piriformis nerve, 424t
 Pisiform bone, 178, 179f, 180f, 325f
 Pitch, of sound, 522, 523
 Pituitary cachexia, 480
 Pituitary dwarfism, 480, 481f
 Pituitary gland, 360f, 362t, 370f, 372f, 373, 456, 456f, 457t, 460–464, 461f
 blood supply to, 563, 563f
 description of, 460–462
 development of, 477–478, 477f
 disorders of, 480–481
 Pituitary hormones, 462, 464t, 465f
 Pituitary stalk, 370f, 460, 461f
 Pivot joint, 202, 204f, 205t
 PKU. *See* Phenylketonuria
 Placenta, 456, 478–479, 580, 764f
 circulation of blood within, 766f
 endocrine functions of, 765–766, 766t
 exchange of molecules across, 765
 in taxonomy, 24
 Placental stage, of labor, 775, 776f
 Placenta previa, 785
 Placode, 529
 Plagiocephaly, 333
 Planes of reference, 33, 33f
 Plane suture, 198
 Plantar aponeurosis muscle, 269, 290f
 Plantar calcaneonavicular ligament, 223f
 Plantar flexion, 207, 208f, 211f, 212f
 Plantar interosseous muscle, 290f
 Plantaris muscle, 284, 284f, 286t, 287f, 288f, 289f
 tendon of, 285f, 287f
 Plantar ligaments, 223f, 290f
 Plantar reflex, 430t, 431f
 Plantar surface, 40
 Plasma membrane. *See* Cell membrane
 Plasma proteins, 545t
 Platelets, 98, 99f, 540, 541f, 542, 542f, 544t
 Platysma, 250f, 251f, 251t, 257f, 264f, 324f
 Pleurae, 43, 615, 617f, 618t
 Pleural cavity, 41, 41f, 43, 43f, 44f, 615
 Pleural membranes, 617f
 Pleurisy, 615, 628
 Plicae circulares, 653, 653f
 PMN leukocytes. *See* Polymorphonuclear leukocytes
 Pneuma, 603
 Pneumonia, 628
 Pneumothorax area, of brain, 374, 374f, 623
 Pneumothorax, 335, 622t, 627, 627f
 Podocytes, 681f, 682

- Poisons
 cytologic effects of, 72
 gastrointestinal effects, 669
- Polar body, 730
- Polarization, 357
- Poliomyelitis, 288, 339, 394
- Pollex, 178
- Polycythemia, 542, 593
- Polydactyly, 189, 189f, 337, 338
- Polymorphonuclear (PMN) leukocytes, 542
- Polypeptide, formation of, 69
- Polyribosomes, 68
- Polysaccharides, 52
- Polysomes, 68
- Polysynaptic reflex arc, 428, 429f
- Polythelia, 25f
- Polyuria, 692
- Pons, 360f, 361f, 362t, 370f, 374, 374f, 375f
- Popliteal artery, 560f, 568, 570f
 pressure point for, 572f
- Popliteal bursa, 221f, 222f
- Popliteal fossa, 40, 221, 284, 289f, 326f, 327, 328f
- Popliteal ligaments, 221f
- Popliteal nodes, 583
- Popliteal vein, 573f, 576, 578f
- Popliteus muscle, 284, 286t, 288f
- Portal system, 464, 563, 579
- Positron emission tomography (PET) scan, 18, 19f, 359, 362f
- Postcentral gyrus, 363, 364f, 493
- Posterior, 36t
- Posterior arch, of atlas, 160f
- Posterior auricular artery, 562f, 563
- Posterior cardiac vein, 549f, 551
- Posterior cavity, 40f, 41, 44f
 of eye, 505f, 508
- Posterior cerebellar artery, 563f
- Posterior cerebral artery, 561, 563f
- Posterior cervical triangle, 307, 307f, 308f, 308t
- Posterior chamber, of eye, 500f, 505f, 508, 512f
- Posterior commissure, 370f, 373
- Posterior communicating artery, 561, 563f
- Posterior cranial fossa, 149f
- Posterior cruciate ligament, 221, 221f, 222f
- Posterior crural muscles, 283–285, 287f, 288f
- Posterior division
 of brachial plexus, 416
 of lumbar plexus, 421
 of sacral plexus, 421
- Posterior ethmoidal foramina, 150f
- Posterior fontanel, 144, 145f
- Posterior funiculus, 386, 386f
- Posterior gluteal line, 182f, 183
- Posterior horns, 384, 386f, 390
- Posterior humeral circumflex artery, 565, 565f
- Posterior inferior iliac spine, 182f, 183
- Posterior intercostal arteries, 566, 567f, 567t
- Posterior intercavernous artery, 551, 552f
- Posterior lobe, of cerebellum, 375f
- Posterior median sulcus, 384, 386f
- Posterior membranous ampullae, 519f
- Posterior pituitary gland. See *Lobus nervosa*
- Posterior ramus, of spinal nerves, 414, 414f
- Posterior root, of spinal nerves, 386f, 414, 414f
- Posterior sacral foramen, 162, 163f
- Posterior semicircular canal, 519f
- Posterior spinocerebellar tract, 388t, 389t
- Posterior sternooclavicular ligament, 215, 215f
- Posterior superior iliac spine, 182f, 183
- Posterior surface, of stomach, 650
- Posterior talocalcaneal ligament, 223f
- Posterior talofibular ligament, 222, 223f
- Posterior tibial artery, 560f, 570, 570f
 pressure point for, 329f
- Posterior tibial vein, 573f, 576, 578f
- Posterior tibiofibular ligament, 223f
- Posterior tibiotalar ligament, 223f
- Posterior trunk, of internal iliac artery, 569f
- Posterior tubercle, 161
- Posterior vagal trunk, 441
- Posterolateral fontanel, 144, 145f
- Postganglionic neuron, 435–436
- Postmature infant, 777
- Postnatal growth, periods of, 775–781, 781t
- Postsynaptic neuron, 358
- Posture, muscular system and, 234
- Pott's fracture, 185, 190
- Pouch of Douglas. See *Rectouterine pouch*
- Precapillary sphincter muscles, 555–557
- Precentral gyrus, 363, 364f
- Precursor messenger RNA (pre-mRNA), 67
- Preembryonic period, 757–762, 760t
- Preganglionic neuron, 435
- Pregnancy
 ectopic, 734, 746–747, 785, 786f
 erector spinae muscle in, 262
 multiple, 785–786, 787f, 788f
 termination of, 748
 trimesters of, 785
 uterus in, 735f
 vulva in, 738
- Pregnancy tests, 759
- Prehensile hands, 24, 26f
- Premature infant, 777
- Premature synostosis, 333
- Premolars, 148f, 154, 304f, 640f, 642, 643f, 644t
- pre-mRNA. See *Precursor messenger RNA*
- Prepuce, 699f, 710f, 711, 737
- Presbyopia, 531
- Prescientific period, anatomy in, 2–4
- Pressure cuff, 558–559, 558f
- Pressure points, 321f, 323f, 329f, 570, 572f
- Pressure receptors, 490–491
- Presynaptic neuron, 358
- Primary amenorrhea, 747
- Primary curves, 159
- Primary fissure, 375f
- Primary follicles, 729, 730f, 733f
- Primary germ layers, 80, 760
- Primary growth, 73
- Primary neoplasms, 394
- Primary oocytes, 729, 731f, 733f
- Primary ossification center, 142
- Primary sex cords, 716, 743
- Primary sex organs, 698, 726
- Primary spermatocytes, 703, 704, 706f
- Primates, 24
- Primitive gut, 665
- Primitive line/streak, 767, 768f
- Primitive node, 767, 768f
- Primordial follicles, 729, 730f, 743
- Principal artery, of thumb, 565f
- Principal bronchus, 604f
- Principal cells
 of parathyroid gland, 469
 of stomach, 650, 651f
- P-R interval, 553
- Process, 136t
- Proctodeum, 667
- Proerythroblasts, 544
- Profunda vein, 640f
- Progesterone, 457t, 472, 474–475, 741, 766t
- Projection fibers, 368, 369f
- Prolactin, 463, 464t
- Prolactin-inhibiting hormone (PIH), 463
- Prolapse, of uterus, 748
- Proliferation zone, 142
- Proliferative phase, of ovulation, 741, 742f
- Promontory, 158f
- Pronation, 209, 268
- Pronator quadratus muscle, 268, 272f, 273t, 274f, 325f
- Pronator teres muscle, 268, 271f, 272f, 273t
- Pronephric duct, 690
- Pronephros, 689, 690
- Prophage, 70, 71f, 703, 704t, 705f
- Proprioceptors, 375, 490, 492–493, 494f
- Prosencephalon, 347, 362t
- Prostaglandins, 775
- Prostate, 686f, 687, 698, 699f, 700t, 708–709, 709f, 710f
 disorders of, 722
 palpation of, 709
- Prostatectomy, 722
- Prostatic carcinoma, 722
- Prostatic part, of urethra, 686f, 687, 709
- Prostatitis, 722
- Prostheses, joint, 228f, 229
- Prostroatory vestibular nystagmus, 527
- Protection, in circulatory system, 539
- Protein-bound iodine (PBI) test, 480
- Protein hormones, 457f, 458, 458t, 459, 459f
- Proteins, 52t
 in adults, 51
 functional, 52
 plasma, 545t
 structural, 51–52
 synthesis of, 68, 68f
- Proteolytic enzymes, 757
- Protoplasm, 57
- Protraction, 209, 210f
- Proximal, 36t
- Proximal convoluted tubule, 679f, 680f, 681f, 682, 683t
- Proximal interphalangeal joints, 322f
- Proximal phalanx, 179f, 180f, 187f
- Proximal radioulnar joint, 217, 225t
- Proximal tibiofibular joint, 222f, 225t
- Pruritus, 129
- Pseudohermaphroditism, 714
- Pseudohypertrophic muscular dystrophy, 790
- Pseudopolar neurons, 352
- Pseudostratified ciliated columnar epithelium, 83, 84f, 86t
- Pseudounipolar neurons, 356f
- Psoas major muscle, 276, 276f, 278t, 279f, 281f
- Psoas minor muscle, 276f, 279f, 281f
- Psoriasis, 129
- Psychomotor epilepsies, 393
- Psychosis, 393
- Pterygoid canal, 153f
- Pterygoid hamulus, 153f
- Pterygoid plexus, 574f
- Pterygoid processes, 148f, 152, 153f
- Pterygoid tuberosity, 156f
- Pterygopalatine ganglion, 441
- PTH. See *Parathyroid hormone*
- Puberty, 29, 726, 778–779
- Pubescence, 778
- Pubic arch, 183f
- Pubic region, 37, 38f, 38t
- Pubic tubercle, 181f, 182f, 183
- Pubis, 133f, 174f, 181f, 182f, 183
- Pubococcygeus muscle, 261f
- Pubofemoral ligament, 220, 220f
- Pudendal cleft, 727t, 737
- Pudendal nerve, 424t
- Pudendal nerve block, 775
- Pulmonary alveoli, 612–614, 613f, 618t, 624
- Pulmonary arteriole, 613f
- Pulmonary artery, 581f, 615f
- Pulmonary capillary, 613f
- Pulmonary circulation, 550
- Pulmonary disorders, 621
- Pulmonary embolism, 595
- Pulmonary ligament, 615, 615f
- Pulmonary plexus, 441
- Pulmonary respiration, 256
- Pulmonary semilunar valve. See *Pulmonary valve*
- Pulmonary stenosis, 593, 594f
- Pulmonary trunk, 548f, 549f, 550, 552f, 561f
- Pulmonary valve, 548t, 549f, 550
- Pulmonary vein, 550, 581f, 615f
- Pulmonary ventilation. See *Breathing*
- Pulmonary venule, 613f
- Pulmonic area, 554, 554f
- Pulp, 645
- Pulp cavity, 645
- Pulse pressure, 559
- Puncture wound, 125f, 126f
- Punnett square, 784, 784f
- Pupil, of eye, 302f, 302t, 501f, 505, 505f, 509f, 510–511
- Pupillary reflex, 514
- Purkinje fibers. See *Conduction myofibers*
- Pustule, 129
- Putamen, 365f, 369, 370f
- P wave, 553
- Pyelitis, 687
- Pyelonephritis, 687
- Pyloric sphincter, 649, 650f
- Pyloric stenosis, 336, 669
- Pylorus, 649–650, 649f, 650f
- Pyogenic granuloma, 669f
- Pyorrhea, 672
- Pyramid, 518f
- Pyramidalis muscle, 317f
- Pyramidal process, 156f
- Pyramidal, 264f
- Pyramidal tracts. See *Corticospinal tracts*
- Pyramids, of medulla oblongata, 376
- Pyuria, 692
- QRS complex, 553–554
- Quadrante lobe, of liver, 661, 661f
- Quadratus femoris muscle, 277, 278f, 330f
- Quadratus femoris nerve, 424t
- Quadratus lumborum muscle, 262f, 263, 263t, 276f
- Quadratus plantae, 290f
- Quadriceps femoris muscle, 280, 282t, 327f
- Quadriplegia, 393
- Quickening, 206, 248, 773
- Racial groups, body proportion differences among, 780–781, 782f
- Radial artery, 560f, 565, 565f
 pressure point for, 321f, 323f, 572f
- Radial collateral ligament, 217, 219f
- Radial fossa, 176f
- Radial keratotomy, 531
- Radial nerve, 324f, 401f, 416, 418f, 418t
- Radial notch, 177, 177f
- Radial recurrent artery, 565
- Radial vein, 321f, 573f, 575, 575f
- Radiate sternocostal ligament, 215f
- Radiation, cytologic effects of, 72
- Radical mastectomy, 264, 748
- Radiocarpal joint, 225t
- Radiograms, 587
- Radiographic anatomy, 18–19, 18f, 19f
- Radioimmunoassay (RIA), 480
- Radius, 133f, 174f, 177f, 178, 181t, 198f, 325f
- Rami communicantes, 414, 439, 439f
- Ramus
 definition of, 136t
 of ischium, 183
 of mandible, 149f, 156f, 157
- Range of motion, of synovial joints, 200
- RAS. See *Reticular activating system*
- Rathke's pouch. See *Hypophyseal pouch*
- Reactive hypoglycemia, 482
- Receptive relaxation, 659t
- Receptors
 cutaneous, 488, 489t
 in reflex arc, 427, 427f
- Recessive alleles, 783, 783t
- Reciprocal inhibition, 430
- Rectal arteries, 568f, 569f
- Rectouterine folds, 735
- Rectouterine pouch, 727f, 735
- Rectum, 635f, 638f, 657, 657f, 658f, 685f, 727f
- Rectus abdominis muscle, 235f, 258, 258f, 259f, 260t, 264f, 311f, 312f, 313, 313f, 317f, 620f
- Rectus capitis posterior major muscle, 256f, 262f
- Rectus capitis posterior minor muscle, 256f, 262f
- Rectus femoris muscle, 276f, 278f, 279f, 280, 281f, 282f, 282t, 327f, 328f, 331f
 tendon of, 331f
- Rectus muscles, 252, 502, 503t
- Rectus sheath, 259f, 264f
- Recurrent laryngeal nerve, 411
- Red blood cells. See *Erythrocytes*
- Red bone marrow, 134, 137
- Red-green color blindness, 513, 784–785
- Red nucleus, 374
- Red pulp, 585, 586f
- Referred pain, 491–492, 492f, 493f
- Reflex arc, 427, 427f
- Reflexes
 kinds of, 427–430, 430t, 431f
 neonatal, 776
 spinal cord and, 384
 testing of, 35, 430
- Refraction, of light, 509–510, 512f
- Regeneration, of neurons, 354f

836 Index

- Regeneration tube, 351
Regional anatomy
 case study, 296, 339
 clinical considerations, 330–339
 clinical practicum, 340
Regional approach, to anatomy, 29
Regulatory system, and circulatory system, 539
Regurgitation. *See* Vomiting
Relaxin, 775
Releasing factors, 459–460
Rembrandt, 15f
Renaissance, and history of anatomy, 13–15
Renal adipose capsule, 677
Renal agenesis, 691
Renal arteries, 566, 567t, 581f, 676, 677, 678f, 679f, 680f
Renal biopsy, 692
Renal blood vessels, 677–679, 680f
Renal calyx, 678f, 679f
Renal capsule, 677, 678f, 679f
Renal columns, 677, 678f, 679f
Renal corpuscle, 680, 681f, 683t
Renal cortex, 677, 678f, 679f, 680f
Renal ectopia, 691
Renal failure, 693
Renal fascia, 677
Renal medulla, 677, 678f, 679f, 680f
Renal papilla, 677, 679f, 682
Renal pelvis, 677, 678f, 679f, 680f, 682
Renal pelvises, 677f
Renal ptosis, 677
Renal pyramids, 677, 678f, 679f
Renal stone, 684, 684f
Renal tubules, 679f
Renal vein, 573f, 579, 581f, 676, 677, 678, 678f, 679f, 680f
Repolarization, 357
Reproductive structures, categories of, 698
Reproductive system
 female (*See* Female reproductive system)
 male (*See* Male reproductive system)
Reserve zone, 142
Residual volume (RV), 621t, 622f
Resorption zone, 143
Respiration. *See also* Respiratory system
 definition of, 603
 muscles of, 256–258, 258f
Respiratory bronchioles, 611, 613f
Respiratory capacities, 620, 621t, 622f
Respiratory centers, of brain, 374, 374f, 377, 623
Respiratory distress syndrome, 620
Respiratory division, of respiratory system, 603, 612, 613f
Respiratory epithelium, 83
Respiratory system, 32f, 602–633, 604f
 basic structure of, 603
 case study, 602, 630
 circulatory system, 538–539
 clinical considerations, 626–630
 clinical practicum, 631
 conducting passages, 604–612, 612f
 control of, 628–630
 developmental disorders of, 626
 development of, 624–626
 disorders of, 628
 epithelial tissue of, 606f
 functions of, 603
 injury/trauma to, 627–628
 lower, 603, 624, 626f
 physical requirements of, 603
 respiratory division of, 613f
 upper, 603, 605f, 624, 625f
Respiratory volumes, 620, 621t, 622f
Resting potential, 357
Resting tremor, 390
Rete testis, 701f, 702f, 703
Reticular activating system (RAS), 377, 377f
Reticular connective tissue, 92, 94f, 95t
Reticular fibers, 91
Reticular formation, 377
Reticulospinal tracts, 389
Retina, 505–507, 505f, 508t, 511f
 damage to, 532
 development of, 516
 layers of, 510f
 photoreceptor cells of, 510f
Retinaculum, 236
Retinal detachment, 532
Retinitis pigmentosa, 790
Retraction, 209, 210f
Retroflexion, 735
Retroflexion, of uterus, 748
Retromandibular vein, 305f
Retroperitoneal organs, 636
Retroversion, of uterus, 748
Rhabdomyosarcoma, 288
Rheumatic fever, 336
Rheumatism, 287
Rheumatoid arthritis, 60, 226, 227f
Rheumatology, 230
Rhinocephalon, 449
Rhombencephalon, 347, 362t
Rhomboides major muscle, 256f, 265f, 266t, 267f, 315f, 316f, 323f
Rhomboides minor muscle, 256f, 265f, 266t, 267f, 315f
Rhomboides muscle, 235f, 264
Rhythmicity area, of brain, 374f, 623
Rhythmic segmentation, 656, 659t
Rhythm method, of contraception, 749
RIA. *See* Radioimmunoassay
Rib(s), 133f, 165, 165f, 166f, 174f, 311f
Rib cage, 133f, 164–165, 164f, 174f
 abnormalities of, 312
 bones of, 132t, 134
Ribonucleic acid (RNA), 52t, 67f
 structure of, 66–68
 synthesis of, 66–68, 67f
Ribonucleotide, 67
Ribose, 67f
Ribosomal RNA (rRNA), 67
Ribosomes, 53t, 54f, 57, 58f, 69f
Rickets, 97, 114, 114f, 135, 166
Right atrioventricular valve, 314f, 548t, 549f, 550
Right atrium, 548f, 549f, 550, 552f
Right auricle, 561f
Right axillary vein, 574f
Right brachiocephalic vein, 314f, 561f, 573f, 574f, 577f
Right bundle branch, 553f
Right colic flexure. *See* Hepatic flexure
Right common carotid artery, 561, 561f, 562f, 567t
Right common iliac artery, 566, 570f
Right common iliac vein, 578f
Right coronary artery, 548f, 550, 552f, 559, 567t
Right costal margin, of rib cage, 312
Right external iliac artery, 570f
Right external jugular vein, 574f
Right gastric artery, 568f
Right gastric vein, 579, 580f
Right gastroepiploic vein, 579, 580f
Right hemisphere, of brain, 363
Right hepatic vein, 579
Right hypochondriac region, 38f, 38t
Right inguinal region, 38f, 38t
Right internal jugular vein, 561f
Right lateral region, 38f, 38t
Right lobe, of liver, 314f, 317f, 660, 661f
Right lung, 314f, 604f, 614, 616f
Right lymphatic duct, 582, 584f
Right marginal artery, 551
Right marginal vein, 552f
Right ovarian vein, 579
Right principal bronchi, 610, 612f
Right principal bronchus, 610f
Right pulmonary artery, 548f, 549f, 550, 561f
Right pulmonary veins, 548f, 549f, 561f
Right renal artery, 568f
Right subclavian artery, 560f, 561, 561f, 562f, 564, 567t
Right subclavian vein, 314f, 324f, 572, 573f, 574f, 584f
Right suprarenal vein, 579
Right testicular vein, 573f, 579
Right ventricle, 548f, 549f, 550, 552f
Right ventricular hypertrophy, 594f
Right vertebral artery, 560f
Rigor mortis, 102, 286
Risorius muscle, 250f, 251f, 251t, 305f
Rivlin's ducts, 645
RNA. *See* Ribonucleic acid
RNA polymerase, 67
Rods, of eye, 506, 510f
Roentgen, Wilhelm Konrad, 18
Roentgenograph, 18
Roman Era
 and history of anatomy, 11–12
 surgical instruments in, 12f
Root
 of nose, 303, 304f, 304t
 of penis, 710–711, 710f
 of sacral plexus, 421
 of tongue, 642f
 of tooth, 644, 645f
Root canal, 645, 645f
Root hair plexus, 489t, 491
Rooting reflex, 776
Rotation, 209, 209f, 211f, 212f
Rotator cuff, 217, 267
Rough endoplasmic reticulum, 54f, 57, 58f
Round ligaments. *See* Ligamentum teres
Round window. *See* Cochlear window
rRNA. *See* Ribosomal RNA
Rubella virus, 527–530
Rubrospinal tract, 388t, 389, 389t
Rugae, of urinary bladder, 685
Rule of nines, 123, 124f
Runner's knee, 207
RV. *See* Residual volume
Saccadic eye movements, 514
Saccular portion, of otocyst, 529
Sacculations. *See* Haustrium
Saccule, 515, 519f, 520, 524
Sacral arteries, 569f
Sacral canal, 162, 163f
Sacral cornua, 163f
Sacral curve, 159
Sacral nerves, 401f, 413
Sacral plexus, 385f, 401f, 421–423, 423f, 424t
Sacral promontory, 162, 163f, 182f
Sacral region, 37
Sacral tuberosity, 162, 163f
Sacral vertebrae, 159
Sacroiliac articulation, 181f
Sacroiliac joint, 162, 182f, 225t
Sacrospinous ligament, 281f
Sacrospinous ligament, 330f
Sacrum, 133f, 158f, 159, 162, 162f, 163f, 163t, 174f, 181f, 182f, 330f
Sacs, of eye, 57
Saddle joint, 202–203, 205f, 205t
Sagittal plane, 33, 33f, 34f
Sagittal suture, 144, 145f, 146–151
Saliva, 645
Salivary ducts, 645
Salivary enzyme, 654t
Salivary glands, 635, 645, 646f, 647t
 autonomic nervous system effects on, 445t
 clinical problems of, 669–670
Salmonella, 669
Salpingitis, 734, 746, 748
Salpingography, 734
Salpingolysis, 734
Salpinx, 734
Salts, 51
Salty taste, 497, 498f
Sanguine, 9
SA node. *See* Sinoatrial node
Saphenous nerve, 420t
Sarcomere, 237f, 241, 241f, 242f, 243f, 247f
Sarcomeres, 241, 243f, 244f
Sarcomoplasm, 237f, 241, 241f, 243f
Sarcoplasmic reticulum, 241, 242f
Sartorius muscle, 235f, 276f, 278f, 279, 279f, 280f, 281f, 282f, 285f, 287f, 289f, 327f, 328f, 331f
Satiety center, 373
Scab, 126f
Scala tympani, 520, 520f, 521f, 529
Scala vestibuli, 520, 520f, 521f, 529
Scalene muscles, 258, 258f, 619, 620f
Scalenus anterior muscle, 257f, 308f
Scalenus medius muscle, 256f, 257f, 259f, 308f
Scalenus posterior muscle, 256f
Scalp, 301, 306f
Scaphocephaly, 333
Scaphoid bone, 178, 179f, 180f. *See also* Navicular bone
Scapula, 133f, 173, 174f, 175f, 181t, 309–310
 muscles of, 267, 267f
Scapular notch, 173, 175f
Scar tissue, 98, 126, 127f
Schizophrenia, 393, 396
Schleiden, Matthias, 16, 49
Schwann, Theodor, 16, 49
Schwann cells. *See* Neurolemmocytes
Sciatica, 423
Sciatic nerve, 331f, 333f, 401f, 421, 423, 424t
Scientific period, anatomy in, 4–19
Sclera, 302f, 302t, 501f, 504, 505f, 506f, 508t, 516
Scleral venous sinus, 512f
Sclerotomes, 248
Round ligaments. *See* Ligamentum teres
Scrotal dermatitis, 107t
Scrotal septum, 700, 701f
Scrotum, 698, 699f, 700, 700t, 701f, 710f, 716
 disorders of, 722
 trauma to, 711
Sebaceous glands, 107f, 118, 121, 301
Seborrhea, 129
Seborrheic hyperkeratoses, 110
Sebum, 118
Secondary amenorrhea, 747
Secondary curves, 159
Secondary follicles, 729, 730f, 733f
Secondary growth, 73
Secondary neoplasms, 394
Secondary oocytes, 730, 730f, 731f, 732f, 733f
Secondary ossification center, 142
Secondary sex characteristics, 698, 703t, 726
Secondary sex organs, 698, 726, 732–738
Secondary spermatocytes, 703, 704, 706f
Second-class lever, 210–211, 213f
Second-degree burns, 122, 123f
Second-degree frostbite, 123
Second-division nerve block, 157, 406
Second meiotic division, 704, 704t, 705f, 706f
Second sound, of heartbeat, 554
Second trimester, of pregnancy, 785
Secretin, 457t, 476t
Secretion granule, 54f
Secretory phase, of ovulation, 741, 742f
Sectioning, 102
Segmental bronchus, 604f, 610, 610f
Sella, etymology of term, 30
Sella turcica, 148f, 149f, 152, 153f, 154f
Semen, 708, 712, 713–714, 714, 714t
Semicircular canals, 519f, 520, 526, 529
Semicircular ducts, 517f, 519f, 520, 524
Semilunar valves, 547
Semimembranosus bursae, 221f, 222f
Semimembranosus muscle, 235f, 277, 280f, 281, 281f, 282f, 282t, 284f, 289f, 328f, 331f
 tendon of, 285f
Seminal fluid. *See* Semen
Seminal vesicles, 698, 699f, 700t, 708, 708f, 710f, 716
Semiferrous tubules, 700t, 702, 702f, 706f, 716
Semispinalis capitis muscle, 255, 256f, 257f, 262f, 263t, 265f, 308f, 309f
Semispinalis cervicis muscle, 262f, 263t
Semispinalis thoracis muscle, 262f, 263t
Semitendinosus muscle, 235f, 277, 280f, 281, 281f, 282f, 282t, 287f, 289f, 328f, 330f, 331f, 333f
 tendon of, 285f
Senescence, 781t
 atrophy, 102
 of nervous system, 395
Senile atrophy, 72
Sensation, 488
Senses. *See also specific sense*
 classification of, 488–490

- Sensorineural deafness, 533
 Sensory adaptation, 490
 Sensory area, of cerebral cortex, 367f
 Sensory hair cells, 493
 Sensory homunculus, 494
 Sensory nerves, 352, 355f, 356f, 401, 403
 Sensory neurons, 239, 345t, 349f, 352, 427, 427f
 Sensory organs, 487–536. *See also specific organs*
 case study, 487, 533
 clinical considerations, 527–533
 clinical practicum, 534
 Sensory perception, 488
 Sensory receptors, 111, 114
 Sensory root, of trigeminal nerve, 405
 Septa, of testis, 701f
 Septal cartilage, 605
 Septal defect, 593, 593f, 594f
 Septate uterus, 746f
 Septicemia, 596
 Septum pellucidum, 370f
 Septum penis, 710f, 711
 Septum secundum, 589
 Serosa, 639, 639f
 Serotonin, and blood clotting, 542
 Serous cells, 645
 Serous fluid, 43
 Serous layer, of uterine tube, 734
 Serous membranes, 42, 42f, 43, 43f, 85, 636–637, 637f
 Serous pericardium, 546
 Serrate suture, 197
 Serratus anterior muscle, 235f, 259f, 264, 264f, 266f, 311f, 312f, 313f
 Serratus posterior inferior muscle, 265f
 Serratus posterior muscle, 309f
 Serratus posterior superior muscle, 256f
 Sertoli cells. *See* Sustentacular cells
 Sesamoid bones, 132, 180f
 Sex cells. *See* Gametes
 Sex chromosomes, 782
 Sex determination, 716
 Sex differentiation, 703t, 717f
 Sex hormones, 458, 472
 female, 741
 male, 698
 Sex-linked inheritance, 784–785
 Sexual center, 373
 Sexual dysfunction, male, 715–720
 Sexual intercourse, 698, 726
 Sexually dimorphic characteristics, 779
 Sexually transmitted diseases (STDs), 720–721, 721t
 Sexual reproduction, 698
 Sexual response, hypothalamus and, 373
 Shaft, of penis. *See* Body, of penis
 Shakespeare, William, 2
 Sharpey's fibers. *See* Perforating fibers
 Shin, 40
 Shingles, 414
 Shinsplints, 293, 339
 Shivering, 113
 Shock
 recognition of, 597
 treatment of, 597–598, 597f
 Shoes, improperly fitted, 202
 Short bones, 136, 136f
 Short head, of biceps brachii muscle, 267
 Shoulder, 38. *See also* Pectoral girdle
 arteries of, 564–566
 developmental conditions involving, 337
 diseases of, 338
 internal anatomy of, 313f, 322, 322f, 324f
 muscles of, 259f, 264f, 265f, 268f
 surface anatomy of, 319, 319f, 320f
 trauma to, 338
 Shoulder joint. *See* Glenohumeral joint
 Siamese twins. *See* Conjoined twins
 Sickle-cell anemia, 593
 AIDS. *See* Sudden infant death syndrome
 Sighting, 622t
 Sight. *See* Eye(s); Visual sense
 Sigmoid colon, 317f, 318f, 635f, 638f, 656, 657f
 Sigmoid sinus, 574f
 Simmonds' disease. *See* Pituitary cachexia
 Simple ciliated columnar epithelium, 83, 83f, 86t
 Simple columnar epithelium, 81–83, 82f, 86t
 Simple cuboidal epithelium, 81, 82f, 86t
 Simple diffusion, 55t
 Simple epithelia, 81–83
 Simple epithelium, 86t
 Simple fractures, 189
 Simple glands, 87, 88f, 89t
 Simple mastectomy, 748
 Simple squamous epithelium, 81, 81f, 86t
 Single-unit smooth muscle, 437, 437t
 Sinoatrial node (SA node), 551–552, 553f
 Sinus. *See also* Paranasal sinuses
 of bones, 136t
 Sinus bradycardia, 592f
 Sinusitis, 628
 Sinusoids, 557, 579, 580f
 Sinus rhythm, 592f
 Sinus tachycardia, 592f
 Sinus venosus, 589, 590t
 Skeletal developmental disorders, 166
 Skeletal muscle, 99, 100f, 100t
 architecture of, 238, 239t
 associated connective tissue, 236, 237f
 attachments of, 235–236, 236f
 blood supply to, 239, 240f
 contractions of, 243, 245f, 246f
 development of, 248–249, 248f, 249f
 groups of, 236–238
 nerve supply to, 239, 240f
 structure of, 235–239
 Skeletal muscle cells, shape of, 50f
 Skeletal muscle fibers, 240–243, 241f, 242f, 243f
 Skeletal muscle pump, 558
 Skeletal system, 31f, 131–171. *See also* Axial skeleton
 Appendicular skeleton; Axial skeleton
 aging of, 167–168, 167f
 case study, 131, 168
 functions of, 134–135
 organization of, 132–134
 Skeleton, 174f. *See also* Appendicular skeleton; Axial skeleton
 bones of, 132t, 133f
 and fat storage, 134
 and hemopoiesis, 134, 135f
 and mineral storage, 134–135
 movement and, 134
 protection of, 134
 support of, 134
 Skin, 78f, 107f
 absorption by, 114
 aging of, 127, 127f
 case study, 105, 127
 coloration of, 109–110, 300
 communication and, 114
 functions of, 112–114
 hydroregulation of, 112
 innervation of, 111
 layers of, 106–112
 of neonate, 299t
 nutritional deficiencies and, 107t
 as organ, 106
 pH of, 85
 physical protection of, 112
 sensory reception in, 114
 surface patterns of, 110, 110f
 synthesis in, 114
 thermoregulation and, 112–113, 113f
 vascular supply of, 111
 Skin cancer, 110, 112, 119–121
 Skin creases, 300, 300f
 Skin disorders
 infectious, 119
 inflammatory, 119, 122f
 Skin glands, 117–119, 118f
 Skin grafts, 124, 125f
 Skull, 132, 133f, 144–158, 174f
 anterior view of, 147f
 bones of, 132t
 development of, 141, 142f
 fetal, 145f
 foramina of, 146t
 fracture of, 198
 frontal section of, 150f
 growth of, 777, 778f
 inferior view of, 148f
 inferolateral view of, 149f
 lateral view of, 147f
 of neonate, 299t
 sagittal view of, 148f
 sutures of, 198f
 Skull joints, 225t
 Sleep apnea, 628
 Sleep center, 373
 Sleep response, 377
 Slipped disc, 24
 Slit pores, 681f, 682
 Small cardiac vein, 552f
 Small intestine, 318f, 457t, 476t, 478, 635, 635f, 636t, 639f, 652–656, 653f, 659t
 mechanical activities of, 655–656
 regions of, 652–653
 structural modifications of, 653–655
 Small saphenous vein, 578f, 579
 Smeigma, 711
 Smooth chorion, 764
 Smooth endoplasmic reticulum, 54f, 57, 58f
 Smooth muscle, 99, 100f, 234
 autonomic nervous system and, 435, 437–438
 multiunit, 437, 437t
 of respiratory system, 613f
 single-unit, 437, 437t
 Smooth muscle cell, shape of, 50f
 Smooth pursuit movements, 514
 Sneezing, 83, 496, 622t
 Snellen's chart, 527
 Soft corns, 327
 Soft palate, 305f, 604f, 605f, 640f, 641, 641f
 Soft spots. *See* Fontanelles
 Solar plexus, 440
 Sole, of foot, 40
 Sole creases, 300, 300f
 Soleus muscle, 235f, 283f, 284, 284f, 285f, 286t, 287f, 288f, 329f, 332f, 333f
 Solutes, 51
 Solutions, 51
 Solvents, 51
 Somatic death, 102
 Somatic motor nerve, 345t
 Somatic motor neurons, 354, 356f
 Somatic nervous system, and autonomic nervous system, 435, 435t, 436f
 Somatic pain, 491
 Somatic reflexes, 428–430
 Somatic senses, 488–489, 490–494, 495f
 Somatic sensory neurons, 354, 356f
 Somatomammotropin, 479
 Somatotropin, 464t. *See also* Growth hormone
 Soul, 7
 Sound waves, 522–523, 522f
 Sour taste, 497, 498f
 Spallanzani, Lazzaro, 15
 Spastic paralysis, 393
 Specialized cells, 70
 Special movements, 209, 210f
 Special senses, 488
 Speculum, 744
 Spermatid, 264f, 317f, 700, 701f, 702f, 707–708, 710f, 716
 Spermatid ducts, 707–708
 Spermatids, 703, 704, 706f
 Spermatocytes, 703, 704, 706f
 Spermatogenesis, 702, 703–704, 703t, 706f
 Spermatogonia, 702–703, 706f
 Spermatozoa, 63f, 698, 702f, 706f, 707f, 756, 756f
 movement of, 83
 shape of, 50f
 structure of, 704–705
 Spermiogenesis, 704
 S phase, 69–70, 70f
 Sphenofrontal suture, 148f
 Sphenoid process, 156f
 Sphenoidal sinus, 45f, 148f, 151f, 154f, 306f, 605f, 607, 607f
 Sphenoidal sinuses, 152
 Sphenoid bone, 145f, 147f, 148f, 149f, 152, 153f, 154f
 Sphenoid fontanelles. *See* Anterolateral fontanelles
 Sphenomandibular ligament, 214f, 215
 Sphenopalatine notch, 156f
 Sphenoparietal suture, 148f
 Sphincter muscles, 238, 239t
 Sphincter of ampulla, 652, 654f, 662
 Sphincter of Oddi, 652
 Sphygmomanometer, 558–559, 558f, 587
 Spina bifida, 166, 166f, 392
 Spina bifida cystica, 392
 Spina bifida occulta, 392
 Spinal arteries, 563f
 Spinal cavity, 44f
 Spinal column, 159
 Spinal cord, 23, 159, 360f, 381f, 384–390, 385f, 386f
 development of, 390, 390f
 structure of, 384
 tracts of, 384–389
 Spinal curvature, 25–27
 Spinal dura mater, 378
 Spinal ganglion, 386f, 414, 414f
 Spinialis muscle, 262
 Spinalis thoracic muscle, 262f, 263t, 265f
 Spinal meningitis, 394
 Spinal nerves, 24, 379f, 381f, 384, 385f, 386f, 401, 401f, 402f, 413–415
 Spinal plexus, 385f
 Spinal root, of accessory nerves, 412, 412f
 Spindle fibers, 65
 Spine
 of bones, 136t
 of ischium, 181f, 182f, 183
 of scapula, 173, 175f, 315f, 324f
 Spinous process, 160, 160f, 161, 161f, 162f, 310
 Spiral fractures, 189, 190f
 Spiral organ, 410, 520f, 521, 521f, 529, 529f
 Spiritus, 603
 Spirometer, 620, 621f
 Splanchnic nerves, 439
 Splanchnocranium, 141
 Spleen, 445t, 584f, 585, 586f, 587t
 Splenectomy, 337, 585
 Splenic artery, 566, 567t, 568f, 586f
 Splenic flexure, 317f, 656, 657f
 Splenic vein, 579, 580f, 586f
 Splenium, of corpus callosum, 361f, 370f
 Splenius capitis muscle, 254, 256f, 257f, 259f, 265f, 308f, 315f
 Splenius cervicis muscle, 256f, 265f
 Split brain, 514
 Spondylitis, 230
 Spongy bone, 97, 136, 138
 Spongy part, of urethra, 686f, 687, 709
 Spontaneous abortion, 748
 Spoon nails, 107t, 117
 Sprain, 92, 203
 Sprains, 224, 225, 339
 Sprengel's deformity, 337
 Squamosal-dentary jaw articulation, in taxonomy, 24
 Squamous cell carcinoma, 121, 123
 Squamous epithelial cell, shape of, 50f
 Squamous part, of temporal bone, 146, 152f
 Squamous suture, 144, 145f, 146, 147f, 148f, 149f, 197–198
 Staining, 102
 Stapedius muscle, 518f, 519
 tendon of, 518f
 Stapes, 30, 157, 158f, 517, 518f
 Statacochlear nerve. *See* Vestibulocochlear nerve
 Stataconia, 525, 525f
 Stataconial membrane, 525
 STDs. *See* Sexually transmitted diseases
 Stelluti, Francisco, 15
 Stenosis, 335, 354
 Stensen, Niels, 15
 Stensen's duct. *See* Parotid duct
 Stereocilia, 524f
 Stereoscopic vision, 27
 Sterility, male, 720

838 Index

- Sterilization, 744, 749
 Sternal angle, 164f, 165, 310
 Sternal extremity, 173, 175f
 Sternal joint, 225t
 Sternal region, 36
 Sternoclavicular joint, 173, 215, 215f, 225t
 Sternocleidomastoid muscle, 235f, 250f, 251f, 254, 256f, 257f, 257t, 258, 258f, 259f, 264f, 265f, 307, 307f, 309f, 315f, 619, 620f
 Sternocostal joint, 225t
 Sternohyoid muscle, 255f, 256, 257f, 257t, 259f, 308f, 309f
 Sternothyroid muscle, 255f, 256, 257f, 257t, 308f
 Sternum, 133f, 164–165, 164f, 174f
 Steroid hormones, 457f, 458, 458f, 458t, 459
 Steroids, 246, 703
 Stethoscope, 587
 Stimulus, 345, 488
 Stomach, 445f, 456, 457t, 476t, 478, 635, 635f, 636t, 649–652, 649f, 650f, 659f
 Stomodeum, 665
 Strabismus, 532
 Straight sinus, 574f
 Strains, 92, 225, 226, 286
 Stratified cuboidal epithelium, 85, 85f, 86t
 Stratified epithelium, 83–85, 86t
 Stratified squamous epithelium, 83–85, 84f, 86t
 Stratum basale, 106–108, 107f, 109t, 736
 Stratum corneum, 107f, 108–109, 109t
 Stratum functionale, 736
 Stratum germinativum, 108
 Stratum granulosum, 107f, 108, 109t
 Stratum lucidum, 108, 109t
 Stratum papillares, 111
 Stratum reticularosum, 111
 Stratum spinosum, 107f, 109t
 Stress, 473, 474f
 Stress fractures, 339
 Stress lines, 143, 143f
 Stretch marks, 111, 111f
 Stretch reflex, 428
 Striate cortex, 513
 Striations, 237f
 Stroke, 376, 395, 595
 Stroma, 91, 728
 Structural proteins, 51–52
 Strychnine, 358
 S-T segment, 554
 Sty, 532
 Styloglossus muscle, 252, 255f, 255t
 Stylohyoid muscle, 255f, 256, 257f, 257t, 308f
 Styloid cartilage, 142f
 Styloid process
 of radius, 177f, 178, 321f, 322f
 of temporal bone, 147f, 148f, 149f, 151, 152f
 of ulna, 177, 177f, 321f, 322f
 Stylomandibular joint, 214f
 Stylomandibular ligament, 215
 Stylo mastoid foramen, 148f, 151
 Stylopharyngeus muscle, 255f
 Subacromial bursa, 216f, 217
 Subarachnoid space, 358, 378f, 379, 379f, 381, 381f
 Subclavian artery, 562f, 565f, 566f
 pressure point for, 572f
 Subclavian vein, 575f
 Subclavius muscle, 264, 264f, 266t, 313f
 Subcoracoid bursa, 216f, 217
 Subcutaneous adipose tissue, surface anatomy and, 297, 298f
 Subcutaneous injections, 112
 Subcutaneous prepatellar bursa, 221, 221f
 Subcutaneous tissue. *See* Hypodermis
 Subdeltoid bursa, 216f, 217
 Subdural hemorrhage, 333–334
 Sublingual duct, 640f
 Sublingual fold, 640f
 Sublingual gland, 635f, 645, 646f, 647t
 Subluxation, 226
 Submandibular duct, 305f, 640f, 645
 Submandibular ganglion, 441
 Submandibular gland, 305f, 309f, 635f, 645, 646f, 647t
 Submandibular triangle, 308f, 308t
 Submental triangle, 308f, 308t
 Submucosa
 of gastrointestinal tract, 637, 639f
 of stomach, 650f, 651f
 of urinary bladder, 687
 Submucosal plexus, 637
 Subphylum Vertebrata, 27t
 Subscapular bursa, 216f, 217
 Subscapular fossa, 173, 175f
 Subscapularis muscle, 217, 259f, 264f, 266t, 267, 268f
 Subserous fascia, 238t
 Substantia nigra, 374
 Subtarsal sulcus, 302f, 302t
 Suckling, 641, 776
 Sucrase, 654t
 Suction lipectomy, 94
 Sudden infant death syndrome (SIDS), 628
 Sudoriferous glands, 118–119
 Sugars, 52
 Sulcus, 136t
 Sulcus limitans, 390
 Superficial circumflex iliac artery, 571f
 Superficial digital flexor muscle, 269, 271f, 273t, 325f
 tendon of, 272f, 274f, 321f, 323f, 325f
 Superficial epigastric artery, 571f
 Superficial epigastric vein, 578f
 Superficial fascia, 236, 238t, 701f
 Superficial fibular nerve, 423, 425f
 Superficial muscles, 235f
 Superficial palmar arch, 575
 Superficial palmar arch artery, 565f, 566
 Superficial temporal artery, 305f, 562f, 563–564
 pressure point for, 572f
 Superficial temporal vein, 574f
 Superficial transversus perinei muscles, 260, 261f
 Superficial veins, 572, 573f
 Superior, 36t
 Superior angle, of scapula, 173, 175f
 Superior articular facet, 160f
 Superior articular process, 160, 160f, 161f, 162, 162f, 163f, 181f
 Superior articular surface, 161
 Superior border, of scapula, 173, 175f
 Superior cerebellar arteries, 563f
 Superior cerebellar peduncles, 375
 Superior colliculi, 362t, 374, 376f, 513–514
 Superior constrictor muscle, 647, 647f
 Superior extensor retinaculum muscle, 283f, 291f, 332f
 Superior gemellus muscle, 277, 330f
 Superior gluteal artery, 568, 569f
 Superior gluteal nerve, 424t
 Superior labial frenulum, 640f
 Superior lacrimal canaliculi, 502
 Superior lacrimal punctum, 501f
 Superior limb buds, 768
 Superior lobe, of lung, 604f, 614, 615f, 616f
 Superior mesenteric artery, 318f, 560f, 566, 567t, 568f
 Superior mesenteric ganglia, 440
 Superior mesenteric vein, 318f, 579, 580f
 Superior nasal concha, 153, 153f, 154f, 606
 Superior nasal meatus, 605f
 Superior nuchal line, 148f, 152, 301
 Superior oblique muscles, 252, 254f, 254t, 404, 502, 502f, 503t
 Superior ophthalmic vein, 574f
 Superior orbital fissure, 146t, 147f, 150f, 152, 153f
 Superior parathyroid glands, 468–469
 Superior peduncle, 376f
 Superior peroneal retinaculum, 287f
 Superior phrenic arteries, 566, 567t
 Superior ramus, of pubis, 181f, 182f, 183
 Superior rectal artery, 568f, 569f
 Superior rectus muscle, 252, 254f, 254t, 404, 500f, 502, 502f, 503t, 505f
 Superior sagittal sinus, 574f
 Superior suprarenal arteries, 568f
 Superior surface, of rib, 165f
 Superior tarsal plate, 500f
 Superior thyroid artery, 562f, 563
 Superior thyroid vein, 574f
 Superior trunk, of brachial plexus, 416
 Superior vena cava, 314f, 548f, 549f, 550, 552f, 561f, 572, 573f, 574, 577f, 581f
 Superior vermis, 375f
 Superior vesicular artery, 568, 569f
 Supination, 209, 268
 Supinator muscle, 272f, 273t
 Supinator reflex, 430t, 431f
 Supplementary motor cerebral cortex, 371f
 Supporting cells, 497, 497f
 Supraclavicular fossa, 311f, 319f
 Supraclavicular nerve, 309f, 416t
 Supraclavicular triangle, 308f, 308t
 Suprahyoid muscles, 256
 Supraoptic nuclei, 463
 Supraorbital foramen, 146, 146t, 147f, 150f
 Supraorbital margin, 145–146, 147f, 149f, 305f
 Supraorbital ridge, 301
 Suprapatellar bursa, 221, 221f
 Suprarenal arteries, 566, 567t, 568f
 Suprarenal glands. *See* Adrenal glands
 Supraspinatus muscle, 217, 265f, 266t, 267, 267f, 315f, 316f, 324f
 Supraspinous fossa, 173, 175f
 Supratrochlear artery, 305f
 Surface anatomy, 17. *See also specific body region*
 introduction to, 297
 of neonate, 298–300
 Surfactant, 612, 620
 Surgical biopsy, 102
 Surgical instruments, in Roman Era, 12f
 Surgical neck, of humerus, 176, 176f
 Suspensory ligament
 of breasts, 739
 of lens, 500f, 505, 506f
 of ovaries, 728, 729f
 of penis, 710f
 zonular fibers of, 505f
 Sustentacular cells, 703, 704
 Suture bones, 132, 152
 Sutures, 197–198, 198f, 205t
 Swallowing, 608, 648–649
 Swayback. *See* Lordosis
 Sweat glands, 107f, 108f, 118, 118f, 121, 301, 445t
 Sweating, water in, 51
 Sweet pore, 107f
 Sweet taste, 497, 498f
 Swimmer's muscle, 265
 Sympathetic division, of autonomic nervous system, 436, 438f, 439f, 440f, 441f, 442f, 443t, 444t, 446–447
 Sympathetic rami, 414f
 Sympathetic trunk ganglion, 414, 414f
 Symplyses, 199, 199f, 205t
 Symphyseal surface, 182f
 Symphysis pubis, 180, 181f, 182f, 183f, 199f, 225t, 312, 685f, 699f, 701f, 727f
 Synapse, 358
 Synaptic cleft, 358
 Synaptic knob. *See* Axon terminal
 Synaptic transmission, 358, 358f
 Synaptic vesicles, 244, 247f, 358
 Synarthroses, 197
 Synchondroses, 200, 200f, 205t
 Syncytial myotubes, 248
 Syncytiotrophoblast, 759, 759f
 Syndactyly, 189, 337, 338
 Syndesmoses, 198, 198f, 205t
 Synergistic muscles, 238, 239f
 Synostosis, 198, 200
 Synovial fluid, 200–202
 Synovial joints, 197, 200–203, 200f, 205t
 development of, 206, 206f
 kinds of, 202–203
 movements at, 207–213
 range of motion, 200
 structure of, 200–202
 trauma to, 203
 Synovial membrane, 202, 206
 Synovitis, 225, 230f
 Synthesis, 230f
 Synthesis enzymes, 69
 Synthetic skin, 125f
 Syphilis, 334, 394–395, 720, 721f, 721t
 Syringomyelia, 395
 Systematic (systemic) approach,
 to anatomy, 29
 Systemic circulation, 550
 Systemic effects, 122
 System level, organization at, 28, 31f–32f
 Systole, 552
 Systolic pressure, 559
 Tabes dorsalis, 395
 Tachycardia, 587, 592, 592f
 Tactile cells, 108
 Tactile receptors, 489t, 490–491
 Taenia coli, 657, 657f
 Tail
 of epididymis, 707f
 of pancreas, 664f, 668
 Tailbone. *See* Coccyx
 Tailor's muscle, 279
 Talipes, 189, 189f, 338
 Talocrural joint, 222–224, 223f, 225t
 Talus, 187f, 188f
 Tanning
 of animal hides, 111
 of skin, 109, 110
 Target cells, 455
 Tarsal bones, 133f, 174f, 187f, 188t
 Tarsal glands, 501
 Tarsal plates, 501
 Tarsier, hands of, 26f
 Tarsometatarsal joints, 186, 225t
 Tarsus, 40, 185–186
 Taste, 496–499
 Taste buds, 409, 496–497, 497f, 498f
 Taste pore, 497, 497f
 Tattooing, 109
 Taxonomy, 23–28
 Tay-Sachs disease, 395, 763, 790
 Tears. *See* Lacrimal fluid; Lacrimal secretions
 Tectal system, 513
 Tectorial membrane, 521, 521f
 Tectospinal tract, 388t
 Teeth, 304f, 635, 635f, 642–645, 643f, 645f.
 See also specific tooth
 clinical problems of, 669–670
 in taxonomy, 24, 28
 Telencephalon, 347, 362t
 Telophase, 70, 71f, 704, 704t, 705f
 TEM. *See* Transmission electron microscope
 Temporal bone, 133f, 145f, 147f, 148f, 149f, 152f, 174f, 517f
 Temporal fascia, 251f
 Temporalis muscle, 235f, 250, 250f, 251f, 253f, 253t, 301, 305f, 324f
 Temporal lobe, 360f, 361f, 364f, 366, 366f, 366t
 Temporal process, of zygomatic bone, 155
 Temporal region, 301
 Temporomandibular joint, 146, 214–215, 214f, 225t, 305f
 Temporomandibular joint syndrome, 215
 Tendinous inscriptions, 258, 259f, 311f, 312f
 Tendo calcaneus, 223f, 235f, 283–284, 284f, 287f, 288f, 327, 329f, 332f, 333f
 Tendonitis, 226
 Tendons, 92
 Tendon sheath, 202, 203f, 236
 Tennis elbow, 177, 217, 338
 Tenosynovitis, 338
 Tensor fasciae latae muscle, 235f, 276–277, 276f, 278t, 279f, 280f, 328f, 331f
 Tensor tympani muscle, 518f, 519
 tendon of, 518f
 Tentorium cerebelli, 367, 375, 380t
 Teres major muscle, 235f, 259f, 264f, 265f, 266t, 267, 267f, 268f, 316f, 323f, 324f
 Teres minor muscle, 217, 265f, 266t, 267, 267f, 316f, 323f, 324f
 Terminal bronchioles, 611, 613f
 Terminal cisternae, of sarcooplasmic reticulum, 242f
 Terminal ganglia, 441
 Terminal hair, 116–117

- Testes, 456, 457t, 474, 699f, 700t, 701f, 702–705
 descent of, 716, 719f
 disorders of, 722
 endocrine functions of, 703
 of neonate, 300
 removal of, 722
 structure of, 702–703
 trauma to, 711
- Testicular artery, 560f, 566, 567t, 569f
- Testicular lobules, 702
- Testosterone, 115, 457t, 474, 703
- Tetanus, 250
- Tetralogy, 73, 789
- Tetralogy of Fallot, 335, 593, 594f
- Thalamus, 306f, 362t, 365f, 370f, 372
- Thalidomide, 192
- Theca interna, 730, 730f
- Thenar eminence, 275, 321f, 323f
- Thenar muscles, 275, 275t
- Therapeutic touch, 491
- Thermogram, 113f
- Thermoreceptors, 489t, 490, 491–492
- Thermoregulation
 dual innervation and, 447
 hypothalamus and, 373
 skin and, 112–113, 113f
- Theta waves, 368t
- Thickened skin, 107t
- Thick filaments, 241
- Thigh, 40
 anterior muscles of, 275–276, 279–280, 282t
 bones of, 183–185
 internal anatomy of, 331f
 muscles of, 275–277, 276f, 278f, 278t, 279–281, 279f, 280f, 281t, 282f
 surface anatomy of, 326–327, 326f, 327f, 328f
- Thin filaments, 241
- Third-class lever, 211, 213f
- Third-degree burns, 122, 123f
- Third-degree frostbite, 123
- Third-division nerve block, 157, 406
- Third molars, 642, 643f, 644t
- Third trimester, of pregnancy, 785
- Third ventricle, 365f, 381, 382f
- Thoracic aorta, 566, 567t
- Thoracic cavity, 40f, 41, 41f, 44f, 314f, 617f
- Thoracic curve, 158f, 159
- Thoracic duct, 582, 584f
- Thoracic lymph nodes, 584
- Thoracic nerves, 401f, 413, 621t
- Thoracic region, 35–36
 developmental conditions involving, 334–335
 surface anatomy of, 311f
- Thoracic spinal nerves, 385f, 414f
- Thoracic vertebrae, 159, 161, 161f, 163t, 164f
- Thoracic wall, arteries of, 567f
- Thoracolumbar division, of autonomic nervous system. *See* Sympathetic division, of autonomic nervous system
- Thorax, 35–36
 diseases of, 335–336
 etymology of term, 30
 internal anatomy of, 313–315, 313f, 314f, 324f
 serous membranes of, 43f
 surface anatomy of, 310
 trauma to, 335
 veins of, 575–576, 577f
- Thoroughfare channels, 555
- Thrombocytes. *See* Platelets
- Thrombus, 595
- Thumb, 178, 565f
- Thymine, 65, 67f
- Thymosin, 457t, 476
- Thymus, 456, 456f, 457t, 476, 476f, 584f, 586, 586f, 587t
- Thymus dependent cells, 476
- Thyrocalcitonin. *See* Calcitonin
- Thyrocerical trunk, 562f, 564
- Thyroglossal duct, 478
- Thyrohyoid muscle, 255f, 256, 257f, 257t, 308f
- Thyroid, etymology of term, 30
- Thyroid cartilage, 142f, 306, 306f, 307f, 608, 610f
- Thyroid diverticulum, 478
- Thyroid follicles, 467
- Thyroid gland, 306–307, 456, 456f, 457t, 466–468, 467f, 468f
 description of, 466–467
 development of, 478, 479f
 disorders of, 481–482
 functions of, 468
- Thyroid-stimulating hormone (TSH), 462, 464t, 468
- Thyrotropin, 462, 464t
- Thyrotropin-releasing hormone (TRH), 462
- Thyroxine, 457t, 458, 466, 467t, 468
- Tibia, 133f, 174f, 185, 185f, 186f, 188t, 328f, 329f, 332f
- Tibial collateral ligament, 221f
- Tibialis anterior muscle, 235f, 283, 283f, 284f, 285f, 286t, 328f, 329f, 332f
 tendon of, 329f
- Tibialis posterior muscle, 285, 285f, 286t, 288f
 tendon of, 287f, 288f
- Tibial nerve, 333f, 423, 424t, 425f
- Tibial tuberosity, 185, 186f, 327f
- Tibiocalcaneal ligament, 223f
- Tibiofemoral joint, 200f, 220–222, 221f, 222f, 225t
 muscles of, 279–281, 282t
- Tibionavicular ligament, 223f
- Tidal volume (TV), 621t, 622f
- Tinea pedis, 128
- Tinnitus, 533
- Tissue(s). *See also* specific type
 classification of, 78
 definition of, 78
 development of, 79–80
- Tissue analysis, 102
- Tissue composition, changes in, 102
- Tissue fluid, 540
- Tissue level, organization at, 28
- Tissue-rejection reaction, 102
- Tissue repair, 98
- Tissue transplantation, 102–103
- TLC. *See* Total lung capacity
- Toes. *See also* Digits
 muscles of, 281–285, 286t
- Tongue, 306f, 605f, 635, 635f, 640f, 641f, 642, 642f
 extrinsic muscles of, 252, 255f, 255t
 intrinsic muscles of, 252
- Tonic contracture, 659t
- Tonic receptors, 490
- Tonometer, 527
- Tonsillectomy, 584, 608
- Tonsillitis, 628
- Tonsils, 584, 584f, 587t, 607, 608
- Tooth. *See* Teeth
- Torso. *See* Trunk
- Torticollis, 286
- Total lung capacity (TLC), 621t, 622f
- Touch. *See* Tactile receptors
- Toxic goiter, 481
- Trabeculae, 138, 583
- Trabeculae carnaeae, 549f, 550
- Trace minerals, 52t
- Trachea, 306, 306f, 314f, 604f, 609–610, 610f, 611f, 612f, 618t, 641f
 610f, 611f, 612f, 618t, 641f
- Tracheal cartilage, 610f, 611f
- Trachealis muscle, 611f
- Tracheobronchitis, 628
- Tracheostomy, 306, 610, 611f
- Tracheotomy, 610
- Trachoma, 532
- Tragus, 303, 517f
- Transfer RNA (tRNA), 67, 68, 69, 69f
- Transitional epithelium, 85, 86f, 86t
- Transmission, of light rays, 509
- Transmission electron microscope (TEM), 57f
- Transplantation
 allogenic, 544
 autotransplant, 544
 bone marrow, 544
 corneal, 504
 fetal tissue, 103
 heterotransplant, 124
 homotransplant, 102
 kidney, 693
 tissue, 102–103
- Transportation, in circulatory system, 538–539
- Transurethral prostatic resection, 709
- Transversalis fascia, 259f
- Transverse abdominis muscle, 317f
- Transverse acetabular ligament, 220
- Transverse arch, 188, 188f
- Transverse cervical nerve, 309f, 416t
- Transverse colon, 317f, 318f, 635f, 638f, 656
- Transverse fissure, 375
- Transverse flexure, 657f
- Transverse foramen, 160, 160f
- Transverse fractures, 189, 190f
- Transverse humeral retinaculum, 216
- Transverse ligament, 221f, 222f
- Transverse lines, 162, 163f
- Transverse palatine folds, 640f, 641
- Transverse plane, 33, 33f, 34f
- Transverse process, 160, 160f, 161f, 162f, 163f
- Transverse sinus, 574f
- Transverse tubules, 241, 242f
- Transversus abdominis muscle, 258, 258f, 259f, 260t, 264f, 317f, 620f
- Transversus perinei muscle, 260, 260t
- Trapezium bone, 178, 179f, 180f, 205f
- Trapezius muscle, 235f, 254, 257f, 259f, 264, 264f, 265f, 266t, 267f, 307, 307f, 308f, 309f, 310, 311f, 315f, 316f, 319f, 323f
- Trapezoid bone, 178, 179f, 180f
- Trauma
 to abdomen, 336–337
 to brachial plexus, 416
 to brain, 367, 377, 450
 to cells, 72
 to cerebellum, 376
 to circulatory system, 596–598
 to coccyx, 163
 to connective tissue, 92
 to eyeball, 508
 to head, 333–334
 to hip, 339
 to joints, 225–226, 229f
 to kidneys, 692
 to ligaments, 92
 to lower extremity, 339
 to muscles, 92
 to neck, 333–334
 to pelvis, 692
 to penis, 711
 to respiratory system, 627–628
 to scrotum, 711
 to shoulder, 338
 skeletal, 189–191
 to sphenoid bone, 152
 to synovial joints, 203
 to tendons, 92
 to testis, 711
 to thorax, 335
 to upper extremity, 338
 to urethra, 692
 to urinary bladder, 692
 to urinary organs, 692–693
- Traumatic fractures, 189
- Trench mouth, 669f, 672
- Trepanation, 3, 4f
- Treponema pallidum*, 721
- TRH. *See* Thyrotropin-releasing hormone
- Triangle of auscultation, 310, 315f, 323f
- Triangular fossa, 517f
- Triceps brachii muscle, 235f, 259f, 267f, 268, 268f, 269f, 270f, 270t, 316f, 319f, 320f, 321f, 323f, 324f
- Triceps reflex, 430t, 431f
- Triceps surae muscle, 284
- Tricuspid area, 554, 554f
- Tricuspid valve. *See* Right atrioventricular valve
- Trigeminal ganglion, 405
- Trigeminal nerve (V), 157, 360f, 402f, 404t, 405–406, 408f, 413t, 496, 498f
- Trigone, 685, 686f
- Triiodothyronine, 457t, 466, 467t, 468
- Triples, 786
- Triquetrum bone, 178, 179f, 180f
- Trisomy, 73
 Trisomy 21, 763
 Trisomy 21, 763
 tRNA. *See* Transfer RNA
- Trochanter, 136t
- Trochlea, 176, 176f, 252, 502, 502f
- Trochlear nerve (IV), 402f, 404–405, 404t, 408f, 413t
- Trochlear notch, 177, 177f
- Trophic hormones, 457t, 462
- Trophoblast, 80, 757
- True hermaphroditism, 714
- True labor, 775
- True pelvis, 180, 183f
- True ribs, 164f, 165
- True vocal cords. *See* Vocal folds
- Truncus arteriosus, 589, 590t
- Trunk, 35–37
 cavities of, 41f
 internal anatomy of, 313–315, 316f
 muscles of, 259f, 264f, 265f
 surface anatomy of, 309–313, 311f
- Trypsin, 654t
- TSH. *See* Thyroid-stimulating hormone
- T tubules. *See* Transverse tubules
- Tubal ligation, 744, 744f, 749
- Tubal pregnancy, 747, 785
- Tubercle, 136t
 of rib, 165, 165f
- Tuberculosis, 628
- Tuberosity, 136t
 of calcaneus, 186, 187f, 290f
 of radius, 177f, 178
 of tibia, 283f
 of ulna, 177f
- Tubular glands, 87, 88f, 89t
- Tumors, 73, 394, 483, 746
- Tunic(s)
 of gastrointestinal tract, 637–639, 639f
 of rectum, 658f
- Tunica albuginea, 701f, 702, 710f, 728
- Tunica externa, 555, 556f
- Tunica interna, 555, 556f
- Tunica media, 555, 556f
- Tunica muscularis, 637, 639f
- Tunica vaginalis, 701f, 702
- Tuning fork tests, 527
- Tunnel vision, 513
- Turbinates, 153, 606
- Turner's syndrome, 73, 715
- TV. *See* Tidal volume
- T wave, 554
- Twelfth rib, 164f
- Tympanic cavity, 517, 517f, 518f, 529
- Tympanic membrane, 158f, 516, 517, 518f, 529, 533
- Tympanic part, of temporal bone, 151, 152f
- Tympanum, etymology of term, 30
- Tyrosinase, 109
- Tyrosine, 109
- Ulcers
 decubitus, 111, 112f, 128
 peptic, 337, 651, 670
- Ulna, 133f, 174f, 177, 177f, 181t, 198f, 325f
- Ulnar artery, 560f, 565, 565f
- Ulnar collateral ligament, 217, 218f, 219f
- Ulnar nerve, 320f, 401f, 418t, 419, 419f
- Ulnar notch, 177f, 178
- Ulnar recurrent artery, 565f, 566
- Ulnar sulcus, 176, 176f
- Ulnar vein, 321f, 573f, 575, 575f
- Ultrasonography, 587, 772, 774f, 786–787, 788f
- Ultrastructure, 17
- Ultraviolet light, protection from, 112
- Umbilical arteries, 580, 581f, 582t, 765, 767
- Umbilical cord, 300, 580, 766–767, 767f
- Umbilical hernia, 293, 313
- Umbilical region, 38f, 38t
- Umbilical vein, 580, 581f, 582t, 765, 767
- Umbilicus, 36, 259f, 312–313, 312f, 317f
- Unicellular glands, 87, 87f, 89t

840 Index

- Unicornuate uterus, 746, 746f
 Upper arm birth palsy, 338
 Upper back, muscles of, 256f
 Upper extremity, 38
 arteries of, 564–566, 565f
 bones of, 132t, 134, 181t
 developmental conditions involving, 337
 diseases of, 338
 internal anatomy of, 322
 of neonate, 299t
 surface anatomy of, 319–322, 319f, 320f
 trauma to, 338
 veins of, 574–575, 575f, 576f
 Upper leg, 40
 Upper lip, 605f
 Upper respiratory system, 603, 605f, 624, 625f
 Upright posture, 25–27, 183
 Urachus, 690, 764
 Uracil, 67, 67f, 68
 Uremia, 692
 Ureteric bud, 690
 Ureters, 676, 676f, 677f, 679f, 684, 684f, 685f, 699f, 710f
 developmental disorders of, 691
 innervation of, 688f
 Urethra, 676, 676f, 685f, 686f, 687, 698, 698f, 699f
 developmental disorders of, 691
 female, 727f
 innervation of, 688f
 male, 709, 709f, 710f
 trauma to, 692
 Urethral folds, 716, 743
 Urethral glands, 687, 709
 Urethral groove, 716, 743
 Urethral orifice, 686f, 687, 701f, 711, 716, 737f
 Urethritis, 692, 721t
 Urinalysis, 480, 682, 692
 Urinary bladder, 638f, 676, 676f, 677f, 685–687, 685f, 699f, 710f, 727f
 autonomic nervous system effects on, 445t
 developmental disorders of, 691
 female, 686f
 innervation of, 688f
 male, 686f
 trauma to, 692
 Urinary incontinence, 694
 Urinary retention, 688
 Urinary stones, 684, 693
 Urinary system, 31f, 675–696, 676f
 case study, 675, 694
 clinical considerations, 688–694
 clinical practicum, 694–695
 developmental disorders of, 688–691
 development of, 689–690
 functions of, 676
 infections of, 692
 introduction to, 676
 obstruction of, 693–694
 trauma to, 692–693
 Urinary tract infections (UTI), 692
 Urination. See Micturition
 Urine, 682, 683t
 Urogenital diaphragm, 260, 261f, 686f
 Urogenital membrane, 667
 Urogenital ridge, 689
 Urogenital sinus, 667
 Urogenital triangle, 39f, 700, 701f
 Urorectal septum, 667
 Urticaria, 128
 Uterine artery, 568, 736f
 Uterine cancer, 747
 Uterine cavity, 734, 744f
 Uterine displacement, 748
 Uterine neoplasms, 747
 Uterine ostium, 734
 Uterine prolapse, 735, 748
 Uterine tubes, 716, 726, 727f, 727t, 729f, 732–734, 734f, 744f, 746–747
 Uterine wall, 735–736, 735f
 Uterus, 685f, 726, 727f, 727t, 735f
 abnormalities of, 746
 atrophy of, following delivery, 59
 autonomic nervous system effects on, 445t
 blood supply to, 736, 736f
 development of, 716
 innervation of, 736
 problems involving, 747–748
 size of, 736
 structure of, 734
 support of, 735
 UTI. See Urinary tract infections
 Utricle, 515, 519f, 520, 524
 Utricular portion, of otocyst, 529
 UVA rays, 110
 UVB rays, 110
 Uvea, 504–505, 508t
 Uvula, 30, 305f, 605f, 607

 Vacuoles, 53t, 61
 Vagal reflexes, 448t
 Vagina, 638f, 685f, 716, 726, 727f, 727t, 729f, 736–737, 737f, 748
 Vaginal artery, 568, 736f
 Vaginal fornix, 727f
 Vaginal lining, pH of, 85
 Vaginal orifice, 701f, 727f, 736, 737f
 Vaginal rugae, 736–737
 Vaginal spermicides, 750f
 Vaginal vestibule, 727t, 738
 Vaginitis, 721t, 748
 Vagotomy, 672
 Vagus nerve (X), 314f, 402f, 405t, 411–412, 411f
 assessment of, 413t
 protection of, 307
 in taste sensation, 498f
 Vagus nuclei, 377
 Vallate papillae, 497, 497f, 642, 642f
 Valsalva's maneuver, 574
 Valves, of heart, 547–550, 548t, 551f
 Valvular auscultatory areas, 554, 554f
 Valvular incompetence, 335
 Valvular insufficiency, 554
 Valvular stenosis, 335
 Varicocele, 703
 Varicose veins, 327, 558, 595–596
 Vasa recta, 678, 680f
 Vascular disorders, 595–596
 Vascular processes, 351
 Vascular shunts, 555
 Vascular tissue, 98. See also Blood
 Vascular tunic, of eyeball, 504–505, 504f, 508t
 Vas deferens, 707
 Vasectomy, 720, 720f
 Vasomotor center, of medulla oblongata, 377
 Vastus intermedius muscle, 276f, 278f, 279f, 280, 282f, 282t
 Vastus lateralis muscle, 235f, 276f, 277t, 278f, 279f, 280, 280f, 282f, 282t, 284f, 289f, 327f, 328f, 331f
 Vastus medialis muscle, 235f, 276f, 278f, 279f, 280, 281f, 282f, 282t, 327f, 328f, 331f
 VC. See Vital capacity
 Veins, 540, 555, 556f, 558, 561f, 571–579, 573f. See also specific veins
 Vein stripping, 596
 Vellus, 116
 Venereal warts, 119, 721t
 Venous blood, 540
 Venous sinuses, 574
 Venous sinus thrombosis, 334
 Venous valves, 558, 558f
 Ventilation, 603
 Ventral. See Anterior
 Ventricles
 of brain, 381, 382f
 of heart, 547, 589, 590t
 Ventricular fibrillation, 592, 592f
 Ventricular septal defect, 334, 593, 593f, 594f
 Ventricular tachycardia, 592, 592f
 Venules, 540, 555, 556f, 557f
 Vermilion, 640, 641f
 Vermis, 375
 etymology of term, 30
 Vernix caseosa, 121, 299–300, 773
 Vertebrae, 158, 158f, 159
 regional characteristics of, 160–163
 structure of, 159–160
 in taxonomy, 28
 Vertebral arch, 159, 160f
 Vertebral artery, 360f, 561, 562f, 563f, 564
 Vertebral cavity, 40f
 Vertebral column, 24f, 132–134, 133f, 158–163, 158f, 174f, 262f
 articulations of, 226
 bones of, 132t
 curvature disorders of, 226
 functions of, 159
 injuries to, 392–393
 muscles of, 261–263, 263t
 regions of, 163t
 Vertebral curves, 158f, 159, 159f
 Vertebral foramen, 159, 160f, 161f, 162f
 Vertebral region, 36
 Vertebral vein, 574f
 Vertebra prominens, 265f
 Vertex position, of fetus, 774, 774f
 Vertigo, 527, 533
 Vesalius, Andreas, 14–15, 14f
 Vesicouterine pouch, 727f, 735
 Vesicular artery, 569f
 Vesicular ovarian follicle, 730, 731f, 733f
 Vestibular bulbs, 686f, 738
 Vestibular folds, 609, 609f
 Vestibular ganglion, 409
 Vestibular glands, 727t, 738
 Vestibular membrane, 520, 520f, 521f
 Vestibular nerve, 409, 410f, 517f, 520f
 Vestibular nuclei, 410
 Vestibular organs, 409
 hair cells of, 524, 524f
 Vestibular window, 517, 518f, 520, 520f
 Vestibule
 of inner ear, 519f, 520
 of oral cavity, 640, 641f
 of reproductive system, 716
 Vestibulocochlear nerve (VIII), 360f, 402f, 405t, 409–410, 410f, 413t, 520f, 523
 Vestibulospinal tract, 388t, 389
 Vibrissae, 606f
 Villi, intestinal, 653, 655f
 Villous chorion, 765
 Vincula longa, 274f
 Virchow, Rudolf, 16
 Viscera, 41, 635
 Visceral effector organs, and autonomic nervous system, 436–438
 Visceral motor neurons, 354, 356f
 Visceral organs, 41, 42f
 Visceral pain, 491
 Visceral pericardium, 43, 43f, 546
 Visceral peritoneum, 42f, 43, 636, 637f, 638f
 Visceral pleura, 43, 43f, 615
 Visceral portion, of serous membrane, 636
 Visceral reflexes, 427
 Visceral senses, 489
 Visceral sensory neurons, 354, 356f
 Visceroceptors, 490
 Viscerocranium, 141, 142f
 Visible light, 511
 Vision. See also Eye(s); Visual sense
 binocular, 499
 color, 513
 double, 511f, 532
 stereoscopic, 27
 tunnel, 513
 Visual cortex, 403
 Visual fields, 514f
 Visual information, processing of, 514
 Visual inspection, 297
 Visual pathways, 407f
 Visual portion, of retina, 505
 Visual sense. See also Eye(s)
 accessory structures of eye and, 499–502
 function of eyeball in, 509–511
 neural pathways for, 513–514
 structure of eyeball and, 504–508
 Visual spectrum, 511
 Vital capacity (VC), 621t, 622f
 Vitamin(s), 52t, 114
 Vitamin B₁₂, 652
 Vitamin D deficiency, 135, 166
 Vitiligo, 110
 Vitreous humor, 508, 512f, 516

 Vivisection, human, 10, 11
 Vocal cords. See Vocal folds
 Vocal folds, 609, 609f
 Vocal structures, in taxonomy, 27
 Volkmann's canals, 140
 Vomer, 147f, 148f, 150f, 157, 605
 Vomiting, 639, 651–652, 672
 Vomiting center, 651
 Vulva, 737–738, 748
 Vulval dermatitis, 107t
 Vulvovaginitis, 748

 Wakefulness center, 373
 Warm-blooded animals, 540
 Warts, 119, 129
 Water
 as component of body, 51, 52t
 hypothalamus regulation of, 373
 Watson, James, 66
 Wernicke's aphasia, 371
 Wernicke's area, 371, 371f
 Wharton, Thomas, 15
 Wharton's duct. See Submandibular duct
 Wharton's jelly. See Mucoid connective tissue
 Whiplash, 161, 334, 393, 393f
 White blood cells. See Leukocytes
 Whitehead. See Comedo
 White matter
 of brain, 351, 359, 363, 365f, 368, 369f
 of spinal cord, 384
 White pulp, 585, 586f
 White rami communicantes, 439, 439f
 White ramus, 414
 William of Saliceto, 13
 Willis, Thomas, 15
 Wing, of nose, 303, 304f, 304t
 Wisdom teeth. See Third molars
 Withdrawal reflex, 428, 429f
 Womb. See Uterus
 Wormian bones. See Sutural bones
 Wounds, 125–126, 125f, 126f. See also Trauma
 Wrist. See Carpus
 Wristdrop, 338, 419
 Wryneck, 286

 Xenograft, 102, 124
 Xiphisternal joint, 310
 Xiphoid process, 164, 164f, 311f, 312f
 Xiphos, etymology of term, 30
 X-rays, 18

 Yang, ancient Chinese concept of, 8
 Yawning, 622t
 Yellow bone marrow, 134, 137
 Yin, ancient Chinese concept of, 8
 Yolk sac, 763–764

 Z lines, 241, 242, 242f, 243f, 245f
 Zona fasciculata, 471
 Zona glomerulosa, 471
 Zona pellucida, 729, 730f, 733f, 755
 Zona reticularis, 471
 Zone of calcified cartilage, 143
 Zone of dechondrification, 143
 Zone of hypertrophic cartilage, 143
 Zone of proliferating cartilage, 142
 Zone of resting cartilage, 142
 Zonular fibers, of suspensory ligament, 505, 505f, 506f
 Zygomatic arch, 146, 149f, 150f, 155, 251f
 Zygomatic bone, 133f, 142f, 145f, 147f, 148f, 150f, 155, 174f
 Zygomaticofacial foramen, 146t, 155
 Zygomatic process, 146, 147f, 148f, 152f, 155, 155f
 Zygomaticus major muscle, 250f, 251f
 Zygomaticus minor muscle, 250f, 251f
 Zygomaticus muscle, 235f, 251t, 305f
 Zygote, 79, 732, 760t