

MID-TERM EXAM PHL 351

Second Semester 1429H

1. The primary use of dimenhydrinate is one of the following:

- A. motion sickness**
- B. Allergic reaction**
- C. dermatitis**
- D. allergic rhinitis**
- E. All of the above**

2. Histamine in man exerts a variety of pharmacodynamic effects, including those listed below EXCEPT:

- A. abrupt fall in the arterial blood pressure**
- B. analgesia**
- C. bronchoconstriction**
- D. increased gastric secretion of acid**
- E. skin edema**

3. The major adverse effect of non-sedating H1 blockers :

- A. arrhythmia**
- B. dry mouth**
- C. constipation**
- D. urine retention**
- E. All of the above**

4. Drug that is used therapeutically acute migraine headache:

- A. Sumatriptamine**
- B. chlorpheniramine**
- C. cetirizine**
- D. loratidine**
- E. All of the above**

5. A primary therapeutic indication for the use of an H1 antagonist is attenuation of:

- A. hypertension**
- B. gastric acid secretion**
- C. bronchoconstriction in asthma**
- D. seasonal rhinitis**
- E. none of the above**

6. Drug that can stabilize mast cell and prevention histamine release

- A. Tripolidine**
- B. dimenhydrinate**
- C. Cromolyn sodium**
- D. paracetamol**
- E. All of the above**

7. Drug is effective topically to treat allergic conjunctivitis

- A. Levocabastine**
- B. acetylcysteine**
- C. Zileuton**
- D. acetaminophen**
- E. None of the above**

8. Cyproheptadine has one of the following properties:

- A. 5-HT₂ blocker**
- B. It stimulates appetite**
- C. It is H₁ blocker**
- D. It is effective in allergic condition**
- E. All of the above**

9. The most potent anti-emetic drug commonly used in prevention emesis induced by anticancer chemotherapy

- A. Chlorpheniramine**
- B. ondansetron**
- C. promethazine**
- D. cyproheptadine**
- E. All of the above**

10. The major adverse effect of sumatriptan is one of the following:

- A. coronary vasospasm**
- B. hypotension**
- C. diabetes mellitus**
- D. gout**
- E. all of the above**