

This bibliography is compiled by clinicians listed at the beginning of this publication. It is based on literature entered into our database between 1 April 2002 and 31 March 2003 (articles are generally added to the database about two and a half months after publication). In addition, the bibliography contains every paper annotated by reviewers; these references were obtained from a variety of bibliographic databases and published between the beginning of the review period and the time of going to press. The bibliography has been grouped into topics that relate to the reviews in this issue.

- Papers considered by the reviewers to be of special interest
- Papers considered by the reviewers to be of outstanding interest

The number in square brackets following a selected paper, e.g. [7], refers to its number in the annotated references of the corresponding review.

### Current Opinion in Obstetrics and Gynecology 2003, 15:337–345

© 2003 Lippincott Williams & Wilkins  
1040-872X

### Contents

#### Endoscopic surgery

- 337 Myomectomy
- 338 What does 'diagnostic hysteroscopy' mean today? The role of the new techniques
- 338 Laparoscopic surgery for gynaecological oncology
- 339 Laparoscopic creation of the neovagina and other malformations
- 340 Ovarian endometriosis and laparoscopy in the management and diagnosis of endometriosis
- 340 Endometrial ablation
- 341 Salpingoscopy
- 341 Laparoscopic suturing in the vertical zone
- 341 Credentialing in advanced laparoscopy
- 341 Laparoscopic and hysteroscopic complications
- 343 Hysteroscopic tubal sterilization, laparoscopic sterilisation
- 343 Robotics: the future of laparoscopy

- 343 Management of hydrosalpinx, ovarian masses, tubal pollens
- 343 Adhesion prevention
- 343 Laparoscopic repair of vaginal vault prolapse and prolapse surgery
- 344 Future technology in endoscopy
- 344 Laparoscopic incontinence procedures
- 344 Fetal surgery
- 344 Ovarian cysts
- 344 Miscellaneous

### Endoscopic surgery

#### Myomectomy

Related review: Laparoscopic myomectomy: the current status (pp 295–301)

- Barisic D, Bagovic D. A single, continuous spiraling suture for uterine wall reconstruction after laparoscopic enucleation of intramural myomas. *J Am Assoc Gynecol Laparoscop* 2001; 8:409–411.
- Chen LL, Goldstein RB. Case 11 - Benign leiomyoma. *J Ultrasound Med* 2002; 21:597+
- Cheng YM, Lin BL. Modified sonohysterography immediately after hysteroscopy in the diagnosis of submucous myoma. *J Am Assoc Gynecol Laparoscop* 2002; 9:24–28.
- Cobellis L, Florio P, Stradella L, DeLucia E, Messalli EM, Petraglia F, Cobellis G. Electro-cautery of myomas during caesarean section - two case reports. *Eur J Obstet Gynecol Reprod Biol* 2002; 102:98–99.
- Cowan BD, Sewell PE, Howard JC, Arriola RM, Robinette LG. Interventional magnetic resonance imaging cryotherapy of uterine fibroid tumors: Preliminary observation. *Am J Obstet Gynecol* 2002; 186:1183–1187.
- Dahan MH, Ahmadi R. Spontaneous subserosal venous rupture overlying a uterine leiomyoma - A case report. *J Reprod Med* 2002; 47:419–420.
- Doridot V, Dubuisson JB, Chapron C, Fauconnier A, BabakiFard K. Recurrence of leiomyomata after laparoscopic myomectomy. *J Am Assoc Gynecol Laparoscop* 2001; 8:495–500.
- Felemban A, Stein L, Tulandi T. Uterine restoration after repeated expulsion of myomas after uterine artery embolization. *J Am Assoc Gynecol Laparoscop* 2001; 8:442–444.
- Feng ZC, Shi YP, Liu SP. Hysteroscopic resection of submucous fibroids: clinical analysis of 99 cases. *Gynaecol Endosc* 2002; 11:127–130.
- Hameed M, Heller DS, Murphy G. Squamous metaplasia of endometrium after uterine artery embolization for symptomatic leiomyomata. *J Am Assoc Gynecol Laparoscop* 2002; 9:70–72.
- Hasbargen U, SummererMoustaki M, Hillemanns P, Scheidler J, Kimmig R, Hepp H. Uterine dehiscence in a nullipara, diagnosed by MRI, following use of unipolar electrocautery during laparoscopic myomectomy. *Hum Reprod* 2002; 17:2180–2182. [12]
- Hwang JL, Seow KM, Tsai YL, Huang LW, Hsieh BC, Lee C. Comparative study of vaginal, laparoscopically assisted vaginal and abdominal hysterectomies for uterine myoma larger than 6 cm in diameter or uterus weighing at least 450 g: a prospective randomized study. *Acta Obstet Gynecol Scand* 2002; 81:1132–1138.
- Jeschke K, Wakonig J, Wenzly M, Henning K. Laparoscopic partial cystectomy for leiomyoma of the bladder wall. *J Urol* 2002; 168:2115–2116.
- Kawamura N, Ichimura T, Ito F, Shibata S, Takahashi K, Tsujimura A, Ishiko O, et al. Transcervical needle biopsy for the differential diagnosis between uterine sarcoma and leiomyoma. *Cancer* 2002; 94:1713–1720.
- Landi S, Zaccoletti R, Ferrari L, Minelli L. Laparoscopic myomectomy: Technique, complications, and ultrasound scan evaluations. *J Am Assoc Gynecol Laparoscop* 2001; 8:231–240.
- Landi S, Fiaccavento A, Zaccoletti R. Pregnancy outcomes and deliveries after laparoscopic myomectomy. *J Am Assoc Gynecol Laparosc* 2003; 10:177–181. [16]
- Lichtinger M, Hallson L, Calvo P, Adeboyejo G. Laparoscopic uterine artery occlusion for symptomatic leiomyomas. *J Am Assoc Gynecol Laparoscop* 2002; 9:191–198.
- Liu WM, Yen YK, Wu YC, Yuan CC, Ng HT. Vaginal expulsion of submucous myomas after laparoscopic-assisted uterine depletion of the myomas. *J Am Assoc Gynecol Laparoscop* 2001; 8:267–271.
- Muniz CJ, Fleischer AC, Donnelly EF, Mazer MJ. Three-dimensional color Doppler sonography and uterine artery arteriography of fibroids: assessment of changes in vascularity before and after embolization. *J Ultrasound Med* 2002; 21:129–133.
- OShea RT, Cook JR, Seaman EI. Total laparoscopic hysterectomy: a new option for removal of the large myomatous uterus. *Aust N Z J Obstet Gynaecol* 2002; 42:282–284.
- Oktem O, Gokaslan H, Durmusoglu F. Spontaneous uterine rupture in pregnancy 8 years after laparoscopic myomectomy. *J Am Assoc Gynecol Laparoscop* 2001; 8:618–620.
- Ou CS, Harper A, Liu YH, Rowbotham R. Laparoscopic myomectomy technique - Use of colpotomy and the harmonic scalpel. *J Reprod Med* 2002; 47:849–853.
- Palomba S, Morelli M, Noia R, Santagata M, Oliverio A, Sena T, Zullo F, et al. Short-term administration of tibolone plus GnRH analog before laparoscopic myomectomy. *J Am Assoc Gynecol Laparoscop* 2002; 9:170–174.
- Romer T, Schwesinger G. Chance finding of a leiomyosarcoma in hysteroscopic resection of a myoma. *Acta Obstet Gynecol Scand* 2002; 81:1078–1079.
- Seidman DS, Nezhad CH, Nezhad FR, Nezhad C. Spontaneous uterine rupture in pregnancy 8 years after laparoscopic myomectomy - Response. *J Am Assoc Gynecol Laparoscop* 2001; 8:620–621.
- Seracchioli R, Venturoli S, Vianello F, Govoni F, Cantarelli M, Gualerzi B, Colombo FM. Total laparoscopic hysterectomy compared with abdominal hysterectomy in the presence of a large uterus. *J Am Assoc Gynecol Laparoscop* 2002; 9:333–338.
- Shashoua AR, Stringer NH, Pearlman JB, Behmaram B, Stringer EA. Ischemic uterine rupture and hysterectomy 3 months after uterine artery embolization. *J Am Assoc Gynecol Laparoscop* 2002; 9:217–220.
- Stringer NH, DeWhite A, Park J, Ghodsizadeh A, Edwards M, Kumari NVA, Stringer EA. Laparoscopic myomectomy after failure of uterine artery embolization. *J Am Assoc Gynecol Laparoscop* 2001; 8:583–586.
- Takeuchi H, Kinoshita K. Evaluation of adhesion formation after laparoscopic myomectomy by systemic second-look microlaparoscopy. *J Am Assoc Gynecol Laparosc* 2002; 9:442–446. [9]
- Wattiez A, Soriano D, Fiaccavento A, Canis M, Botchorishvili R, Pouly J, Mage G, et al. Total Laparoscopic hysterectomy for very enlarged uteri. *J Am Assoc Gynecol Laparoscop* 2002; 9:125–130.
- Wu XX, Blanck A, Norstedt G, Sahlin L, FloresMorales A. Identification of genes with higher expression in human uterine leiomyomas than in the corresponding myometrium. *Mol Human Reprod* 2002; 8:246–254.
- Yang LH, Lin BL. Changes in myometrial thickness during hysteroscopic resection of deeply invasive submucous myomas. *J Am Assoc Gynecol Laparoscop* 2001; 8:501–505.
- Yen YK, Liu WM, Yuan CC, Ng HT. Addition of laparoscopic uterine nerve ablation to laparoscopic bipolar coagulation of uterine vessels for women with uterine myomas and dysmenorrhea. *J Am Assoc Gynecol Laparoscop* 2001; 8:573–578.

- Yen YK, Liu WM, Yuan CC, Ng HT. Comparison of two procedures for laparoscopic-assisted vaginal hysterectomy of large myomatous uteri. *J Am Assoc Gynecol Laparoscop* 2002; 9:63–69.
- Yen YK, Liu WM, Yuan CC, Ng HT. Laparoscopic bipolar coagulation of uterine vessels to treat symptomatic myomas in women with elevated CA 125. *J Am Assoc Gynecol Laparoscop* 2001; 8:241–246.
- Yen YK, Liu WM, Lai CR, Yuan CC, Ng HT. Rapid enlargement of uterine myomas after Laparoscopic bipolar coagulation of uterine vessels. *J Am Assoc Gynecol Laparoscop* 2002; 9:93–97.
- What does 'diagnostic hysteroscopy' mean today? The role of the new techniques**  
Review: (pp 303–308)
- Abbott J, Hawe J, Phillips G. A prospective evaluation of pain and acceptability during outpatient flexible hysteroscopy and endometrial biopsy. *Gynaecol Endosc* 2002; 11:37–41.
- Adamian RT, Ambartsumian AM. Diagnostic potential for fiberoptic cervico-hysteroscopy with morphologic examination of biopsied tissues in endometrial and cervical malignancies [in Russian]. *Vopr Onkol* 2002; 48:247–250.
- Adjetyev V, Reid BA, Graham CT, Taylor AR. Metastatic carcinoma of breast diagnosed following hysteroscopy and endometrial biopsy. *J Obstet Gynecol* 2002; 22:331–332.
- Agostini A, Cravello L, Desbriere R, Maisonneuve AS, Roger V, Blanc B. Hemorrhage risk during operative hysteroscopy. *Acta Obstet Gynecol Scand* 2002; 81:878–881.
- Agostini A, Cravello L, Shojai R, Ronda I, Roger V, Blanc B. Postoperative infection and surgical hysteroscopy. *Fertility and Sterility* 2002; 77:766–768.
- Ayoubi JM, Fanchin R, Ferretti G, Pons JC, Bricault I. Three-dimensional ultrasonographic reconstruction of the uterine cavity: toward virtual hysteroscopy?. *Eur Radiol* 2002; 12:2030–2033.
- Bain C, Parkin DE, Cooper KG. Is outpatient diagnostic hysteroscopy more useful than endometrial biopsy alone for the investigation of abnormal uterine bleeding in unselected premenopausal women? A randomised comparison. *BJOG* 2002; 109:805–811.
- Bedner R, Rzepka-Gorska I. Diagnostic hysteroscopy after DC in women with perimenopausal bleeding [in Polish]. *Ginek Pol* 2002; 73:577–582.
- Berezowski C. Diagnosis of a uterine leiomyoma using hysteroscopy and a partial ovariectomy in a mare. *Can Vet J* 2002; 43:968–970.
- Bettocchi S, Ceci O, DiVenere R, Pansini MV, Pellegrino A, Marelllo F, Nappi L. Advanced operative office hysteroscopy without anaesthesia: analysis of 501 cases treated with a 5 Fr. bipolar electrode. *Hum Reprod* 2002; 17:2435–2438.
- Bettocchi S, DiVenere R, Pansini N, Pansini MV, Pellegrino A, Santamato S, Ceci O. Endometrial biopsies using small-diameter hysteroscopes and 5F instruments: How can we obtain enough material for a correct histologic diagnosis?. *J Am Assoc Gynecol Laparoscop* 2002; 9:290–292.
- Bloomstone J, Chow CM, Isselbacher E, VanCott E, Isaacson KB. A pilot study examining the frequency and quantity of gas embolization during operative hysteroscopy using a monopolar resectoscope. *J Am Assoc Gynecol Laparoscop* 2002; 9:9–14.
- Bradley LD. Complications in hysteroscopy: prevention, treatment and legal risk. *Curr Opin Obstet Gynecol* 2002; 14:409–415.
- Bricault I, Ayoubi JM. Is 3-D ultrasound-based virtual hysteroscopy feasible?. *J Obstet Gynaecol* 2002; 22:438–439.
- Carbillon L, Marty R, ElKarroumy M. Hysterosalpingography. *J Am Assoc Gynecol Laparoscop* 2002; 9:106–108.
- Ceci O, Bettocchi S, Pellegrino A, Impedovo L, DiVenere R, Pansini N. Comparison of hysteroscopic and hysterectomy findings for assessing the diagnostic accuracy of office hysteroscopy. *Fertility and Sterility* 2002; 78:628–631.
- Cheng YM, Lin BL. Modified sonohysteroscopy immediately after hysteroscopy in the diagnosis of submucous myoma. *J Am Assoc Gynecol Laparoscop* 2002; 9:24–28.
- Chui YK, Bhal PS. Role of hysteroscopy in the detection and extraction of endometrial polyps: Results of a prospective study. *Am J Obstet Gynecol* 2002; 186:1104.
- Clark TJ, Voit D, Gupta JK, Hyde C, Song F, Khan KS. Accuracy of hysteroscopy in the diagnosis of endometrial cancer and hyperplasia: a systematic quantitative review. *JAMA* 2002; 288:1610–1621.
- Clark TJ, Bakour SH, Gupta JK, Khan KS. Evaluation of outpatient hysteroscopy and ultrasonography in the diagnosis of endometrial disease. *Obstet Gynecol* 2002; 99:1001–1007.
- Corson SL. Venous air and gas emboli in operative hysteroscopy. *J Am Assoc Gynecol Laparoscop* 2002; 9:106–
- Deckardt R, Lueken RP, Gallinat A, Moller CP, Busche D, Nugent W, Salfelder A, et al. Comparison of transvaginal ultrasound, hysteroscopy, and dilatation and curettage in the diagnosis of abnormal vaginal bleeding and intrauterine pathology in perimenopausal and postmenopausal women. *J Am Assoc Gynecol Laparoscop* 2002; 9:277–282.
- Duan H, Xia E, Wang L, et al. Clinical study on 235 cases performed under hysteroscopy combined with laparoscopy [in Chinese]. *Zhonghua Fu Chan Ke Za Zhi* 2002; 37:342–345.
- Dueholm M, Lundorf E, Sorensen JS, Ledertoug S, Olesen F, Laursen H. Reproducibility of evaluation of the uterus by transvaginal sonography, hysterosonographic examination, hysteroscopy and magnetic resonance imaging. *Hum Reprod* 2002; 17:195–200.
- Esteve M, Schindler S, Machado SB, Borges SA, Santos CR, Coutinho E. The efficacy of intracervical lidocaine in outpatient hysteroscopy. *Gynaecol Endosc* 2002; 11:33–36.
- Fong K, Causer P, Atri M, Lytwyn A, Kung R. Transvaginal US and hysterosonography in postmenopausal women with breast cancer receiving tamoxifen: correlation with hysteroscopy and pathologic study. *Radiographics* 2003; 23:137–150.
- Fung TM, Lam MH, Wong SF, Ho LC. A randomised placebo-controlled trial of vaginal misoprostol for cervical priming before hysteroscopy in postmenopausal women. *BJOG* 2002; 109:561–565.
- Garuti G, Samburini I, Colonnelli M, Luerti M. Accuracy of hysteroscopy in predicting histopathology of endometrium in 1500 women. *J Am Assoc Gynecol Laparoscop* 2001; 8:207–213.
- Garuti G, Cellani F, Grossi F, Colonnelli M, Centinaio G, Luerti M. Saline infusion sonography and office hysteroscopy to assess endometrial morbidity associated with tamoxifen intake. *Gynecol Oncol* 2002; 86:323–329.
- Gebauer G. Role of hysteroscopy in the detection and extraction of endometrial polyps: Results of a prospective study - Reply. *Am J Obstet Gynecol* 2002; 186:1104–
- Giorda G, Crivellari D, Veronesi A, Perin T, Campagnutta E, Carbone A, Scarabelli C. Comparison of ultrasonography, hysteroscopy, and biopsy in the diagnosis of endometrial lesions in postmenopausal tamoxifen-treated patients. *Acta Obstet Gynecol Scand* 2002; 81:975–980.
- Gucer F, Sayin C, Tamussino K. Association between initial diagnostic procedure and hysteroscopy and abnormal peritoneal washing in patients with endometrial carcinoma. *Cancer* 2002; 96:123–124.
- Hong JY, Oh JJ, Kim SM. Comparison of sevoflurane nitrous oxide and target controlled propofol with fentanyl anesthesia for hysteroscopy. *Yonsei Med J* 2002; 43:420–426.
- Imasogie N, Crago R, Leyland NA, Chung F. Probable gas embolism during operative hysteroscopy caused by products of combustion [Probable d'embolie gazeuse causee par des produits de combustion pendant l'hysteroscopie peroperative]. *Can J Anaesth* 2002; 49:1044–1047.
- Isaacson K. Office hysteroscopy: a valuable but under utilized technique. *Curr Opin Obstet Gynecol* 2002; 14:381–385.
- Jones KD. Comment on: Evaluation of ultrasound in an outpatient hysteroscopy clinic: does it alter management in premenopausal women? (Taylor, et al. *Gynaecological Endoscopy* 2001; 10: 173-178). *Gynaecol Endosc* 2002; 11:163–164.
- Korsen N, Doyle L. Routine diagnostic hysteroscopy not necessary for premenopausal women with abnormal uterine bleeding. *J Fam Pract* 2002; 51:920–
- Kudela M, Pilka R, Dzvincuk P, Lubusky D, Duskova M. Risks in hysteroscopy in patients with endometrial carcinoma - prospective clinical study [in Czech]. *Ceska Gynecol* 2002; 67:74–78.
- Lavitola G, Guida M, Pellicano M, Acunzo G, Cirillo D, Nappi C. Options for uterine distension during hysteroscopy [in Italian]. *Minerva Gynecol* 2002; 54:461–465.
- Lindheim SR, Morales AJ. Comparison of sonohysteroscopy and hysteroscopy: lessons learned and avoiding pitfalls. *J Am Assoc Gynecol Laparosc* 2002; 9:223–231.
- Loffer FD. Direct visualization of the uterine cavity provides a better triage than saline hysteroscopy. *Am J Obstet Gynecol* 2003; 188:299–
- Ludkin H, Quinn P. Extended training equips nurses to undertake diagnostic hysteroscopy. *Nurs Times* 2002; 98:38–39.
- Maia H, Machado S, Borges S, Chagas A, Maltz A, Coutinho EM. Hysteroscopic findings in postmenopausal patients using tibolone. *Gynaecol Endosc* 2002; 11:131–135.
- Marchetti M, Litta P, Lanza P, Lauri F, Pozzan C. The role of hysteroscopy in early diagnosis of endometrial cancer. *Eur J Gynaecol Oncol* 2002; 23:151–153.
- Mercorio F, DeSimone R, Landi P, Sarchianaki A, Tessitore G, Nappi C. Oral dextropropofol for pain treatment during diagnostic hysteroscopy in postmenopausal women. *Maturitas* 2002; 43:277–281.
- Mettler L, Wendland EM, Patel P, Caballero R, Schollmeyer T. Hysteroscopy: an analysis of 2-years' experience. *JSL* 2002; 6:195–197.
- Mihm LM. Direct visualization of the uterine cavity provides a better triage than saline hysteroscopy - Reply. *Am J Obstet Gynecol* 2003; 188:299–
- Neuwirth RS. Hysteroscopy and gynecology: Past, present, and future. *J Am Assoc Gynecol Laparoscop* 2001; 8:193–198.
- Paschopoulos M, Lolis ED, Alamanos Y, Koliopoulos G, Paraskevaidis E. Vaginoscopic hysteroscopy and transvaginal sonography in the evaluation of patients with abnormal uterine bleeding. *J Am Assoc Gynecol Laparoscop* 2001; 8:506–510.
- Pellicano M, Guida M, Zullo F, Lavitola G, Cirillo D, Nappi C. Carbon-dioxide versus normal saline as a uterine distension medium for diagnostic vaginoscopic hysteroscopy in infertile patients: a prospective, randomized, multicenter study. *Fertil Steril* 2003; 79:418–421.
- Perrone G, DeAngelis C, Critelli C, Capri O, Galoppi P, Santoro G, Nofroni I, et al. Hysteroscopic findings in postmenopausal abnormal uterine bleeding: a comparison between HRT users and non-users. *Maturitas* 2002; 43:251–255.
- Quan S, Li FF, Fan JM, Gao YF, Yu YH. Transcervical endometrial resection during hysteroscopy for placenta increta: report of one case. *Di Yi Jun Yi Da Xue Xue Bao* 2002; 22:471–
- Revel A, Shushan A. Investigation of the infertile couple: hysteroscopy with endometrial biopsy is the gold standard investigation for abnormal uterine bleeding. *Hum Reprod* 2002; 17:1947–1949.
- Rogerson L, Bates J, Weston M, Duffy S. A comparison of outpatient hysteroscopy with saline infusion hysterosonography. *BJOG* 2002; 109:800–804.
- Schmidt T, Romer T. Sonography and hysteroscopy for endometrial carcinoma and its precursors [in German]. *Zentralbl Gynakol* 2002; 124:20–26.
- Sharma S, ElRefacy H. The use of misoprostol as a cervical ripening agent in operative hysteroscopy. *Am J Obstet Gynecol* 2003; 188:297–298.
- Shushan A, Revel A, Lauffer N, Rojansky N. Hysteroscopic treatment of intrauterine lesions in premenopausal and postmenopausal women. *J Am Assoc Gynecol Laparoscop* 2002; 9:209–213.
- Surrey E. Hysterosalpingography - Response. *J Am Assoc Gynecol Laparoscop* 2002; 9:108–
- Taponeco F, Curcio C, Fasciani A, Giuntini A, Artini PG, Fornaciari G, Petraglia F, et al. Indication of hysteroscopy in tamoxifen treated breast cancer patients. *J Exp Clin Cancer Res* 2002; 21:37–43.
- Taylor S, Jones S. Comment on: Evaluation of ultrasound in an outpatient hysteroscopy clinic: does it alter management in premenopausal women? (Taylor, et al. *Gynaecological Endoscopy* 2001; 10: 173-178) - Reply. *Gynaecol Endosc* 2002; 11:164–
- Terzhumanov R, Milchev N, Kuzmanov B. Endometrial hyperplasia - hysteroscopy findings [in Bulgarian]. *Akush Ginekol (Sofia)* 2002; 41:26–28.
- Thomas J, Windrim R. The use of misoprostol as a cervical ripening agent in operative hysteroscopy - Reply. *Am J Obstet Gynecol* 2003; 188:298–
- Thomas JA, Leyland N, Durand N, Windrim RC. The use of oral misoprostol as a cervical ripening agent in operative hysteroscopy: A double-blind, placebo-controlled trial. *Am J Obstet Gynecol* 2002; 186:876–879.
- Toth D, Kuzel D, Zivny J. The 3mm optical system in hysteroscopy [in Czech]. *Ceska Gynecol* 2002; 67:293–296.
- Wang W, Guo Y. Value of hysteroscopy and dilatation and curettage in diagnosis of endometrial carcinoma [in Chinese]. *Zhonghua Fu Chan Ke Za Zhi* 2002; 37:550–552.
- Westin B. Hysteroscopy in 2001: a comprehensive review. *Acta Obstet Gynecol Scand* 2002; 81:681–
- Yang J, Vollenhoven B. Pain control in outpatient hysteroscopy. *Obstet Gynecol Surv* 2002; 57:693–702.
- Hysteroscopy in the evaluation and treatment of mucinous adenocarcinoma. *Obstet Gynecol* 2002; 99:509–511.
- Laparoscopic surgery for gynaecological oncology**  
Review: (pp 309–314)
- Agostini A, Robin F, Jais JP, et al. Impact of different gases and pneumoperitoneum pressures on tumor growth during laparoscopy in a rat model. *Surg Endosc* 2002; 16:1170–1174. [41]
- Agostini A, Robin F, Jais JP, et al. Peritoneal closure reduces port-site metastasis: results of an experiment in a rat ovarian cancer model. *Surg Endosc* 2002; 16:529–532. [43]
- Agostini A, Cravello L, Brettele F, Demaisonneuve AS, Roger V, Blanc B. Risk of discovering endometrial carcinoma or atypical hyperplasia during hysteroscopic surgery in postmenopausal women. *J Am Assoc Gynecol Laparoscop* 2001; 8:533–535.

- Agostini A, Cravello L, Shojai R, Schaeffer V, Bretelle F, Roger V, Blanc B. Risk of finding an endometrial cancer when atypical hyperplasia was incidentally diagnosed on hysteroscopic resection products. *Eur J Obstet Gynecol Reprod Biol* 2002; 103:58–59.
- Akhan SE, Isikoglu M, Salihoglu Y, Bengisu E, Berkman S. Brain metastasis of ovarian cancer after negative second-look laparotomy. *Eur J Gynaecol Oncol* 2002; 23:330–332.
- Baron MA, Ladonne JM, Resch B. Abdominal wall metastasis from ovarian cancer after laparotomy. A case report. *Eur J Gynaecol Oncol* 2002; 23:561–562.
- Barranger E, Grahek D, Cortez A, Uzan S, Darai E. Laparoscopic sentinel node procedure in patients with cervical cancer. *J Clin Oncol* 2002; 15:2602–2603.
- Biran G, Golan A, Sagiv R, Glezerman M, Menczer J. Conversion of laparoscopy to laparotomy due to adnexal malignancy. *Eur J Gynaecol Oncol* 2002; 23:157–160.
- Bisharah M, Tulandi T. Laparoscopic preservation of ovarian function: An underused procedure. *Am J Obstet Gynecol* 2003; 188:367–370.
- Carlson NL, Krivak TC, Winter WE, Macri CI. Port site metastasis of ovarian carcinoma remote from laparoscopic surgery for benign disease. *Gynecol Oncol* 2002; 85:529–531.
- Chan JK, Monk BJ, Cuccia D, Pham H, Kimel S, Gu M, HammerWilson MJ, et al. Laparoscopic photodynamic diagnosis of ovarian cancer using 5-aminolevulinic acid in a rat model. *Gynecol Oncol* 2002; 87:64–70.
- Chin GSM, Heng R, Neesham DE, Petersen RW. Small intestinal volvulus following laparoscopy for endometrial clear cell carcinoma in a woman with a past history of total gastrectomy and Roux-en-Y anastomosis for gastric carcinoma. *Gynecol Oncol* 2002; 87:319–322.
- Chu CS, Randall TC, Bandera CA, Rubin SC. Vaginal cuff recurrence of endometrial cancer treated by laparoscopic-assisted vaginal hysterectomy. *Gynecol Oncol* 2003; 88:62–65.
- Dargent D. Laparoscopic and gynecologic cancer: is it necessary to debate again or just convince the incredulous. *Gynecol Obstet Fertil* 2001; 29:913–918.
- Einat S, Amir S, Silvia M, Moshe I. Successful laparoscopic removal of a solitary adrenal metastasis from ovarian carcinoma: A case report. *Gynecol Oncol* 2002; 85:201–203.
- Eltabbakh GH. Analysis of survival after laparoscopy in women with endometrial carcinoma. *Cancer* 2002; 95:1894–1901.
- Eltabbakh GH, Shamonki M, Moody JM, et al. Laparoscopy as the primary modality for the treatment of women with endometrial cancer. *Cancer* 2001; 91:378–387.
- Fagotti A, Ferrandina G, Longo R, Mancuso S, Scambia G. Minilaparotomy in early stage endometrial cancer: An alternative to standard and laparoscopic treatment. *Gynecol Oncol* 2002; 86:177–183.
- Gregor H, Sam CE, Reinhaller A, Joura EA. Port site Metastases after laparoscopic lymph node staging of cervical carcinoma. *J Am Assoc Gynecol Laparoscop* 2001; 8:591–593.
- Hertel H, Kohler C, Michels W, et al. Laparoscopic assisted radical vaginal hysterectomy: prospective evaluation of 200 patients with cervical cancer [abstract]. *Gynecol Oncol* 2003; 88:163.
- Hertel H, Kohler C, Elhawary T, Michels W, Possover M, Schneider A. Laparoscopic staging compared with imaging techniques in the staging of advanced cervical cancer. *Gynecol Oncol* 2002; 87:46–51. [19]
- Hertel H, Fleck M, Kuhne-Heid R, et al. Trocar-site metastasis is not always due to laparoscopy [abstract]. *Surg Endosc* 2001; 15:896.
- Holub Z, Jabor A, Bartos P, Eim J, Kliment L. Laparoscopic pelvic lymphadenectomy in the surgical treatment of endometrial cancer: results of a multicenter study. *JLSL* 2002; 6:125–131.
- Holub Z, Jabor A, Bartos P, Eim J, Urbanek S, Pivovarnikova R. Laparoscopic surgery for endometrial cancer: long-term results of a multicentric study. *Eur J Gynaecol Oncol* 2002; 23:305–310.
- Hopkins NP, vonGruenigen V, Haller NA, Holda S. The effect of various insufflation gases on tumor implantation in an animal model. *Am J Obstet Gynecol* 2002; 187:994–996. [40]
- Hsu THS, Su LM, Ong A. Anterior extraperitoneal approach to laparoscopic retroperitoneal lymph node dissection: A novel technique. *J Urol* 2003; 169:258–260.
- Kohler C, Tozzi R, Possover M, Schneider A. Explorative laparoscopy prior to exenterative surgery. *Gynecol Oncol* 2002; 86:311–315. [21]
- Lambaudie E, Collinet P, Narducci F, et al. Laparoscopic identification of sentinel lymph nodes in early stage cervical cancer: prospective study using a combination of patent blue dye injection and technetium radiocolloid injection. *Gynecol Oncol* 2003; 89:84–87. [5]
- Langebrekke A, Istre O, Hallqvist AC, Hartgill TW, Onsrud M. Comparison of Laparoscopy and laparotomy in patients with endometrial cancer. *J Am Assoc Gynecol Laparoscop* 2002; 9:152–157.
- Leblanc E, Querleu D, Papageorgiou T, et al. Laparoscopic restaging of early invasive ovarian tumors [abstract]. *Int J Gynecol Cancer* 2003; 13:(suppl.1)36. [16]
- Lecuru F, Agostini A, Camatte S, et al. Impact of pneumoperitoneum on tumor growth. *Surg Endosc* 2002; 16:1170–1174. [42]
- Lee CL, Huang KG, Jain S, Lee PS, Soong YK. Comparison of laparoscopic and conventional surgery in the treatment of early cervical cancer. *J Am Assoc Gynecol Laparoscop* 2002; 9:481–487. [25]
- Lee CL, Huang KG, Wang CJ, Yen CF, Lai CH. Laparoscopic radical trachelectomy for stage Ib1 cervical cancer. *J Am Assoc Gynecol Laparoscop* 2003; 10:111–115.
- Lin YS. Preliminary results of laparoscopic modified radical hysterectomy in early invasive cervical cancer. *J Am Assoc Gynecol Laparoscop* 2003; 10:80–84.
- Lo KWK, Cheung TH, Yim SF, Chung TKH. Hysteroscopic dissemination of endometrial carcinoma using carbon dioxide and normal saline: A retrospective study. *Gynecol Oncol* 2002; 84:394–398.
- Maia H, Maltez A, Fahel P, Coutinho E. Hysteroscopic and immunohistochemical findings in type I and type II endometrial carcinomas. *J Am Assoc Gynecol Laparoscop* 2001; 8:222–230.
- Malur S, Possover M, Michels W, et al. Laparoscopic-assisted vaginal versus abdominal surgery in patients with endometrial cancer: a prospective randomized trial. *Gynecol Oncol* 2001; 80:239–244.
- Manolis TP, McCartney AJ. Total laparoscopic hysterectomy in the management of endometrial carcinoma. *J Am Assoc Gynecol Laparoscop* 2002; 9:54–62.
- Marchetti M, Litta P, Lanza P, Lauri F, Pozzan C. The role of hysterectomy in early diagnosis of endometrial cancer. *Eur J Gynaecol Oncol* 2002; 23:151–153.
- Milings S, Protopapas A, Chatzipapas I, Kallipolitis G, ElSheikh A, Liapi A, Michalas S. Postoperative ascites developing after laparoscopic surgery can become a difficult diagnostic dilemma. *J Am Assoc Gynecol Laparoscop* 2001; 8:587–590.
- Ogan K, Lotan Y, Koeneman K, Pearle MS, Caddeu JA. Laparoscopic versus open retroperitoneal lymph node dissection: A cost analysis. *J Urol* 2002; 168:1945–1949.
- Park CT, Lim KT, Chung HW, Lee KH, Seong SJ, Shim JU, Kim TJ. Clinical evaluation of laparoscopic-assisted radical vaginal hysterectomy with pelvic and/or paraaortic lymphadenectomy. *J Am Assoc Gynecol Laparoscop* 2002; 9:49–53.
- Porpora MG, Brancato V, DElia C, Natili M, Alo PL, Cosmi EV. Laparoscopic diagnosis and treatment of a well-differentiated papillary mesothelioma of the peritoneum. *J Am Assoc Gynecol Laparoscop* 2002; 9:384–388.
- Posner MC, Alverdy J. Hand-assisted laparoscopic surgery for cancer. *Cancer J* 2002; 8:144–153.
- Querleu D, Narducci F, Poulard V, Lacaze S, Ocellini B, Leblanc E, Cosson M. Modified radical vaginal hysterectomy with or without laparoscopic nerve-sparing dissection: A comparative study. *Gynecol Oncol* 2002; 85:154–158.
- Querleu D, Papageorgiou T, Lambaudie E, et al. Laparoscopic restaging of borderline ovarian tumors: results of 30 cases initially presumed as stage IA borderline ovarian tumours. *BJOG* 2003; 110:201–204. [17]
- Querleu D, Narducci F, Poulard V, et al. Modified radical vaginal hysterectomy with or without laparoscopic nerve-sparing dissection: a comparative study. *Gynecol Oncol* 2002; 85:154–158. [9]
- Rassweiler J. Laparoscopic versus open retroperitoneal lymph node dissection: A cost analysis - Comment. *J Urol* 2002; 168:1949.
- Romer T, Schwesinger G. Chance finding of a leiomyosarcoma in hysteroscopic resection of a myoma. *Acta Obstet Gynecol Scand* 2002; 81:1078–1079.
- Schlaerth JB, Spirtos NM, Carson LF, et al. Laparoscopic retroperitoneal lymphadenectomy followed by immediate laparotomy in women with cervical cancer: a Gynecologic Oncology Group study. *Gynecol Oncol* 2002; 85:81–88. [48]
- Schmidbauer S, Sitzmann G, Trupka A, Hallfeldt KK. Laparoscopic colostomy: experience in patients with ovarian or ano-rectal cancer, non-operable or with rectovaginal fistula [in Italian]. *G Chir* 2002; 23:101–103.
- Scribner DR, Walker J, Johnson G, et al. Laparoscopic pelvic and para-aortic lymph node dissection - Analysis of first 100 cases. *Gynecol Oncol* 2001; 82:498–503.
- Scribner DR, Walker JL, Johnson GA, McMeekin DS, Gold MA, Mannel RS. Laparoscopic pelvic and paraaortic lymph node dissection in the obese. *Gynecol Oncol* 2002; 84:426–430. [2]
- Scribner DR, Walker JL, Johnson GA, et al. Surgical management of early-stage endometrial cancer in the elderly - Is laparoscopy feasible?. *Gynecol Oncol* 2001; 83:563–567.
- Sobiczewski P, Bidzinski M, Derlatka P. Laparoscopic ligation of the hypogastric artery in the case of bleeding in advanced cervical cancer. *Gynecol Oncol* 2002; 84:344–348.
- Spirtos NM, Eisenop SM, Schlaerth JB, Ballon SC. Laparoscopic radical hysterectomy (type III) with aortic and pelvic lymphadenectomy in patients with stage I cervical cancer: surgical morbidity and intermediate follow-up. *Am J Obstet Gynecol* 2002; 187:340–348. [22]
- Vergote I, De Smet I, Amant F. Incidence of positive peritoneal cytology in low-risk endometrial cancer treated by laparoscopically assisted vaginal hysterectomy [letter]. *Gynecol Oncol* 2002; 84:537–538. [45]
- Viala J, Morice P, Pautier P, Castaigne D, Vanel D. CT findings in two cases of port-site metastasis after laparoscopy for ovarian cancer. *Eur J Gynaecol Oncol* 2002; 23:293–294.
- Vilos GA, Harding PG, Silcox JA, Sugimoto AK, Carey M, Ettler HC. Endometrial adenocarcinoma encountered at the time of hysteroscopic endometrial ablation. *J Am Assoc Gynecol Laparoscop* 2002; 9:40–48.
- Vilos GA, Harding PG, Sugimoto AK, Ettler HC, Bernier MJ. Hysteroscopic endomyometrial resection of three uterine sarcomas. *J Am Assoc Gynecol Laparoscop* 2001; 8:545–551.
- Wang PH, Yen MS, Juang CM, Chen YJ, Chao HT, Yuan CC. Intraperitoneal cancer spread after laparoscopic cystectomy for mature teratoma with malignant transformation. *Eur J Gynaecol Oncol* 2002; 23:131–132.
- Yano H, Iwazawa T, Kinuta M, Nakano Y, Tono T, Matsui S, Kanoh T, et al. Solitary splenic metastasis from ovarian cancer successfully treated by hand-assisted laparoscopic splenectomy: report of a case. *Surg Today* 2002; 32:750–752.
- Zola P, Ferrero A, Fuso L, Jacomuzzi ME, Magistris A, Spanu P, Mazzola S, et al. Different types of hysterectomy in the radio-surgical treatment of early cervical cancer (FIGO Ib-IIa). *Eur J Gynaecol Oncol* 2002; 23:236–240.
- Laparoscopic lower para-aortic staging lymphadenectomy in stage IB2, II, and III cervical cancer. *Int J Gynecol Cancer* 2002; 12:22–26. [13]
- Laparoscopically assisted vaginal hysterectomy versus abdominal hysterectomy in stage I endometrial cancer. *Int J Gynecol Cancer* 2002; 12:57–61.

## Laparoscopic creation of the neovagina and other malformations

### Related review: Laparoscopic repair of vaginal vault prolapse (pp 315–319)

- Darai E, Soriano D, Thoury A, Bouillot JL. Neovagina construction by combined laparoscopic-perineal sigmoid colpoplasty in a patient with Rokitansky syndrome. *J Am Assoc Gynecol Laparoscop* 2002; 9:204–208.
- Deniz N, Perk H, Serel T, Kosar A, Ozsoy MH, Arslan M. Urethral coitus and urinary incontinence in a case of Mayer-Rokitansky syndrome: an alternative surgical procedure. *Eur J Obstet Gynecol Reprod Biol* 2002; 103:95–96.
- Esegbona G, Cutner A, Cuckow P, Creighton S. Laparoscopic gonadectomy in paediatric and adolescent girls with intersex disorders. *Bjog an Int J Obstet Gynaecol* 2003; 110:210–212.
- Flynn BJ, Webber GD. Surgical management of the apical vaginal defect. *Curr Opin Urol* 2002; 12:353–358. [1]
- Kaloo P, Cooper M. Laparoscopic-assisted Vecchietti procedure for creation of a neovagina: an analysis of five cases. *Aust N Z J Obstet Gynaecol* 2002; 42:307–310.
- Marwah V, Bhandari SK. Laparoscopic creation of a neovagina in Mayer-Rokitansky-Kuster-Hauser syndrome by modification of Vecchietti's procedure. *J Am Assoc Gynecol Laparoscop* 2001; 8:416–424.
- Miklos JR, Moore RD, Kohli N. Laparoscopic surgery for pelvic support defects. *Curr Opin Obstet Gynecol* 2002; 14:387–395. [5]
- Nawroth F, Schmidt T, Freise C, Foth D, Romer T. Is it possible to recommend an 'optimal' postoperative management after hysteroscopic metroplasty? A retrospective study with 52 infertile patients showing a septate uterus. *Acta Obstet Gynecol Scand* 2002; 81:55–57.
- Oppelt P, Siebold J, Stahler J, Plathow D, Kaufmann M, Baumann R. Hysteroscopic septal resection, the treatment of choice in patients with subseptate uterus: postoperative pregnancy rates. *Gynaecol Endosc* 2002; 11:123–126.
- Petros P. Anatomy of the perineal membrane. *Aust NZ J Obstet Gynaecol* 2002; 42:577–578. [12]
- Saygili Yilmaz ES, ErmanAkar M, Yilmaz Z. A retrospective study on the reproductive outcome of the septate uterus corrected by hysteroscopic metroplasty. *Int J Gynaecol Obstet* 2002; 78:59–60.
- Simsek T, Uner M, Trak B. Hysteroscopic uterine septum incision: is endometrial preparation mandatory to reduce operative complications and failure?. *Gynaecol Endosc* 2002; 11:119–122.
- Wu HM, Huang HY, Lee CL, Soong YK. Laparoscopic ultrasonography for uterovaginal canalization of a didelphic uterus with agenic cervix. *J Am Assoc Gynecol Laparoscop* 2002; 9:376–379.
- Yang CC, Tseng JY, Chen P, Wang PH. Uterus didelphys with cervical agenesis associated with adenomyosis, a leiomyoma and ovarian endometriosis - A case report. *J Reprod Med* 2002; 47:936–938.

## Ovarian endometriosis and laparoscopy in the management and diagnosis of endometriosis

Related review: Ovarian endometriosis: from pathogenesis to surgical treatment (pp 321–326)

- Aboulghar MA, Mansour RT, Serour GI, Ailnany HG, Aboulghar MM. The outcome of in vitro fertilization in advanced endometriosis with previous surgery: A case-controlled study. *Am J Obstet Gynecol* 2003; 188:371–375.
- AlFozan H, Tulandi T. Left lateral predisposition of endometriosis • and endometrioma. *Obstet Gynecol* 2003; 101:164–166. [24]
- Amer SAK, Li TC, Cooke ID. Laparoscopic ovarian diathermy in women with polycystic ovarian syndrome: a retrospective study on the influence of the amount of energy used on the outcome. *Hum Reprod* 2002; 17:1046–1051.
- Anaf V, Simon P, ElNakadi I, Fayt I, Simonart T, Buxant F, Noel JC. Hyperalgesia, nerve infiltration and nerve growth factor expression in deep adenomyotic nodules, peritoneal and ovarian endometriosis. *Hum Reprod* 2002; 17:1895–1900.
- Arimoto T, Katagiri T, Oda K, Tsunoda T, Yasugi T, Osuga Y, Yoshikawa H, et al. Genome wide cDNA microarray analysis of gene expression profiles involved in ovarian endometriosis. *Int J Oncol* 2003; 22:551–560.
- Brosens I, Gordts S, Campo R. Surgical management of endometriomas - compared ovarian function?. *Fertil Steril* 2002; 78:206–207.
- Canis M, Pouly JL, Tamburro S, et al. Ovarian response during IVF-embryo transfer cycles after laparoscopic ovarian cystectomy for endometriotic cysts of >3cm in diameter. *Hum Reprod* 2001; 16:2583–2586.
- Canis M, Mage G, Wattiez A, Pouly JL, Bruhat MA. The ovarian • endometrioma: why is it so poorly managed? Laparoscopic treatment of large ovarian endometrioma: why such a long learning curve?. *Hum Reprod* 2003; 18:5–7. [62]
- Chapron C, Guibert J, Fauconnier A, Vieira M, Dubuisson JB. Adhesion formation after laparoscopic resection of uterosacral ligaments in women with endometriosis. *J Am Assoc Gynecol Laparosc* 2001; 8:368–373.
- Chapron C, Vercellini P, Barakat H, Vieira M, Dubuisson JB. • Management of ovarian endometriomas. *Hum Reprod Update* 2002; 8:591–597. [60]
- Dmowski WP, Pry M, Ding J, et al. Cycle-specific and cumulative •• fecundity in patients with endometriosis who are undergoing controlled ovarian hyper-stimulation-intrauterine insemination or in vitro fertilization-embryo transfer. *Fertil Steril* 2002; 78:750–756. [84]
- Fujishita A, Khan KN, Masuzaki H, Ishimaru T. Influence of pelvic endometriosis and ovarian endometrioma on fertility. *Gynecol Obstet Invest* 2002; 53:suppl.1:40–45.
- Geber S, Ferreira DP, Spyer Prates LF, Sales L, Sampaio M. Effects of previous ovarian surgery for endometriosis on the outcome of assisted reproduction treatment. *Reprod Biomed Online* 2002; 5:162–166.
- Goker EN, Ozcaker HT, Terek MC, Levi R, Adakan S, Tavmergen E. Controlled ovarian hyperstimulation and intrauterine insemination for infertility associated with endometriosis: a retrospective analysis. *Arch Gynecol Obstet* 2002; 266:21–24.
- Gordon SJ, Maher PJ, Hiscock R. The effect of intraperitoneal ropivacaine on pain after laparoscopic excision of endometriosis. *J Am Assoc Gynecol Laparosc* 2002; 9:29–34.
- Gordon SJ, Maher PJ, Woods R. Use of the CEEA stapler to avoid ultra-low segmental resection of a full-thickness rectal endometriotic nodule. *J Am Assoc Gynecol Laparosc* 2001; 8:312–316.
- Hunter RHF. Tubal ectopic pregnancy: a patho-physiological explanation involving endometriosis. *Hum Reprod* 2002; 17:1688–1691.
- Inaudi P, Mazzini M, D'Aniello G, Trusso P, Joghtapour A, Petraglia F. Ovarian hyperstimulation-like syndrome after administration of triptorelin to a woman with endometriosis. *Gynecol Endocrinol* 2002; 16:403–405.
- Jones KD, Sutton CJG. Pregnancy rates following ablative laparoscopic surgery for endometriomas. *Hum Reprod* 2002; 17:782–785.
- Jones KD, Sutton CJG. Recurrence of chocolate cysts after laparoscopic ablation. *J Am Assoc Gynecol Laparosc* 2002; 9:315–320.
- Lee KR, Nucci MR. Ovarian mucinous and mixed epithelial carcinomas of Mullerian (endocervical-like) type: a clinicopathologic analysis of four cases of an uncommon variant associated with endometriosis. *Int J Gynecol Pathol* 2003; 22:42–51.
- Marconi G, Vilela M, Quintana R, Sueldo C. Laparoscopic ovarian cystectomy of endometriomas does not affect the ovarian response to gonadotropin stimulation. *Fertility and Sterility* 2002; 78:876–878.
- Mhawech P, Kinkel K, Vlastos G, Pelte MF. Ovarian carcinomas in endometriosis: an immunohistochemical and comparative genomic hybridization study. *Int J Gynecol Pathol* 2002; 21:401–406.
- Modesitt SC, Tortolero-Luna G, Robinson JB, Gershenson DM, Wolf JK. Ovarian and extraovarian endometriosis associated cancer. *Obstet Gynecol* 2002; 100:788–795.
- Muzii L, Bianchi A, Croce C, Mancini N, Panici PB. Laparoscopic • excision of ovarian cysts: is the stripping technique a tissue-sparing procedure?. *Fertility and Sterility* 2002; 77:609–614. [68]
- Nisolle M. Ovarian endometriosis and peritoneal endometriosis: •• are they different entities from a fertility perspective?. *Curr Opin Obstet Gynecol* 2002; 14:283–288. [17]
- Prefumo F, enturini PL, Fulcheri E. Analysis of p53 and c-erbB-2 expression in ovarian endometrioid carcinomas arising in endometriosis. *Int J Gynecol Pathol* 2003; 22:83–88.
- Prefumo F, Todeschini F, Fulcheri E, Venturini L. Epithelial • abnormalities in cystic ovarian endometriosis. *Gynecol Oncol* 2002; 84:280–284. [46]
- Redwine dB, Wright JT. Laparoscopic treatment of complete obliteration of the cul-de-sac associated with endometriosis: long-term follow-up of en block resection. *Fertil Steril* 2001; 76:358–365.
- Ria R, Loverro G, Vacca A, Ribatti D, Cormio G, Roccaro AM, • expression in ovarian endometrioid carcinomas and expression of matrix metalloproteinase-2 and -9 agree with progression of ovarian endometriomas. *Eur J Clin Invest* 2002; 32:199–206. [30]
- Sizer AR, Bhal PS, Ladipo OA, Shaw RW. Laparoscopic port scar endometriosis: an unusual complication. *Gynaecol Endosc* 2002; 11:53–54.
- Sun WS, Misao R, Iwagaki S, Fujimoto J, Tamaya T. Coexpression of growth arrest specific gene 6 and receptor tyrosine kinases, Axl and Sky, in human uterine endometrium and ovarian endometriosis. *Mol Hum Reprod* 2002; 8:552–558.
- Takuma N, Sengoku K, Pan B, Wada K, Yamauchi T, Miyamoto T, Ohsumi D, et al. Laparoscopic treatment of endometrioma-associated infertility and pregnancy outcome. *Gynecol Obstet Invest* 2002; 54:30–35.
- Tardif D, Benifla JL, Battallan A, Madelenat P. Treatment of a case of ovarian cysts in a patient known to have endometriosis [in French]. *Gynecol Obstet Fertil* 2002; 30:231–235.
- Vercellini P, Chapron C, DeGiorgio O, Consonni D, Frontino G, •• Crosignani PG. Coagulation or excision of ovarian endometriomas?. *Am J Obstet Gynecol* 2003; 188:606–610. [71]
- Vignali M, Infantino M, Matrone R, Chiodo I, Somigliana E, •• Busacca M, Viganò P. Endometriosis: novel etiopathogenetic concepts and clinical perspectives. *Fertility and Sterility* 2002; 78:665–678. [39]
- Walter AJ, Hentz JG, Magtibay PM, et al. Endometriosis: correlation between histologic and visual findings at laparoscopy. *Am J Obstet Gynecol* 2001; 184:1407–1413.
- Wood C, Kuhn R, Tsaltas J. Laparoscopic diagnosis of endometriosis. *Aust N Z J Obstet Gynaecol* 2002; 42:277–281.
- Yamashita Y, Ueda M, Takehara M, Yamashita H, Suzuki Y, Hung YC, Terai Y, et al. Influence of severe endometriosis on gene expression of vascular endothelial growth factor and interleukin-6 in granulosa cells from patients undergoing controlled ovarian hyperstimulation for in vitro fertilization-embryo transfer. *Fertility and Sterility* 2002; 78:865–871.
- Yang CC, Tseng JY, Chen P, Wang PH. Uterus didelphys with cervical agenesis associated with adenomyosis, a leiomyoma and ovarian endometriosis: a case report. *J Reprod Med* 2002; 47:936–938.
- Yoshida S, Harada T, Iwabe T, Terakawa N. Laparoscopic surgery for the management of ovarian endometrioma. *Gynecol Obstet Invest* 2002; 54:24–29.

## Endometrial ablation Review: (pp 327–332)

- Abbott JA, Garry R. The surgical management of menorrhagia. *Hum Reprod Update* 2002; 8:68–78.
- Agostini A, Cravello L, Desbriere R, Maisonneuve AS, Roger V, Blanc B. Hemorrhage risk during operative hysteroscopy. *Acta Obstet Gynecol Scand* 2002; 81:878–881.
- Agostini A, Cravello L, Bretelle F, Shojai R, Roger V, Blanc B. Risk of uterine perforation during hysteroscopic surgery. *J Am Assoc Gynecol Laparosc* 2002; 9:264–267.
- Bain C, Cooper KG, Parkin DE. Microwave endometrial ablation •• versus endometrial resection: a randomized controlled trial. *Comment in Obstet Gynecol* 2002; 99:969–970. [38]
- Bain C, Cooper KG, Parkin DE. Microwave endometrial ablation versus endometrial resection: a randomized controlled trial. *Obstet Gynecol* 2002; 99:983–987.
- Blandamujra S, Boccardo P, Spadaro M, Litta P, Chiarelli S. Endometrial hyperplasia with beryllike squamous metaplasia and pilomatricomalike shadow cells: report of an intriguing cytohistologic case. *Acta Cytol* 2002; 46:887–892.
- Bongers MY, Mol BWJ, Brolmann HAM. Prognostic factors for the success of thermal balloon ablation in the treatment of menorrhagia. *Obstet Gynecol* 2002; 99:1060–1066.
- Boujida VH, Philipsen T, Pelle J, Joergensen JC. Five-year follow-up of endometrial ablation: endometrial coagulation versus endometrial resection. *Obstet Gynecol* 2002; 99:988–992. [27]
- Brun JL, Belaisch J, Rivel J, Hocke C. Endometrial hyperplasias resistant to progestins: alternatives to traditional treatments [in French]. *Gynecol Obstet Fertil* 2002; 30:244–251.
- Busund B, Erno LE, Gronmark A, Istre O. Endometrial ablation with NovaSure (TM) GEA, a pilot study. *Acta Obstet Gynecol Scand* 2003; 82:65–68.
- Comino R, Torrejon R, Sanchez Ortega I. Long-term results of endometrial ablation resection. *J Am Assoc Gynecol Laparosc* 2002; 9:268–271.
- Comino R, Torrejon R, Sanchez-Ortega I. Long-term results of • endometrial ablation-resection. *J Am Assoc Gynecol Laparosc* 2002; 9:264–267. [29]
- Cooper J, Gimpelson R, Laberge P, Galen D, Garza-Leal JG, Scott J, Leyland N, et al. A randomized, multicenter trial of safety and efficacy of the NovaSure system in the treatment of menorrhagia. *J Am Assoc Gynecol Laparosc* 2002; 9:418–428.
- Corson SL. A multicenter evaluation of endometrial ablation by hydro ThermAblator and rollerball for treatment of menorrhagia. *J Am Assoc Gynecol Laparosc* 2001; 8:359–367.
- Danelli G, Berti M, Casati A, Albertin A, Deni F, Nobili F, Torri G. Spinal block or total intravenous anaesthesia with propofol and remifentanyl for gynaecological outpatient procedures. *Eur J Anaesthesiol* 2002; 19:594–599.
- Davies C, Gibson M, Holt EM, Torrie EPH. Amenorrhoea secondary to endometrial ablation and Asherman's syndrome following uterine artery embolization. *Clin Radiol* 2002; 57:317–318.
- Duleba AJ, Heppard MC, Soderstrom RM, Townsend DE. A randomized study comparing endometrial cryoablation and rollerball electroablation for treatment of dysfunctional uterine bleeding. *J Am Assoc Gynecol Laparosc* 2003; 10:17–26.
- EIToukhy T, Hefni M. Pregnancy after hydrothermal endometrial ablation and laparoscopic sterilisation. *Eur J Obstet Gynecol Reprod Biol* 2003; 106:222–224.
- Farquhar CM, Steiner CA. Hysterectomy rates in the United •• States 1990–1997. *Obstet Gynecol* 2002; 99:229–234. [17]
- Farquhar CM, Naom S, Steiner CA. The impact of endometrial ablation on hysterectomy rates in women with benign uterine conditions in the United States. *Int J Technol Assess Health C* 2002; 18:625–634.
- Fasouliotis SJ, Shushan A. Severe menorrhagia due to factor VII deficiency successfully treated by thermal balloon endometrial ablation. *J Am Assoc Gynecol Laparosc* 2003; 10:116–118.
- Gallinat A, Nugent W. NovaSure impedance-controlled system for endometrial ablation. *J Am Assoc Gynecol Laparosc* 2002; 9:283–289.
- Garry R. Evidence and techniques in endometrial ablation: consensus. *Gynaecol Endosc* 2002; 11:5–17.
- Gehring H, Hornberger C, Dibbelt L, Dorges V, Eichenauer R, Schmucker P. Detecting and quantifying absorbed irrigation fluid by measuring mannitol and sorbitol concentrations in serum samples, and by ethanol monitoring. *BJU Int* 2002; 89:202–207.
- Hanson H. Frequency of symptomatic conual hematometra and postablation tubal sterilization syndrome after total rollerball endometrial ablation: A 10-year follow-up - Discussion. *Am J Obstet Gynecol* 2002; 186:1280–1281.
- Henshaw R, Coyle C, Low S, Barry C. A retrospective cohort • study comparing microwave endometrial ablation with levonorgestrel-releasing intrauterine device in the management of heavy menstrual bleeding. *Aust N Z J Obstet Gynecol* 2002; 42:205–209. [23]
- Imasogie N, Crago R, Leyland NA, Chung F. Probable gas embolism during operative hysteroscopy caused by products of combustion [Probabilite d'embolie gazeuse causee par des produits de combustion pendant l'hysteroscopie peroperative]. *Can J Anaesth* 2002; 49:1044–1047.
- Jamieson R, Hammond I, Mauris P. Small bowel perforation • associated with microwave endometrial ablation. *Aust N Z J Obstet Gynaecol* 2002; 42:407–408. [19]
- Jarvela I, Tekay A, Santala M, Jouppila P. Ultrasonographic features following thermal balloon endometrial ablation therapy. *Gynecol Obstet Invest* 2002; 54:11–16.
- Jones KD, Spangler L, Sutton C. Endometrial ablation using a distensible multielectrode balloon: a long-term follow-up report. *Gynaecol Endosc* 2002; 11:43–45.
- Kriplani A, Manchanda R, Nath J, Takkar D. A randomized trial of danazol pretreatment prior to endometrial resection. *Eur J Obstet Gynecol Reprod Biol* 2002; 103:68–71.
- Krzemien AA, VanVugt DA, Fletcher WA, Reid RL. Effectiveness of photodynamic ablation for destruction of endometrial explants in a rat endometriosis model. *Fertility and Sterility* 2002; 78:169–175.
- Lethaby A, Hickey M. Endometrial destruction techniques for •• heavy menstrual bleeding. *Cochrane Database Syst Rev* 2002; 2:CD001501. [9]

- Lethaby A, Hickey M. Endometrial destruction techniques for heavy menstrual bleeding: a Cochrane review. *Hum Reprod* 2002; 17:2795–2806.
- Lissak A, Lavie O, Dirmfel M, Sharon A, BrandesKlein O, Abramovici H. Endometrial ablation for the postmenopausal woman. *J Am Assoc Gynecol Laparosc* 2001; 8:601–602.
- Loffer FD, Grainger D. Five-year follow-up of patients participating in a randomized trial of uterine balloon therapy versus rollerball ablation for treatment of menorrhagia. *J Am Assoc Gynecol Laparosc* 2002; 9:429–435. [39]
- Lok IH, Chan M, Tam WH, Leung PL, Yuen PM. Patient controlled sedation for outpatient thermal balloon endometrial ablation. *J Am Assoc Gynecol Laparosc* 2002; 9:436–441.
- MacLean-Fraser E, Penava D, Vilos GA. Perioperative complication rates of primary and repeat hysteroscopic endometrial ablations. *J Am Assoc Gynecol Laparosc* 2002; 9:175–177.
- Mall A, Shirk G, VanVoorhis BJ. Previous tubal ligation is a risk factor for hysterectomy after rollerball endometrial ablation. *Obstet Gynecol* 2002; 100:659–664. [30]
- Mangeshkar PS, Kapur A, Yackel DB. Endometrial ablation with a new thermal balloon system. *J Am Assoc Gynecol Laparosc* 2003; 10:27–32.
- Maresh MJ, Metcalfe MA, McPherson K, et al. The VALUE national hysterectomy study: description of the patients and their surgery. *Br J Obstet Gynaecol* 2002; 109:302–312. [16]
- Marwah V, Bhandari SK. Diagnostic and interventional microhysteroscopy with use of the coaxial bipolar electrode system. *Fertility and Sterility* 2003; 79:413–417.
- McCausland AM, McCausland VM. Frequency of symptomatic cornual hematometra and postablation tubal sterilization syndrome after total rollerball endometrial ablation: A 10-year follow-up. *Am J Obstet Gynecol* 2002; 186:1274–1280.
- Mettler L, Wendland EM, Patel P, Caballero R, Schollmeyer T. Hysteroscopy: an analysis of 2 year's experience. *JLS* 2002; 6:195–197.
- Mettler L. Long-term results in the treatment of menorrhagia and hypermenorrhea with a thermal balloon endometrial ablation technique. *JLS* 2002; 6:305–309.
- Milligan MP, Etokowo G, Kanumuru S, Manniford N. Microwave endometrial ablation: patients' experience in the first 3 months following treatment. *J Obstet Gynaecol* 2002; 22:201–204.
- Monteiro I, Bahamondes L, Diaz J, Perrotti M, Petta C. Therapeutic use of levonorgestrel-releasing intrauterine system in women with menorrhagia: a pilot study. *Contraception* 2002; 65:325–328.
- Nichols CM, Gill EJ. Thermal balloon endometrial ablation for management of acute uterine hemorrhage. *Obstet Gynecol* 2002; 100:1092–1094.
- Olson S, Wallage S, Deans HE, Wallis F, Parkin DE. Magnetic resonance imaging appearances of the uterus following microwave endometrial ablation. *Clin Radiol* 2002; 57:926–929.
- Onyeka BA, Arthur ID, Wilcox FL. Exclusions of abnormal endometrial histology before balloon endometrial ablation: lessons to be learnt. *J Obstet Gynaecol* 2002; 22:453–454.
- Onyeka BA, Arthur ID, Wilcox FL. ThermoChoice balloon endometrial ablation for menorrhagia: failure to develop and sustain operating pressures may be related to an unrecognized endometrial cancer. *Gynaecol Endosc* 2002; 11:151–153.
- Pellicano M, Guida M, Acunzo G, Cirillo D, Bifulco G, Nappi C. Hysteroscopic transcervical endometrial resection versus thermal destruction for menorrhagia: A prospective randomized trial on satisfaction rate. *Am J Obstet Gynecol* 2002; 187:545–550.
- Powers T, Rust L, Patton P, Hoag R, Wohlmuth G, Lenihan J, Lee M, et al. Frequency of symptomatic cornual hematometra and postablation tubal sterilization syndrome after total rollerball endometrial ablation: A 10-year follow-up - Discussion. *Am J Obstet Gynecol* 2002; 186:1281–1283.
- Roy KH, Mattox JH. Advances in endometrial ablation. *Obstet Gynecol Survey* 2002; 57:789–802.
- Shankar M, Naftalin NJ, Taub N, Habiba M. The long-term effectiveness of endometrial laser ablation: a survival analysis. *Eur J Obstet Gynecol Reprod Biol* 2003; 108:75–79. [28]
- Sharp N, Ellard M, Hirschowitz L, Malthouse S, Johnson N. Successful microwave ablation of endometrial carcinoma. *BJOG* 2002; 109:1410–1412. [37]
- Sharp N, Ellard M, Hirschowitz L, Malthouse S, Johnson N. Successful microwave ablation of endometrial carcinoma. *BJOG* 2002; 109:1410–1412.
- Shawki O, Peters A, Abraham Hebert S. Hysteroscopic endometrial destruction, optimum method for preoperative endometrial preparation: a prospective, randomized, multicenter evaluation. *JLS* 2002; 6:23–27.
- Sowter MC, Leethaby A, Singla AA. Pre-operative endometrial thinning agents before endometrial destruction for heavy menstrual bleeding. *Cochrane Database Syst Rev* 2002; 3:CD001124. [32]
- Soysal M, Soysal S, Ozer S. A randomized controlled trial of levonorgestrel releasing IUD and thermal balloon ablation in the treatment of menorrhagia. *Zentralbl Gynakol* 2002; 124:213–219. [26]
- Taskin O, Onoglu A, Inal M, Turan E, Sadik S, Vardar E, Postaci H, et al. Long-term histopathologic and morphologic changes after thermal endometrial ablation. *J Am Assoc Gynecol Laparosc* 2002; 9:186–190.
- Tiufekchieva E, Nikolov A. Hysteroscopic ablation of the endometrium in cases of dysfunctional uterine bleeding - advantage of preparations including zoladex [in Bulgarian]. *Akush Ginekol (Sofia)* 2002; 41:30–34.
- Varol N, Maher P, Vancallie T, Cooper M, Carter J, Kwok A, Pesce A, et al. A literature review and update on the prevention and management of fluid overload in endometrial resection and hysteroscopic surgery. *Gynaecol Endosc* 2002; 11:19–26.
- Vedantham S, Vesley TM, Parti N, Darcy M, Hovsepian DM, Picus D. Lower extremity venous thrombolysis with adjunctive mechanical thrombectomy. *J Vasc Interv Radiol* 2002; 13:1001–1008.
- Vilos GA, Harding PG, Silcox JA, Sugimoto AK, Carey M, Ettler HC. Endometrial adenocarcinoma encountered at the time of hysteroscopic endometrial ablation. *J Am Assoc Gynecol Laparosc* 2002; 9:40–48. [36]
- Vilos GA, Ettler HC, Carey M. Minimal deviation adenocarcinoma of the cervix encountered during hysteroscopic endometrial ablation. *J Am Assoc Gynecol Laparosc* 2003; 10:119–122.
- Vilos GA, Harding PG, Ettler HC. Resectoscopic surgery in women with abnormal uterine bleeding and nonatypical endometrial hyperplasia. *J Am Assoc Gynecol Laparosc* 2002; 9:131–137. [35]
- Wallage S, Cooper KG, Miller I. Microwave endometrial ablation: does endometrial thickness or the medium for preoperative hysteroscopy affect the depth of ablation?. *Gynaecol Endosc* 2002; 11:107–110.
- Watermeyer SR, Amso NN. Observational case reports of intra- and postoperative ultrasound monitoring of uterine balloon ablation. *J Obstet Gynaecol* 2002; 22:432–435.
- Weber AM. Endometrial ablation. *Obstet Gynecol* 2002; 99:969–970.
- Wortman M, Daggett A. Reoperative hysteroscopic surgery in the management of patients who fail endometrial ablation and resection. *J Am Assoc Gynecol Laparosc* 2001; 8:272–277.
- Wright B, Gannon MJ, Greenberg M, House A, Rutherford T. Psychiatric morbidity following endometrial ablation and its association with genuine menorrhagia. *BJog an Int J Obstet Gynaecol* 2003; 110:358–363. [31]
- Zupi E, Zullo F, Marconi D, et al. Hysteroscopic endometrial resection versus laparoscopic supracervical hysterectomy for menorrhagia: a prospective randomized trial. *J Am Assoc Gynecol Laparosc* 2003; 10:17–26. [21]
- Zupi E, Zullo F, Marconi D, Sbracia M, Pellicano M, Solima E, Sorrenti G. Hysteroscopic endometrial, resection versus laparoscopic supracervical hysterectomy for menorrhagia: A prospective randomized trial. *Am J Obstet Gynecol* 2003; 188:7–12.
- no authors listed. Stopping heavy periods: for some women, endometrial ablation is a viable alternative to hysterectomy. *Health News* 2002; 8:4.
- Salpingoscopy**  
Review: (pp 333–336)
- Fatum M. Investigation of the infertile couple: laparoscopy after normal hysterosalpingography? Reply. *Hum Reprod* 2002; 17:1928–1929.
- Fatum M. Should diagnostic/surgical laparoscopy be performed on infertile patients with normal hysterosalpingography?. *Hum Reprod* 2002; 17:2217.
- Gordts S, Campo R, Puttemans P, et al. A one-stop out-patient endoscopy-based approach. *Hum Reprod* 2002; 17:1684–1687. [9]
- Gordts S, Campo R, Puttemans P, et al. A one-stop out-patient endoscopy-based approach. *Hum Reprod* 2002; 17:1684–1687. [9]
- Gordts S, Campo R, Puttemans P, Verhoeven H, Gianaroli L, Brosens J, Brosens I. Investigation of the infertile couple: a one stop outpatient endoscopy-based approach. *Hum Reprod* 2002; 17:1684–1687.
- Marik J. Should diagnostic/surgical laparoscopy be performed on infertile patients with normal hysterosalpingography?. *Hum Reprod* 2002; 17:A2216–2217.
- Papaioannou S, Afnan M, Olufowobi O, Sharif K. Investigation of the infertile couple: laparoscopy after normal hysterosalpingography?. *Hum Reprod* 2002; 17:1928–
- Watrelet A, Dreyfus JM. Systematic salpingoscopy and micro-salpingoscopy during fertility. *J Am Assoc Gynecol Laparosc* 2002; 9:453–459. [6]
- Laparoscopic suturing in the vertical zone**  
Papasakelariou C. Use of a free Mayo needle in laparoscopic suturing. *J Am Assoc Gynecol Laparosc* 2002; 9:367–369.
- Credentialing in advanced laparoscopy**  
Ali MR, Mowery Y, Kaplan B, DeMaria EJ. Training the novice in laparoscopy: more challenge is better. *Surg Endosc* 2002; 16:1732–1736.
- Clayman RV. Resident training and endoscopic hospital privileging. *J Urol* 2002; 168:2331
- Einarsson JI, Young A, Tsien L, SangiHagheykar H. Perceived proficiency in endoscopic techniques among senior obstetrics and gynecology residents. *J Am Assoc Gynecol Laparosc* 2002; 9:158–164.
- Gor M, McCloy R, Stone R, Smith A. Virtual reality laparoscopic simulator for assessment in gynaecology. *BJog an Int J Obstet Gynaecol* 2003; 110:181–187.
- Gutt CN, Kim ZG, Krahenbuhl L. Training for advanced laparoscopic surgery. *Eur J Surg* 2002; 168:172–177.
- Hamilton EC, Scott DJ, Fleming JB, Rege RV, Laycock R, Bergen PC, Tesfay ST, et al. Comparison of video trainer and virtual reality training systems on acquisition of laparoscopic skills. *Surg Endosc* 2002; 16:406–411.
- Hasson HM, Getzels J. A system of credentialing physicians in advanced gynecologic endoscopy. *J Am Assoc Gynecol Laparosc* 2001; 8:214–217.
- Ladas SD, Malfertheiner P, Axon A. An introductory course for training in endoscopy. *Dig Dis* 2002; 20:242–245.
- Lim TO, Soraya A, Ding LM, Morad Z. Assessing doctors' competence: application of CUSUM technique in monitoring doctors' performance. *Int J Qual Health Care* 2002; 14:251–258.
- Luciano AA. A system of credentialing physicians in advanced gynecologic endoscopy. *J Am Assoc Gynecol Laparosc* 2001; 8:176–178.
- Marasco JA, Marasco RF. Designing the ambulatory endoscopy center. *Gastrointest Endosc Clin N Am* 2002; 12:185–204.
- Marsland CP, Robinson BJ, Chitty CH, Guy BJ. Acquisition and maintenance of endoscopic skills: developing an endoscopic dexterity training system for anesthesiologists. *J Clin Anesth* 2002; 14:615–619.
- Mayoaran Z, Tsaltas J, Rombauts L, Brown TH, Lawrence AS, Fraser K, Healy DL. Educational model for an objective assessment of operative laparoscopic skill. *Gynaecol Endosc* 2002; 11:59–66.
- Mizumoto H, Saito T, Ashihara K, Nishimura M, Takehara M, Tanaka R, Ito E, et al. Expression of matrix metalloproteinases in ovarian endometriomas: immunohistochemical study and enzyme immunoassay. *Life Sci* 2002; 71:259–273.
- Nussbaum MS. Surgical endoscopy training is integral to general surgery residency and should be integrated into residency and fellowships abandoned. *Semin Laparosc Surg* 2002; 9:212–215.
- Plunkett BA, Kohli P, Milad MP. The importance of physician gender in the selection of an obstetrician or a gynecologist. *Am J Obstet Gynecol* 2002; 186:926–928.
- Wexner SD, Eisen GM, Simmgang C. Principles of privileging and credentialing for endoscopy and colonoscopy. *Surg Endosc* 2002; 16:367–369.
- Wexner SD, Eisen GM, Simmgang C. Principles of privileging and credentialing for endoscopy and colonoscopy. *Dis Colon Rectum* 2002; 45:161–164.
- Wexner SD, Litwin D, Cohen J, Earle D, Ferzi G, Flaherty J, Graham S, et al. Principles of privileging and credentialing for endoscopy and colonoscopy. *Gastrointest Endosc* 2002; 55:145–148.
- Laparoscopic and hysteroscopic complications**  
Agostini A, Cravello L, Desbriere R, Maisonneuve AS, Roger V, Blanc B. Hemorrhage risk during operative hysteroscopy. *Acta Obstet Gynecol Scand* 2002; 81:878–881.
- Agostini A, Cravello L, Brettele F, Shojai R, Roger V, Blanc B. Risk of uterine perforation during hysteroscopic surgery. *J Am Assoc Gynecol Laparosc* 2002; 9:264–267.
- Al-Hajjar N, Duca S, Molnar G, Vasilescu A, Nicolescu N. Incidents and postoperative complications of laparoscopic cholecystectomies for acute cholecystitis. *Rom J Gastroenterol* 2002; 11:115–119.
- Atack B, AbuRafea B. Biochemical changes after laparoscopy and bladder injury. *J Am Assoc Gynecol Laparosc* 2002; 9:234
- Aydeniz B, Gruber IV, Schauf B, Kurek R, Meyer A, Wallwiener D. A multicenter survey of complications associated with 21 676 operative hysteroscopies. *Eur J Obstet Gynecol Reprod Biol* 2002; 104:160–164.

- Bai SW, Lim JH, Kim JY, Chung KA, Kim SK, Park KH. Relationship between obesity and the risk of gynecologic laparoscopy in Korean women. *J Am Assoc Gynecol Laparoscop* 2002; 9:165-169.
- Ben-Haim M, Kuriansky J, Tal R, Zmora O, Mintz Y, Rosin D, Ayalon A, et al. Pitfalls and complications with laparoscopic intraperitoneal expanded polytetrafluoroethylene patch repair of postoperative ventral hernia. *Surg Endosc* 2002; 16:785-788.
- Berg AA. "Licence" requirements for physicians who are to perform laparoscopic surgery: frequency of complications still too high [in Swedish]. *Lakaridningen* 2002; 99:16-17.
- Berger D, Bientzle M, Muller A. Postoperative complications after laparoscopic incisional hernia repair: incidence and treatment. *Surg Endosc* 2002; 16:1720-1723.
- Blachar A, Federle MP, Pealar KM, Ikramuddin S, Schauer PR. Gastrointestinal complications of laparoscopic Roux-en-Y gastric bypass surgery: clinical and imaging findings. *Radiology* 2002; 223:625-632.
- Blachar A, Federle MP. Gastrointestinal complications of laparoscopic roux-en-Y gastric bypass surgery in patients who are morbidly obese: findings on radiography and CT. *AJR Am J Roentgenol* 2002; 179:1437-1442.
- Bloomstone J, Chow CM, Isselbacher E, VanCott E, Isaacson KB. A pilot study examining the frequency and quantity of gas embolization during operative hysteroscopy using a monopolar resectoscope. *J Am Assoc Gynecol Laparoscop* 2002; 9:9-14.
- Brockmann JG, Kocher T, Senninger NJ, Schurmann GM. Complications due to gallstones lost during laparoscopic cholecystectomy. *Surg Endosc* 2002; 16:1226-1232.
- Brunt LM. The positive impact of laparoscopic adrenalectomy on complications of adrenal surgery. *Surg Endosc* 2002; 16:252-257.
- Chapron C, Fauconnier A, Goffinet F, Breart G, Dubuisson JB. Laparoscopic surgery is not inherently dangerous for patients presenting with benign gynaecologic pathology. Results of a meta-analysis. *Hum Reprod* 2002; 17:1334-1342.
- Cheng J, O'Rourke R, Zhu G, Swanstrom L, Hansen P. Laparoscopic placement of hepatic artery infusion pump: technical considerations and perioperative complications. *J Gastrointest Surg* 2003; 7:261.
- Clayman RV. Multi-institutional study of complications in 1085 laparoscopic urologic procedures. *J Urol* 2002; 168:871-872.
- Coelho JCU, Campos ACL, Costa MAR, Soares RV, Fauz RA. Complications of laparoscopic fundoplication in the elderly. *Surg Laparosc Endosc Percutan Tech* 2003; 13:6-10.
- Cogan SL, Paraiso MFR, Bedaiwy MA. Formation of vesicovaginal fistulas in laparoscopic hysterectomy with electrocauterized cystotomy in female mongrel dogs. *Am J Obstet Gynecol* 2002; 187:1510-1513.
- Cogan J. Formation of vesicovaginal fistulas in laparoscopic hysterectomy with electrocauterized cystotomy in female mongrel dogs. *Am J Obstet Gynecol* 2002; 187:1514.
- Cooper MJ, Reid GD, Kaloo P. Respiratory symptoms as an indicator of undiagnosed bowel perforation following laparoscopic surgery - an observation. *Aust N Z J Obstet Gynaecol* 2002; 42:545-547.
- Corson SL, Brooks PG, Soderstrom RM. Safe technique for laparoscopic entry into the abdominal cavity. *J Am Assoc Gynecol Laparoscop* 2002; 9:999.
- Corson SL, Chandler JG, Way LW. Survey of laparoscopic entry injuries provoking litigation. *J Am Assoc Gynecol Laparoscop* 2001; 8:341-347.
- Corson SL. Venous air and gas emboli in operative hysteroscopy. *J Am Assoc Gynecol Laparoscop* 2002; 9:106.
- Cosson M, Rajabally R, Bogaert E, Querleu D, Crepin G. Laparoscopic sacrocolpomy, hysterectomy, and burch colposuspension: feasibility and short-term complications of 77 procedures. *JSLD* 2002; 6:115-119.
- Cravello L, Banet J, Agostini A, Bretelle F, Roger V, Blanc B. Open laparoscopy: analysis of complications due to first trocar insertion [in French]. *Gynecol Obstet Fertil* 2002; 30:286-290.
- Doumas K, Alivizatos G. Complications of laparoscopic urological surgery. *Arch Esp Urol* 2002; 55:730-736.
- Fabry H, Van Hee R, Hendrickx L, Totte E. A technique for prevention of port complications after laparoscopic adjustable silicone gastric banding. *Obes Surg* 2002; 12:285-288.
- Franklin ME Jr, Gonzalez JJ Jr. Laparoscopic placement of hepatic artery catheter for regional chemotherapy infusion: technique, benefits and complications. *Surg Laparosc Endosc Percutan Tech* 2002; 12:398-402.
- Friedman JD, Ramsey PS, Ramin KD, Berry C. Pneumothorax and pregnancy loss after second trimester laparoscopic surgery. *Obstet Gynecol* 2002; 99:512-513.
- Gustavsson S, Westling A. Laparoscopic adjustable gastric banding: complications and side effects responsible for the poor long-term outcome. *Semin Laparosc Surg* 2002; 9:115-124.
- Habib E, Khoury R, Elhadad A, Jarno F, Diallo T. Digestive complications of biliary gallstone lost during laparoscopic cholecystectomy [in French]. *Gastroenterol Clin Biol* 2002; 26:930-934.
- Hahnloser D, Schumacher M, Cavin R, Cosendy B, Petropoulos P. Risk factors for complications of laparoscopic Nissen fundoplication. *Surg Endosc* 2002; 16:43-47.
- Harris RL. Formation of vesicovaginal fistulas in laparoscopic hysterectomy with electrocauterized cystotomy in female mongrel dogs - Discussion. *Am J Obstet Gynecol* 2002; 187:1513.
- Harrison BA, Burkle CM. Cardiorespiratory emergencies associated with pelvic surgery. *Clin Obstet Gynecol* 2002; 45:518-536.
- Hasbargen U, SummererMoustaki M, Hillemanns P, Scheidler J, Kimmig R, Hepp H. Uterine dehiscence in a nullipara, diagnosed by MRI, following use of unipolar electrocautery during laparoscopic myomectomy. *Hum Reprod* 2002; 17:2180-2182.
- Hawasi A, Schroder D, Rizzo J, Thusay M, Takach TJ, Thao U, Goncharova I. Remote complications of spilled gallstones during laparoscopic cholecystectomy: causes, prevention, and management. *J Laparoendosc Adv Surg Tech A* 2002; 12:123-128.
- Hsu THS, Su LM, Ratner LE, Kavoussi LR. Renovascular complications of laparoscopic donor nephrectomy. *Urology* 2002; 60:811-815.
- Jamieson R, Hammond I, Maouris P. Small bowel perforation associated with microwave endometrial ablation. *Aust N Z J Obstet Gynaecol* 2002; 42:407-408.
- Jones KD, Fan A, Sutton C. Safe entry during laparoscopy: a prospective audit in a district general hospital. *Gynaecol Endosc* 2002; 11:85-89.
- Kaali SG. Complications associated with optical access laparoscopic trocars. *Obstet Gynecol* 2002; 100:614.
- Kaloo P, Cooper M, Reid G. A prospective multicentre study of laparoscopic complications related to the direct-entry technique. *Gynaecol Endosc* 2002; 11:67-70.
- Kwok A, Nevell D, Ferrier A, Graf N, Lam A, Ford R. Comparison of tissue injury between laparoscopic coagulating shears and electrocautery scissors in the sheep model. *J Am Assoc Gynecol Laparoscop* 2001; 8:378-384.
- Lachman E, Rosenberg P, Gino G, Levine S, Goldberg S, Borstein M. Axonal damage to the left musculocutaneous nerve of the left biceps muscle during laparoscopic surgery. *J Am Assoc Gynecol Laparoscop* 2001; 8:453-455.
- Leibl BJ, Kraft B, Redecke JD, Schmedt CG, Ulrich M, Kraft K, Bittner R. Are postoperative complaints and complications influenced by different techniques in fashioning and fixing the mesh in transperitoneal laparoscopic hernioplasty? Results of a prospective randomized trial. *World J Surg* 2002; 26:1481-1484.
- Levy BS. Litigation and laparoscopy. *J Am Assoc Gynecol Laparoscop* 2001; 8:335-336.
- Lewis BV. Comment on: Bowel injuries during gynaecological laparoscopy: a multi-national survey (Brossens and Gordon, *Gynaecological Endoscopy* Vol. 10, 2001, p. 141). *Gynaecol Endosc* 2002; 11:164-165.
- Lissauer M, Reinhold R. Biliary complications a decade after introduction of laparoscopic cholecystectomy. *J Gastrointest Surg* 2003; 7:304.
- Luciano AA, Roy GM, Bazzurini L, Solima E. Safe technique for laparoscopic entry into the abdominal cavity - Response. *J Am Assoc Gynecol Laparoscop* 2002; 9:399-401.
- Magrina JF. Complications of laparoscopic surgery. *Clin Obstet Gynecol* 2002; 45:469-480.
- Meraney AM, Samee AAE, Gill IS. Vascular and bowel complications during retroperitoneal laparoscopic surgery. *J Urol* 2002; 168:1941-1944.
- Modrzejewski A, Hamera T, Halczak M, Sledz M. Laparoscopic treatment of complications from endoscopic retrograde cholangiopancreatography. *Surg Endosc* 2002; 16:715.
- Molloy D, Kaloo PD, Cooper M, Nguyen TV. Laparoscopic entry: a literature review and analysis of techniques and complications of primary port entry. *Aust N Z J Obstet Gynaecol* 2002; 42:246-254.
- Molloy D, Kaloo PD, Cooper M, Nguyen TV. Laparoscopic entry: a literature review and analysis of techniques and complications of primary port entry. *Aust N Z J Obstet Gynecol* 2002; 42:245-254.
- MorenoEgea A, Castillo JA, Girela E, Canteras M, Aguayo JL. Outpatient laparoscopic incisional/ventral hernioplasty: Our experience in 55 cases. *Surg Laparosc Endosc Percutan Tech* 2002; 12:171-174.
- Munro MG, Weisberg M, Rubinstein E. Gas and air embolization during hysteroscopic electrocauterized vaporization: Comparison of gas generation using bipolar and monopolar electrodes in an experimental model. *J Am Assoc Gynecol Laparoscop* 2001; 8:488-494.
- Munro MG. Laparoscopic access: complications, technologies, and techniques. *Curr Opin Obstet Gynecol* 2002; 14:365-374.
- Murakami G, Yabuki Y, Kato T. A nerve-sparing radical hysterectomy: guidelines and feasibility in Western patients. *Int J Gynecol Cancer* 2002; 12:319-321.
- Mynbaev OA, Molinas CR, Adamyan LV, Vanacker B, Koninckx PR. Pathogenesis of CO<sub>2</sub> pneumoperitoneum-induced metabolic hypoxemia in a rabbit model. *J Am Assoc Gynecol Laparoscop* 2002; 9:306-314.
- Mynbaev OA, Molinas CR, Adamyan LV, Vanacker B, Koninckx PR. Reduction of CO<sub>2</sub>-pneumoperitoneum-induced metabolic hypoxemia by the addition of small amounts of O<sub>2</sub> to the CO<sub>2</sub> in a rabbit ventilated model. A preliminary study. *Hum Reprod* 2002; 17:1623-1629.
- Okeke AA, Timoney AG, Keeley FX. Hand-assisted laparoscopic nephrectomy: complications related to the hand port site. *BJU Int* 2002; 90:364-367.
- Oktem O, Gokaslan H, Durmusoglu F. Spontaneous uterine rupture in pregnancy 8 years after laparoscopic myomectomy. *J Am Assoc Gynecol Laparoscop* 2001; 8:618-620.
- Olesen A, Rudnicki M. Vaginal infection with methicillin-resistant *Staphylococcus aureus* after laparoscopic supracervical hysterectomy. *Acta Obstet Gynecol Scand* 2002; 81:676-677.
- Papasavas PK, Caushaj PF, McCormick JT, Quinlin RF, Hayetian FD, Maurer J, Kelly JJ, et al. Laparoscopic management of complications following laparoscopic Roux-en-Y gastric bypass for morbid obesity. *Surg Endosc* 2003; 17:610-614.
- Papasavas PK, OMara MS, Quinlin RF, Maurer J, Caushaj PF, Gagne DJ. Laparoscopic reoperation for early complications of laparoscopic gastric bypass. *Obesity Surgery* 2002; 12:559-563.
- Pontiroli AE, Pizzocci P, Librenti MC, Vedani P, Marchi M, Cucchi E, Orena C, et al. Laparoscopic adjustable gastric banding for the treatment of morbid (grade 3) obesity and its metabolic complications: a three-year study. *J Clin Endocrinol Metab* 2002; 87:3555-3561.
- Porter S, PatersonBrown S. Avoiding inadvertent laparotomy. *BJog an Int J Obstet Gynaecol* 2003; 110:91-92.
- Radu H, Osian G, Vlad L, Vieru V, Mutelica L. Comparative study of accidents and complications of laparoscopic cholecystectomy in cirrhotic and non cirrhotic patients. *Rom J Gastroenterol* 2002; 11:13-17.
- Rastogi V, Dy V. Control of port-site bleeding from smaller incisions after laparoscopic cholecystectomy surgery - A new, innovative, and easier technique. *Surg Laparosc Endosc Percutan Tech* 2002; 12:224-226.
- Roy GM, Bazzurini L, Solima E, Luciano AA. Safe technique for laparoscopic entry into the abdominal cavity. *J Am Assoc Gynecol Laparoscop* 2001; 8:519-528.
- Sakellariou P, Protopapas AG, Voulgaris S, Kyritsis N, Rodolakis A, Vlachos G, Diakomanolis E, et al. Management of ureteric injuries during gynecological operations: 10 years experience. *Eur J Obstet Gynecol Reprod Biol* 2002; 101:179-184.
- Saleh A, Fox G, Felemban A, Guerra C, Tulandi T. Effects of local bupivacaine instillation on pain after laparoscopy. *J Am Assoc Gynecol Laparoscop* 2001; 8:203-206.
- Schmedt CG, Leibl BJ, Bittner R. Access-related complications in laparoscopic surgery: tips and tricks to avoid trocar complications [in German]. *Chirurg* 2002; 73:863-876.
- See C, Carter PL, Elliott D, Mullenix P, Eggebroten W, Porter C, Watts D. An institutional experience with laparoscopic gastric bypass complications seen in the first year compared with open gastric bypass complications during the same period. *Am J Surg* 2002; 183:533-538.
- Seidman DS, Nezhad CH, Nezhad FR, Nezhad C. Spontaneous uterine rupture in pregnancy 8 years after laparoscopic myomectomy - Response. *J Am Assoc Gynecol Laparoscop* 2001; 8:620-621.
- Seifman BD, Dunn RL, Wolf JS. Transperitoneal laparoscopy into the previously operated abdomen: Effect on operative time, length of stay and complications. *J Urol* 2003; 169:36-40.
- Seifman BD, Dunn RL, Wolf JS Jr. Transperitoneal laparoscopy into the previously operated abdomen: effect on operative time, length of stay and complications. *J Urol* 2003; 169:36-40.
- Sharp HT, Dodson MK, Draper ML, Watts DA, Doucette RC, Hurd WW. Complications associated with optical access laparoscopic trocars. *Obstet Gynecol* 2002; 99:553-555.
- Shen CC, Lu HM, Chang SY. Characteristics and management of large bowel injury in laparoscopic-assisted vaginal hysterectomy. *J Am Assoc Gynecol Laparoscop* 2002; 9:35-39.
- Shen CC, Hsu TY, Huang FJ, Huang EY, Huang HW, Chang HY, Chang CY, et al. Laparoscopic assisted vaginal hysterectomy in women of all weights and the effects of weight on complications. *J Am Assoc Gynecol Laparosc* 2002; 9:468-473.
- Simsek T, Uner M, Trak B. Hysteroscopic uterine septum incision: is endometrial preparation mandatory to reduce operative complications and failure?. *Gynaecol Endosc* 2002; 11:119-122.
- Siqueira TM Jr, Kuo RL, Gardner TA, Paterson RF, Stevens LH, Lingeman JE, Koch MO, et al. Major complications in 213 laparoscopic nephrectomy cases: the Indianapolis experience. *J Urol* 2002; 168:1361-1365.

- Stoloff DR, Isenberg RA, Brill AI. Venous air and gas emboli in operative hysterectomy. *J Am Assoc Gynecol Laparosc* 2001; 8:181-192.
- Stoloff DR, Isenberg RA, Brill AI. Venous air and gas emboli in operative hysterectomy - Response. *J Am Assoc Gynecol Laparosc* 2002; 9:106
- Suess J, Gerhardt B, Scharl A. Twin gestation with uterine rupture after hysterectomy. *Gynaecol Endosc* 2002; 11:145-149.
- Swank DJ, van Erp WF, Repelaer van Driel OJ, Hop WC, Bonjer HJ, Jeekel J. Complications and feasibility of laparoscopic adhesiolysis in patients with chronic abdominal pain: a retrospective study. *Surg Endosc* 2002; 16:1468-1473.
- Swift G, Healey M, Varol N, Maher P, Hill D. A prospective randomised double-blind placebo controlled trial to assess whether gas drains reduce shoulder pain following gynaecological laparoscopy. *Aust N Z J Obstet Gynaecol* 2002; 42:267-270.
- Szold A, Abu-Abaid S. Laparoscopic adjustable silicone gastric banding for morbid obesity: results and complications in 715 patients. *Surg Endosc* 2002; 16:230-233.
- Tsaltas J, Lawrence A, Michael M, Pearce S. Complications of laparoscopic hysterectomy: the Monash experience. *Aust N Z J Obstet Gynaecol* 2002; 42:295-299.
- Tulikangas PK, Gill IS, Falcone T. Laparoscopic repair of ureteral injuries. *J Am Assoc Gynecol Laparosc* 2001; 8:259-262.
- Vallancien G, Cathelineau X, Baumert H, Doublet JD, Guillonneau B. Complications of transperitoneal laparoscopic surgery in urology review of 1,311 procedures at a single center. *J Urol* 2002; 168:23-26.
- Vilos GA, Haebbe J, Crumley TL, Maruncic MA, King JH, Denstedt JD. Serum biochemical changes after laparoscopy may be indicators of bladder injury. *J Am Assoc Gynecol Laparosc* 2001; 8:285-290.
- Visco LG, Barber MD, Myers ER. Early physician experience with laparoscopically assisted vaginal hysterectomy and rates of surgical complications and conversion to laparotomy. *Am J Obstet Gynecol* 2002; 187:1008-1012.
- Watkin D. Why does NICE not recommend laparoscopic herniorrhaphy? Patients must consider potential serious complications. *BMJ* 2002; 325:339
- Winslow ER, Fleshman JW, Birnbaum EH, Brunt LM. Wound complications of laparoscopic vs open colectomy. *Surg Endosc* 2002; 16:1420-1425.
- Worrell JB, Cleary DT. Massive subcutaneous emphysema and hypercarbia complications of carbon dioxide absorption during extraperitoneal and intraperitoneal laparoscopic surgery - case studies. *AANA J* 2002; 70:456-461.
- Wullstein C, Woeste G, Barkhausen S, Gross E, Hopt UT. Do complications related to laparoscopic cholecystectomy influence the prognosis of gallbladder cancer?. *Surg Endosc* 2002; 16:828-832.
- deTayrac R, Gervaise A, Laurent D, Fernandez H. Pneumothorax complicating laparoscopic-assisted vaginal hysterectomy. *J Am Assoc Gynecol Laparosc* 2001; 8:291-294.
- diZerega GS, Vercò SJS, Young P, Kettel M, Kobak W, Martin D, Sanfilippo J, et al. A randomized, controlled pilot study of the safety and efficacy of 4% icodextrin solution in the reduction of adhesions following laparoscopic gynaecological surgery. *Hum Reprod* 2002; 17:1031-1038.
- no authors given. Health insurance reimbursement for cholecystectomy related complications: comparison of laparoscopic cholecystectomy with open cholecystectomy [in Japanese]. *Nippon Shokakibyō Gakkai Zasshi* 2002; 99:850-852.
- Hysteroscopic tubal sterilization, laparoscopic sterilisation**
- Cetin MT, Demir SC, Toksoz L, Kadayifci O. Laparoscopic microsurgical tubal reanastomosis: a preliminary study. *Eur J Contracept Reprod H C* 2002; 7:162-166.
- Cha SH, Lee MH, Kim JH, Lee CN, Yoon TK, Cha KY. Fertility outcome after tubal anastomosis by laparoscopy and laparotomy. *J Am Assoc Gynecol Laparosc* 2001; 8:348-352.
- Chung MT, Lin YS, Wu MP, Huang KF. Laparoscopic surgery for omental pregnancy. *J Am Assoc Gynecol Laparosc* 2002; 9:84-86.
- Dmowski WP, Rana N, Ding J, Wu WT. Retroperitoneal subpancreatic ectopic pregnancy following in vitro fertilization in a patient with previous bilateral salpingectomy: How did it get there?. *J Assist Reprod Genet* 2002; 19:90-93.
- Erenus M, Gokaslan H, Ozer K. Successful laparoscopic treatment of a ruptured primary ovarian pregnancy. *J Am Assoc Gynecol Laparosc* 2002; 9:87-88.
- Garwood S, Reeder M, Mackenzie IZ, Guillebaud J. Tubal surface lidocaine mediates pre-emptive analgesia in awake laparoscopic sterilization: A prospective, randomized clinical trial. *Am J Obstet Gynecol* 2002; 186:383-388.
- Goldberg JM, Falcone T. Laparoscopic microsurgical tubal anastomosis with and without robotic assistance. *Hum Reprod* 2003; 18:145-147.
- Hardy TJ. Hysteroscopic resection of a cervical ectopic pregnancy. *J Am Assoc Gynecol Laparosc* 2002; 9:370-371.
- Hawkins J, Dube D, Kaplow M, Tulandi T. Cost analysis of tubal anastomosis by laparoscopy and by laparotomy. *J Am Assoc Gynecol Laparosc* 2002; 9:120-124.
- Kalegyn A. Combination of laparoscopic sterilization with abortion. *J Am Assoc Gynecol Laparosc* 2001; 8:614
- Kaloo P, Cooper M. Fertility outcomes following laparoscopic tubal re-anastomosis post tubal sterilisation. *Aust N Z J Obstet Gynaecol* 2002; 42:256-258.
- Kwok A, Chia KKM, Ford R, Lam A. Laparoscopic management of a case of abdominal ectopic pregnancy. *Aust N Z J Obstet Gynaecol* 2002; 42:300-302.
- Osuga Y, Tsutsumi O, Fujiwara T, Kugu K, Fujimoto A, Taketani Y. Usefulness of long-jaw forceps in laparoscopic cornual resection of interstitial pregnancies. *J Am Assoc Gynecol Laparosc* 2001; 8:429-432.
- Pal L, Parkash V, Rutherford TJ. Omental trophoblastic implants and hemoperitoneum after laparoscopic salpingostomy for ectopic pregnancy - A case report. *J Reprod Med* 2003; 48:57-59.
- Pasic RP, Hammons G, Gardner JS, Hainer M. Laparoscopic treatment of cornual heterotopic pregnancy. *J Am Assoc Gynecol Laparosc* 2002; 9:372-375.
- Riggs JC, Schiavello HJ, Fixler R. Concurrent appendicitis and ectopic pregnancy - A case report. *J Reprod Med* 2002; 47:510-514.
- Sagiv R, Debby A, Sadan O, Malinger G, Glezerman M, Golan A. Laparoscopic surgery for extrauterine pregnancy in hemodynamically unstable patients. *J Am Assoc Gynecol Laparosc* 2001; 8:529-532.
- Schytte T, Soerensen JA, Hauge B, Andersen B. Preoperative transverse analgesia for laparoscopic sterilization with Filshie clips. A double blind randomized trial. *Acta Obstet Gynecol Scand* 2003; 82:57-60.
- Sijanovic S, Topolovec Z, Sijanovic L. Laparoscopic treatment of primary ovarian pregnancy. *J Am Assoc Gynecol Laparosc* 2002; 9:221-222.
- Sommer EM, Reisenberger K, Bogner G, Nagele F. Laparoscopic management of an unrecognized spontaneous bilateral tubal pregnancy. *Acta Obstet Gynecol Scand* 2002; 81:366-368.
- Templeman C, Davis C, Janik G, Koh C. Laparoscopic microsurgical anastomosis of the blocked, solitary post-ectopic Fallopian tube. *Hum Reprod* 2002; 17:1630-1632.
- Tews G, Ebner T, Yaman C. beta-hCG-negative ectopic pregnancy in the right tube. *J Am Assoc Gynecol Laparosc* 2001; 8:338-339.
- Tiras MB, Gokce O, Noyan V, Zeyneloglu HB, Guner H, Yildirim M, Risquez F. Comparison of microlaparoscopy and conventional laparoscopy for tubal sterilization under local anesthesia with mild sedation. *J Am Assoc Gynecol Laparosc* 2001; 8:385-388.
- Tulandi T, Bisharah M. Combination of laparoscopic sterilization with abortion - Response. *J Am Assoc Gynecol Laparosc* 2001; 8:614-615.
- Vilos GA. Laparoscopic Ligation and resection of two ipsilateral interstitial pregnancies in the same patient. *J Am Assoc Gynecol Laparosc* 2001; 8:299-302.
- Robotics: the future of laparoscopy**
- Ballantyne GH. Robotic surgery, telerobotic surgery, telepresence, and telementoring: review of early clinical results. *Surg Endosc* 2002; 16:1389-1402.
- Ballantyne GH. The pitfalls of laparoscopic surgery: challenges for robotics and telerobotic surgery. *Surg Laparosc Endosc Percutan Tech* 2002; 12:1-5.
- Broeders IA, Ruurda JP. Robotics in laparoscopic surgery: current status and future perspectives. *Scand J Gastroenterol Suppl* 2002; 236:76-80.
- Desai MM, Gill IS, Kaoouk JH, Matin SF, Sung GT, Bravo EL. Robotic-assisted laparoscopic adrenalectomy. *Urology* 2002; 60:1104-1107.
- Gettman MT, Blute ML, Peschel R, Bartsch G. Current status of robotics in urologic laparoscopy. *Eur Urol* 2003; 43:106-112.
- Menon M, Shrivastava A, Tewari A, Sarle R, Hemal A, Peabody JO, Vallancien G. Laparoscopic and robot assisted radical prostatectomy: Establishment of a structured program and preliminary analysis of outcomes. *J Urol* 2002; 168:945-949.
- Omar , Ostlie DJ, Langer J, Rothenberg S. Single cannula technique and robotic telescopic assistance in infants and children who require laparoscopic Nissen fundoplication - Discussion. *J Pediatr Surg* 2003; 38:115
- Ostlie DJ, Miller KA, Woods RK, Holcomb GW. Single cannula technique and robotic telescopic assistance in infants and children who require laparoscopic Nissen fundoplication. *J Pediatr Surg* 2003; 38:111-114.
- Prasad SM, Maniar HS, Soper NJ, Damiano RJ, Klingensmith ME. The effect of robotic assistance on learning curves for basic laparoscopic skills. *Am J Surg* 2002; 183:702-707.
- Rassweiler J, Frede T. Robotics, telesurgery and telementoring - their position in modern urological laparoscopy. *Arch Esp Urol* 2002; 55:610-628.
- Ure BM, Jesch NK, Gluer S. What's new in minimally invasive paediatric surgery?. *Eur J Pediatr Surg* 2002; 12:361-365.
- Management of hydrosalpinx, ovarian masses, tubal polyps**
- Aboughar MA, Mansour RT, Serour GI. Spontaneous intrauterine pregnancy following salpingectomy for a unilateral hydrosalpinx. *Hum Reprod* 2002; 17:1099-1100.
- Ajonuma LC, Ng EHY, Chan HC. New insights into the mechanisms underlying hydrosalpinx fluid formation and its adverse effect on IVF outcome. *Hum Reprod Update* 2002; 8:255-264.
- Cicinelli E, Matteo M, Causio F, et al. Tolerability of the mini-panendoscopic approach (transvaginal hydrolaparoscopy and minihysteroscopy) versus hysterosalpingography in an outpatient infertility investigation. *Fertil Steril* 2001; 76:1048-1051.
- HenrySuchet J. Laparoscopic treatment of tubo-ovarian abscess: Thirty years' experience. *J Am Assoc Gynecol Laparosc* 2002; 9:235-237.
- Johnson NP, Mak W, Sowter MC. Laparoscopic salpingectomy for women with hydrosalpinges enhances the success of IVF: a Cochrane review. *Hum Reprod* 2002; 17:543-548.
- Maier R. Does hysterectomy without adnexectomy in patients with prior tubal interruption increase the risk of subsequent hydrosalpinx? Discussion. *Am J Obstet Gynecol* 2002; 187:1485
- Marchino GL, Gigante V, Gennarelli G, Mazza O, Mencaglia L. Salpingoscopic and laparoscopic investigations in relation to fertility outcome. *J Am Assoc Gynecol Laparosc* 2001; 8:218-221.
- Morse AN, Hammer RA, Walter AJ, Baker S, Magtibay PM. Does hysterectomy without adnexectomy in patients with prior tubal interruption increase the risk of subsequent hydrosalpinx?. *Am J Obstet Gynecol* 2002; 187:1483-1485.
- Morse . Does hysterectomy without adnexectomy in patients with prior tubal interruption increase the risk of subsequent hydrosalpinx?. *Am J Obstet Gynecol* 2002; 187:1485-1486.
- Romer T, Bojahr B, Schwesinger G. Treatment of a torqued hematosalpinx in the thirteenth week of pregnancy using gasless laparoscopy. *J Am Assoc Gynecol Laparosc* 2002; 9:89-92.
- Strandell A, Lindhard A. Why does hydrosalpinx reduce fertility? The importance of hydrosalpinx fluid. *Hum Reprod* 2002; 17:1141-1145.
- Yang CC, Chen P, Tseng JY, Wang PH. Advantages of open laparoscopic surgery over exploratory laparotomy in patients with tubo-ovarian abscess. *J Am Assoc Gynecol Laparosc* 2002; 9:327-332.
- Adhesion prevention**
- Abuzeid MI, Ashraf M, Shamma FN. Temporary ovarian suspension at laparoscopy for prevention of adhesions. *J Am Assoc Gynecol Laparosc* 2002; 9:98-102.
- Chapron C, Guibert J, Fauconnier A, Vieira M, Dubuisson JB. Adhesion formation after laparoscopic resection of uterosacral ligaments in women with endometriosis. *J Am Assoc Gynecol Laparosc* 2001; 8:368-373.
- Hackam , Romeo C. Peritoneal macrophage activity after laparoscopy or laparotomy - Discussion. *J Pediatr Surg* 2003; 38:100-101.
- Ozmen MM, Aslar AK, Terzi MC, Albayrak L, Berberoglu M. Prevention of adhesions by bioresorbable tissue barrier following laparoscopic intraabdominal mesh insertion. *Surg Laparosc Endosc Percutan Tech* 2002; 12:342-346.
- Pautler SE, Phillips JL, Walther MM. Assessment of risk for intra-abdominal adhesions at laparoscopy for urological tumors. *J Urol* 2002; 168:2391-2394.
- Pekmezci S, Altinli E, Saribeyoglu K, Carkman S, Hamzaoglu I, Paksoy M, Uras C, et al. Enteroclysis-guided laparoscopic adhesiolysis in recurrent adhesive small bowel obstructions. *Surg Laparosc Endosc Percutan Tech* 2002; 12:165-170.
- Romeo C, Impellizzeri P, Antonuccio P, Turiaco N, Cifala S, Gentile C, Passaniti M, et al. Peritoneal macrophage activity after laparoscopy or laparotomy. *J Pediatr Surg* 2003; 38:97-100.
- Laparoscopic repair of vaginal vault prolapse and prolapse surgery**
- Brown JS, Waetjen LE, Subak LL, Thom DH, VanDenEeden S, Vittinghoff E. Pelvic organ prolapse surgery in the United States, 1997. *Am J Obstet Gynecol* 2002; 186:712-716.
- Carter JE. Laparoscopic uterine suspension. *J Reprod Med* 2002; 47:878
- Collopy BT, Barham KA. Abdominal colpoproctopexy with pelvic cul-de-sac closure. *Dis Colon Rectum* 2002; 45:522-526.

- Deval B, Rafii A, Poilpot S, Wicart F, Affak N, Levardon M. New physiological, diagnostic and therapeutic concepts in the management of rectoceles in women [in French]. *Gynecol Obstet Fertil* 2002; 30:180-194.
- Farnsworth BN. Posterior intravaginal slingplasty (Infracoccygeal sacropepy) for severe posthysterectomy vaginal vault prolapse - A preliminary report on efficacy and safety. *Int Urogynecol J Pelvic Floor* 2002; 13:4-8.
- Flynn BJ, Webster GD. Surgical management of the apical vaginal defect. *Curr Opin Urol* 2002; 12:353-358.
- Frezza EE, Ikramuddin S, Gourash W, Schauer P. Laparoscopic resection of a large periaidrenal nonmalignant pheochromocytoma. *Surg Endosc* 2002; 16:362-363.
- Ghellai AM, Islam S, Stoker ME. Laparoscopic repair of postoperative perineal hernia. *Surg Laparosc Endosc Percutan Tech* 2002; 12:119-121.
- Goldberg RP, Tomesko JE, Winkler HA, et al. Anterior or posterior sacrospinous vaginal vault suspension: long-term anatomic and functional evaluation. *Obstet Gynecol* 2001; 98:199-204.
- Iwanaka T, Arai M, Kawashima H, Kudou S, Fujishiro J, Matsui A, Imaizumi S. Findings of pelvic musculature and efficacy of laparoscopic muscle stimulator in laparoscopy-assisted anorectal pull-through for high imperforate anus. *Surg Endosc* 2003; 17:278-281.
- Karram M, Goldwasser S, Kleeman S, et al. High ureterosacral vaginal vault suspension with vascular reconstruction for vaginal repair of enterocele and vaginal vault prolapse. *Obstet Gynecol* 2001; 185:1339-1343.
- Kucuk M. Laparoscopic management of fallopian tube prolapse masquerading as adenocarcinoma of the vagina in a hysterectomized woman. *BMC Womens Health* 2002; 2:2
- Lapitan MC, Cody DJ, Grant AM. Open retropubic colposuspension for urinary incontinence in women (Cochrane Review). *Cochrane Database Syst Rev* 2003; 1:CD002912
- Lavy Y, Hamani Y, Lev-Sagie A. Fallopian tube prolapse after hysterectomy [in Hebrew]. *Harefuah* 2002; 141:530-531.
- Lledo JB, Roig MP, Serra AS, Astaburuaga CR, Gimenez FD. Laparoscopic repair of vaginal eversion - A case report. *Surg Laparosc Endosc Percutan Tech* 2002; 12:446-448.
- Miklos JR, Moore RD, Kohli N. Laparoscopic surgery for pelvic support defects. *Curr Opin Obstet Gynecol* 2002; 14:387-395.
- Ou CS, Liu YH, Joki JA, Rowbotham R. Laparoscopic uterine suspension by round ligament plication. *J Reprod Med* 2002; 47:211-216.
- Paraiso MF. Surgery for apical vaginal prolapse. *Curr Womens Health Rep* 2002; 2:285-290.
- Rae D, Hawthorn R. Sacrocolpopexy for vaginal vault prolapse: a combined vaginal and laparoscopic approach. *Gynaecol Endosc* 2002; 11:75-79.
- Seman EI, Cook JR, O'Shea RT. Two-year experience with laparoscopic pelvic floor repair. *J Am Assoc Gynecol Laparosc* 2003; 10:38-45.
- Shafik A, Doss S, Asaad S. Etiology of the resting myoelectric activity of the levator ani muscle: physioanatomic study with a new theory. *World J Surg* 2003; 27:309-314.
- Vallancien G, Cathelineau X, Baumert H, Doublet JD, Guilleoneau B. Complications of transperitoneal laparoscopic surgery in urology: review of 1,311 procedures at a single center. *J Urol* 2002; 168:23-26.
- Vierhout ME, vanderPlasdeKoning YWCM. Diagnosis of posterior enterocele - Comparison of rectal ultrasonography with intraoperative diagnosis. *J Ultrasound Med* 2002; 21:383-387.
- Walter AJ, Morse AN, Hammer RH, Hentz JG, Magrina JF, Cornella JL, Magtibay PM. Laparoscopic versus open Burch retropubic urethropepy: comparison of morbidity and costs when performed with concurrent vaginal prolapse repairs. *Am J Obstet Gynecol* 2002; 186:723-728.
- Yamatoka A, Yoshida R, Kobayashi H, Lane GJ, Kurosaki Y, Segawa O, Kameoka S, et al. Intraoperative endosonography enhances laparoscopy-assisted colon pull-through for high imperforate anus. *J Pediatr Surg* 2002; 37:1657-1660.
- Yen CF, Wang CJ, Lin SL, Lee CL, Soong YK. Combined laparoscopic uterosacral and round ligament procedures for treatment of symptomatic uterine retroversion and mild uterine decensus. *J Am Assoc Gynecol Laparosc* 2002; 9:359-366.
- Future technology in endoscopy**
- Cherchi PL, Capobianco G, Ambrosini G, Fadda GM, Piga MD, Canetto AM, Rubattu G, et al. Utility of bipolar electrocautery scissors for cervical coagulation. *Eur J Gynaecol Oncol* 2002; 23:154-156.
- Demco L. Effect of heating and humidifying gas on patients undergoing awake laparoscopy. *J Am Assoc Gynecol Laparosc* 2001; 8:247-251.
- Garry R. Gynaecological Endoscopy: the next 10 years. *Gynaecol Endosc* 2002; 11:1-3.
- Golan A, Sagiv R, Berar M, Ginath S, Glezerman M. Bipolar electrical energy in physiologic solution - A revolution in operative hysteroscopy. *J Am Assoc Gynecol Laparosc* 2001; 8:252-258.
- Jansen FW, TrimbosKemper T, Trimbos JB. Ultrasonic scalpel in laparoscopic gynaecological surgery: an observational study in 354 cases. *Gynaecol Endosc* 2002; 11:47-51.
- Lackey LW, Ott DE. Terminal gas velocity during laparoscopy. *J Am Assoc Gynecol Laparosc* 2002; 9:297-305.
- Lam KW, Pun TC. Left upper quadrant approach in gynecologic laparoscopic surgery with reusable instruments. *J Am Assoc Gynecol Laparosc* 2002; 9:199-203.
- Lindheim SR. Echosight patton coaxial catheter-guided hysteroscopy. *J Am Assoc Gynecol Laparosc* 2001; 8:307-311.
- McKernan JB, Finley CR. Experience with optical trocar in laparoscopic gynecologic procedures. *Surg Laparosc Endosc Percutan Tech* 2002; 12:96-99.
- Palter SF, AlRejjal R, Berkly C. The endosquid, a new device for laparoscopic Pomeroy tubal ligation. *J Am Assoc Gynecol Laparosc* 2001; 8:433-437.
- Perry MJA, Cahill DJP, Eden CG. Big-screen laparoscopic surgery. *Surg Laparosc Endosc Percutan Tech* 2002; 12:175-176.
- Tsin DA, Colombero LT, Mahmood D, Padouvas J, Manolas P. Operative culdolaroscopy: A new approach combining operative culdoscopy and minilaparoscopy. *J Am Assoc Gynecol Laparosc* 2001; 8:438-441.
- Valtchev KL. Laparoscopic needle introducer. *J Am Assoc Gynecol Laparosc* 2001; 8:579-582.
- Winkler M, Erbse S, Rademacher K, Rau G, Rath W. An automatic camera-holding system for gynecologic laparoscopy. *J Am Assoc Gynecol Laparosc* 2001; 8:303-306.
- Laparoscopic incontinence procedures**
- Carey MP, Goh JT, Fynes MM, Murray CJ. Stress urinary incontinence after delayed primary closure of genitourinary fistula: A technique for surgical management. *Am J Obstet Gynecol* 2002; 186:948-953.
- Dietz HP, Wilson PD. Long-term success after open and laparoscopic colposuspension: a case-control study. *Gynaecol Endosc* 2002; 11:81-84.
- Gupta NP, Goel A, Kumar P, Aron M. Laparoscopy in diagnosis and management of urinary incontinence caused by small ectopic dysplastic kidney. *Int Urogynecol J Pelvic Floor* 2002; 13:332-333.
- Kenton K, FitzGerald MP, Brubaker L. Multiple foreign body erosions after laparoscopic colposuspension with mesh. *Am J Obstet Gynecol* 2002; 187:252-253.
- Kjerulf KH, Langenberg PW, Greenaway L, Uman J, Harvey LA. Urinary incontinence and hysterectomy in a large prospective cohort study in American women. *J Urol* 2002; 167:2088-2092.
- Lee CL, Yen CF, Wang CJ, Jain S, Soong YK. Extraperitoneal approach to laparoscopic burch colposuspension. *J Am Assoc Gynecol Laparosc* 2001; 8:374-377.
- Liang CC, Chang SD, Lo TS. Urinary incontinence after laparoscopic cervical sacropepy for severe uterine prolapse. *Gynaecol Endosc* 2002; 11:141-143.
- Moore RD, Speights SE, Miklos JR. Laparoscopic burch colposuspension for recurrent stress urinary incontinence. *J Am Assoc Gynecol Laparosc* 2001; 8:389-392.
- Paterson RF, Lifshitz DA, Beck SDW, Siqueira TM, Cheng L, Lingeman JE, Shalhav AL. Multilayered small intestinal submucosa is inferior to autologous bowel for laparoscopic bladder augmentation. *J Urol* 2002; 168:2253-2257.
- Persson J, Teleman P, EtenBergquist C, WolnerHanssen P. Cost-analyses based on a prospective, randomized study comparing laparoscopic colposuspension with a tension-free vaginal tape procedure. *Acta Obstet Gynecol Scand* 2002; 81:1066-1073.
- Skorupski P, Rechberger T, Postawski K, Woessner JF, Jakowicki JA. Is diminished pubocervical fascia collagen content a risk factor for failure of surgical management of genuine stress urinary incontinence in women?. *Eur J Obstet Gynecol Reprod Biol* 2002; 102:195-198.
- Walter AJ, Morse AN, Hammer RH, Hentz JG, Magrina JF, Cornella JL, Magtibay PM. Laparoscopic versus open Burch retropubic urethropepy: Comparison of morbidity and costs when performed with concurrent vaginal prolapse repairs. *Am J Obstet Gynecol* 2002; 186:723-728.
- Washington JL, Somers K. Laparoscopic mesh and staple Burch colposuspension. *Int Urogynecol J Pelvic Floor* 2002; 13:253-255.
- Washington JL. Staple erosion into the bladder after mesh and staple laparoscopic colposuspension - A case report. *J Reprod Med* 2002; 47:325-326.
- Zullo F, Morelli M, Russo T, Iuzzolino D, Palomba S. Two techniques of laparoscopic retropubic urethropepy. *J Am Assoc Gynecol Laparosc* 2002; 9:178-181.
- Laparoscopic mesh and staple Burch colposuspension - Editorial comment. *Int Urogynecol J Pelvic Floor* 2002; 13:255
- Fetal surgery**
- Devlieger R, Riley SC, Verbist L, Leask R, Pijnenborg R, Deprest JA. Matrix metalloproteinases-2 and-9 and their endogenous tissue inhibitors in tissue remodeling after sealing of the fetal membranes in a sheep model of fetoscopic surgery. *J Soc Gynecol Invest* 2002; 9:137-145.
- Fowler SF, Sydorak RM, Albanese CT, Farmer DL, Harrison MR, Lee H. Fetal endoscopic surgery: Lessons learned and trends reviewed. *J Pediatr Surg* 2002; 37:1700-1702.
- Gratacos E, Wu J, Devlieger R, Bonati F, Lerut T, Vanamo K, Deprest JA. Nitrous oxide amniodistention compared with fluid amniodistention reduces operation time while inducing no changes in fetal acid-base status in a sheep model for endoscopic fetal surgery. *Am J Obstet Gynecol* 2002; 186:538-543.
- Tseng D, Curran TJ, Silen ML. Minimally invasive management of the prenatally torsed ovarian cyst. *J Pediatr Surg* 2002; 37:1467-1469.
- Ovarian cysts**
- AbuMusa A, Nassar A, Usta I, Khalil A, Hussein M. Laparoscopic unwinding and cystectomy of twisted dermoid cyst during second trimester of pregnancy. *J Am Assoc Gynecol Laparosc* 2001; 8:456-460.
- Amer SAKS, Banu Z, Li TC, Cooke ID. Long-term follow-up of patients with polycystic ovary syndrome after laparoscopic ovarian drilling: endocrine and ultrasonographic outcomes. *Hum Reprod* 2002; 17:2851-2857.
- Carley ME, Klinge CJ, Gebhart JB, Webb MJ, Wilson TO. Laparoscopy versus laparotomy in the management of benign unilateral adnexal masses. *J Am Assoc Gynecol Laparosc* 2002; 9:321-326.
- Duic Z, Kukura V, Ciglar S, Podobnik M, Podgajski M. Adnexal masses in pregnancy: a review of eight cases undergoing surgical management. *Eur J Gynaecol Oncol* 2002; 23:133-134.
- Kalegyn AV, Sadykova MH. Marsupialization of the cyst as a step in laparoscopic management of ovarian cysts. *J Am Assoc Gynecol Laparosc* 2001; 8:568-572.
- Kocak M, Caliskan E, Haberal A. Laparoscopic conservation of the ovaries in cases with massive ovarian oedema. *Gynecol Obstet Invest* 2002; 53:129-132.
- Kriplani A, Manchanda R, Agarwal N, Nayyar B. Laparoscopic ovarian drilling in clomiphene citrate-resistant women with polycystic ovary syndrome. *J Am Assoc Gynecol Laparosc* 2001; 8:511-518.
- Salem HAF. Laparoscopic excision of large ovarian cysts. *J Obstet Gynaecol Res* 2002; 28:290-294.
- Schmidt T, Nawroth F, Foth D, Rein DT, Romer T, Mallmann P. Gasless laparoscopy as an option for conservative therapy of adnexal pedicular torsion with twin pregnancy. *J Am Assoc Gynecol Laparosc* 2001; 8:621-622.
- Sleeman K, Bowditch J. Diagnosis and management of giant para-ovarian cysts by combined endovaginal ultrasound imaging and minimal access surgery. *Aust N Z J Obstet Gynaecol* 2002; 42:303-305.
- Takeuchi S, Futamura N, Takubo S, Noda N, Minoura H, Toyoda N. Polycystic ovary syndrome treated with laparoscopic ovarian drilling with a harmonic scalpel - A prospective, randomized study. *J Reprod Med* 2002; 47:816-820.
- Yamada T, Okamoto Y, Kasamatsu H, Mori H. Laparoscopic-assisted surgery for benign ovarian cyst in a young girl. *J Am Assoc Gynecol Laparosc* 2001; 8:295-298.
- Miscellaneous**
- Ahmed AA, Stachurski J, Aziz EA, Bone C. Minilaparotomy-assisted vaginal hysterectomy. *Int J Gynaecol Obstet* 2002; 76:33-39.
- Chang WC, Tsai WC, Lin CC. Physician experience affects costs and clinical outcomes in laparoscopy-assisted vaginal hysterectomy. *Int J Gynaecol Obstet* 2002; 79:39-41.
- Chen YJ, Wang PH, Yuan CC, Wu YC, Liu WM. Early pregnancy interrupted by laparoscopic bipolar coagulation of uterine vessels. *J Am Assoc Gynecol Laparosc* 2002; 9:79-83.
- Cohen SB, KatterFerber A, Weisz BS, Zalel Y, Seidman DS, Mashiach S, Lidor AL, et al. Hysteroscopy may be the method of choice for management of residual trophoblastic tissue. *J Am Assoc Gynecol Laparosc* 2001; 8:199-202.
- Coleman RL, Muller CY. Effects of a laboratory-based skills curriculum on laparoscopic proficiency: A randomized trial. *Am J Obstet Gynecol* 2002; 186:836-842.
- Demir SC, Cetin MT, Urnsak IF, Atay Y, Toksoz L, Kadayifci O. Removal of intra-abdominal intrauterine device by laparoscopy. *Eur J Contracept Reprod H C* 2002; 7:20-23.
- Farquhar CM, Sadler L, Harvey S, McDougall J, Yazdi G, Meuli K. A prospective study of the short-term outcomes of hysterectomy with and without oophorectomy. *Aust N Z J Obstet Gynaecol* 2002; 42:197-204.



- Gaitan H, Angel E, Sanchez J, Gomez I, Sanchez L, Agudelo C. Laparoscopic diagnosis of acute lower abdominal pain in women of reproductive age. *Int J Gynaecol Obstet* 2002; 76:149-158.
- Gerli S, Rossetti D, Pacifici A, Aviles E, Dominici C, Mattei A, DiRenzo GC. Hysterectomy for the transsexual. *J Am Assoc Gynecol Laparoscop* 2001; 8:615-616.
- Guttl P, Greimel ER, Roth R, Winter R. Women's sexual behavior, body image and satisfaction with surgical outcomes after hysterectomy: a comparison of vaginal and abdominal surgery. *J Psychosom Obstet Gynecol* 2002; 23:51-59.
- Joy SD, Phelan M, McNeill HW. Postcoital vaginal cuff rupture 10 months after a total vaginal hysterectomy - A case report. *J Reprod Med* 2002; 47:238-240.
- Kehlet H. Clinical trials and laparoscopic surgery - The second round will require a change of tactics. *Surg Laparosc Endosc Percutan Tech* 2002; 12:137-138.
- Kumar R, Erian M, Sinnott S, Knoesen R, Kimble R. Laparoscopic appendectomy in modern gynecology. *J Am Assoc Gynecol Laparoscop* 2002; 9:252-263.
- Lavonius MI, Gullichsen R, Salo S, Sonninen P, Ovaska J. A study with spiral computed tomography, ultrasonography, laparoscopy, and laparoscopic ultrasonography. *Surg Laparosc Endosc Percutan Tech* 2002; 12:77-81.
- Letterie GS. How virtual reality may enhance training in obstetrics and gynecology. *Am J Obstet Gynecol* 2002; 187:S37-S40.
- Long CY, Jang MY, Chen SC, Chen YH, Su JH, Hsu SC. Changes in vesicourethral function following laparoscopic hysterectomy versus abdominal hysterectomy. *Aust N Z J Obstet Gynaecol* 2002; 42:259-263.
- Long CY, Fang JH, Chen WC, Su JH, Hsu SC. Comparison of total laparoscopic hysterectomy and laparoscopically assisted vaginal hysterectomy. *Gynecol Obstet Invest* 2002; 53:214-219.
- Lyons TL, Winer WK, Woo A. Appendectomy in patients undergoing laparoscopic surgery for pelvic pain. *J Am Assoc Gynecol Laparoscop* 2001; 8:542-544.
- Mashiach R, Mashiach S, Szold A, Lessing JB. A simple, inexpensive method of specimen removal at laparoscopy. *J Am Assoc Gynecol Laparoscop* 2002; 9:214-216.
- Nielsen IL, Thulstrup AM, Nielsen GL, Larsen H, Vilstrup H, Sorensen HT. Thirty-day postoperative mortality after hysterectomy in women with liver cirrhosis: a Danish population-based cohort study. *Eur J Obstet Gynecol Reprod Biol* 2002; 102:202-205.
- Ottesen M, Sorensen M, Rasmussen Y, SmidJensen S, Kehlet H, Ottesen B. Fast track vaginal surgery. *Acta Obstet Gynecol Scand* 2002; 81:138-146.
- Rojansky N, Shushan A, Fatum M. Laparoscopy versus laparotomy in pregnancy: A comparative study. *J Am Assoc Gynecol Laparoscop* 2002; 9:108-110.
- Sharma JB, Malhotra M, Arora R. Incidental Fitz-Hugh-Curtis syndrome at laparoscopy for benign gynecologic conditions. *Int J Gynaecol Obstet* 2002; 79:237-240.
- Shen CC, Huang FJ, Hsu TY, Weng HH, Chang HW, Chang SY. A prospective, randomized study of closed-suction drainage after laparoscopic-assisted vaginal hysterectomy. *J Am Assoc Gynecol Laparoscop* 2002; 9:346-352.
- Soderstrom RM. A history of the American Association of Gynecologic Laparoscopists. *J Am Assoc Gynecol Laparoscop* 2001; 8:475-485.
- Takeuchi K, Ichimura H, Masuda Y, Yamada T, Nakago S, Maruo T. Selective transarterial embolization and hysteroscopic removal of a placental polyp with preservation of reproductive capacity. *J Reprod Med* 2002; 47:608-610.
- Terada Y, Murakami T, Noda T, Okamura K. Finger-assisted laparoscopy to remove a noncommunicating uterine horn. *J Am Assoc Gynecol Laparoscop* 2001; 8:594-596.
- Vilos GA, Vilos AW, Haebe JJ. Laparoscopic findings, management, histopathology, and outcomes in 25 women with cyclic leg pain. *J Am Assoc Gynecol Laparoscop* 2002; 9:145-151.
- Wang CJ, Yen CF, Lee CL, Soong YK. Laparoscopic uterine artery ligation for treatment of symptomatic adenomyosis. *J Am Assoc Gynecol Laparoscop* 2002; 9:293-296.
- Wattiez A, Soriano D, Cohen SB, Nervo P, Canis M, Botchorishvili R, Mage G, et al. The learning curve of total laparoscopic hysterectomy: Comparative analysis of 1647 cases. *J Am Assoc Gynecol Laparoscop* 2002; 9:339-345.
- Wynter SH, Dacosta V, Frederick J, Wynter H. Laparoscopic retrieval of perforated intrauterine devices at University Hospital, Jamaica. *J Am Assoc Gynecol Laparoscop* 2002; 9:380-383.
- Yang CC, Tseng JY, Chen P. Tubal torsion with severe congestion managed laparoscopically. *J Am Assoc Gynecol Laparoscop* 2002; 9:113-114.