

//

:

:

()

:

(x) (y)

$$\alpha \quad K = K_s e^{\alpha h}$$

:

$$\frac{\partial \theta}{\partial z} = -\frac{\partial q}{\partial t} \quad \square$$

$$\frac{\partial \theta}{\partial t} = -\frac{\partial q}{\partial z} \quad \square$$

$$\frac{\partial q}{\partial \theta} = \frac{\partial t}{\partial z} \quad \square$$

$$\frac{\partial \theta}{\partial q} = \frac{\partial z}{\partial t} \quad \square$$

:

$$\phi = \int_{\theta}^0 d(\theta) d\theta = \int_h^h -K(h) dh \quad \square$$

$$\phi = \int_{\theta}^0 -K(\theta) d\theta = \int_h^h D(h) dh \quad \square$$

$$\phi = \int_h^h \frac{2h}{q} dh \quad \square$$

$$\phi = \int_{\theta}^0 (D(\theta)/q) d\theta \quad \square$$

$$x = 0.5, z = 0 \quad \square$$

$$z = 0.5, x = 0 \quad \square$$

$$x = z = 0.5 \quad \square$$

$$x = z = 0.1 \quad \square$$

:

\square

\square

\square

\square

:

\square

\square

\square

\square

:

\square

\square

\square

\square

:

$$C = \frac{dK}{dt} \quad \square$$

$$C = \frac{d\theta}{dt} \quad \square$$

$$C = \frac{dh}{dt} \quad \square$$

$$C = \frac{dK}{d\theta} \quad \square$$

:

\square

\square

\square

\square

: β_2

\square

\square

\square

\square

:


\square

\square

\square

\square

() : -



() :

∴
 $X = 2.1 T_a^{0.6}$, $Y = 0.7 T_a^{0.9}$
 $= Y, X = T_a :$

∴
(X, Y) : (Ta) .
(I) : (qe) .
(Δθ) :

. /

. o o

: .%

. .

. .

. .

,

.

.

:

:(/)
:()
:(%)

,

,

,

,

,

,

,

,

:

. /

.

.

.

.

.

. / .
: .% / .
.
.

: () , (β)

:

·
·
·
·
·

·

·
·
·
·
·