

Tutorial 04

Expressions | Operators | Conditional Statements

Exercise 1:

```
A. Which of the following expressions results in 45.37?
```

```
1. (int) (45.378 * 100) / 100
2. (int) (45.378 * 100) / 100.0
3. (int) (45.378 * 100 / 100)
4. (int) (45.378) * 100 / 100.0
```

B. What is y displayed?

```
public class Test {
   public static void main(String[] args) {
     int x = 1;
     int y = x + x++;
     System.out.println("y is " + y);
   }
}
1. y is 1
2. y is 2
3. y is 3
4. y is 4
```

C. What is the value of i printed in the following code?

```
public class Test {
  public static void main(String[] args) {
    int j = 0;
    int i = ++j + j * 5;
    System.out.println("What is i? " + i);
  }
}
1. 0
2. 1
3. 5
4. 6
```

D. Assuming that x is 1, show the result of the following Boolean expressions:

```
1. (x > 0)
2. (x < 0)
3. (x != 0)
4. (x >= 0)
5. (x != 1)
```

Exercise 2:

Write a program that declares two integer variables x and y and initializes their values to 0. Then it reads the value of variable y and assigns 1 to x if y is greater than 0. Finally it prints the value of variable x.

Here are two sample runs:

```
Enter value of y: 5 ↓
Value of x is 1
```

```
Enter value of y: 0 ↓
Value of x is 0
```

Exercise 3

Write a program that reads the performance level of an employee (between 0 and 100) and his salary. Then it increases the salary by 3% if performance level is greater than or equal to 90. Here are two sample runs:

```
Enter performance level: 50 4
Enter base salary: 5000 4
Salary is 5000.0
```

```
Enter performance level: 90 4
Enter base salary: 10000 4
Salary is 10300.0
```

Exercise 4

Write a program that reads values of seconds, minutes and hours as integers, then prints the equivalent number of seconds

Exercise 5

Write a program that reads a number of seconds, and converts it to the regular form of h:m:s, then prints the results.

Tutorial 04 Solutions

Exercise 1:

```
A. b
B. b
C. d
D.
  1. true
  2. false
  3. true
  4. true
  5. false
Exercise 2:
  import java.util.Scanner;
  public class TestIf {
    public static void main(String[] args) {
      Scanner reader = new Scanner(System.in);
      int x = 0, y = 0;
      System.out.print("Enter value of y: ");
      y = reader.nextInt();
      if (y > 0) {
        x = 1;
      System.out.println("Value of x is " + x);
    }
  }
Exercise 3:
  import java.util.Scanner;
  public class ComputeSalary {
    public static void main(String[] args) {
      Scanner reader = new Scanner(System.in);
      double perf, sal;
      System.out.print("Enter performance level: ");
      perf = reader.nextDouble();
      System.out.print("Enter base salary: ");
      sal = reader.nextDouble();
      if (perf >= 90) {
        sal += sal * 3/100;
      System.out.println("Salary is " + sal);
    }
  }
```

Exercise 4:

```
import java.util.Scanner;
class G {
  public static void main(String[] args) {
    Scanner KB = new Scanner(System.in);
    int s = KB.nextInt();
    int m = KB.nextInt();
    int h = KB.nextInt();
    int totalSec = s + m*60 + h*3600;
    System.out.println(totalSec);
  }
}
```

Exercise 5:

```
import java.util.Scanner;
class H {
  public static void main(String[] args) {
    Scanner KB = new Scanner(System.in);
    int totalSec = KB.nextInt();
    int s = totalSec % 60;
    int m = totalSec / 60 % 60;
    int h = totalSec / 3600;
    System.out.println(h + ":" + m + ":" + s);
  }
}
```