

KSU/CCIS/CS	CSC 215	Mid-term exam 1 - Fall 13-14 Time allowed: 1:30
Name: ID:		

EXERCISE 1

Write True/ False (20pts)

There is no special logical data type in C.	
In C, memory management is left to the programmer.	
C helps organize software projects more than Java.	
The conversion of a higher order type to a lower order may cause truncation and loss of information.	
The operator &, when applied to a pointer, results in the address of the pointer.	

EXERCISE 2

Select the correct answer (20pts)

Which of the following is **NOT** a correct for naming variables in C?

- a) May begin with a letter
- b) Cannot contain white space characters
- c) Cannot begin with an underscore
- d) Must not be a keyword

Select the type of the expression **c/u+s*f** where: c,u,s, f are char, unsigned int, short, float?

- a) char
- b) unsigned int
- c) short
- d) float

Select the type that is **NOT** implicitly converted to int before arithmetic operations

- a) char
- b) long
- c) short

Given the following declaration **int i=1, j, *ip;** Which of the flowing statements in **NOT** correct?

- a) ip = &i;
- b) j = *ip;
- c) j = &ip;
- d) (*ip)++;

When a break statement is encountered within a loop body,

- a) The execution of the loop body is interrupted, and the program control transfers to the exit point of the loop.
 - b) All the remaining statements in the loop body are skipped and the loop continuation condition is evaluated next.
 - c) The program stops.
 - d) Nothing happens.
-

EXERCISE 3

Write the output of the following C program. (18 pts)

```
#include <stdio.h>
int main()

    int a = 10 , b=9,c=8;
    int *p = &a;

    printf("a and *p: %d %d",a, *p);

    (*p)+=10;
    printf("a and *p: %d %d\n ",a, *p);

    printf("a > b: %d\n", a>b);

    printf("a-c==b+c : %d\n", a-c==b+c);

    printf("a+=b!=c: %d\n" , a+=b!=c);
    return 0;
}
```

Write the output of the following C program. (12pts)


```
#include <stdio.h>
int main()

    int i, n=20, sum=0;
    for (i = 1; i <= n; i++) {
        if (i % 5 == 0) { continue; }
        sum += i;
    }
    printf("The value of sum is %d\n", sum);

    sum=0;
    for (i = 1; i <= n; i++) {
        if (i % 5 == 0) { break; }
        sum += i;
    }
    printf("The value of sum is %d\n", sum);

    sum=0;
    while(sum<20){
        sum++;
    }
    printf("The value of sum is %d\n", sum);

    return 0;
}
```



Write the output of the corresponding C program that correspond to the following inputs: (10pts)

```
#include<stdio.h>
int main()
{
    int a,b=0;
    int *sum = &b;
    printf("\nEnter numbers:\n");
    scanf("%d", &a);
    while (a >= 0)
    {
        *sum += a;
        scanf("%d", &a);
    }
    printf("The sum is %2d",*sum);
    return 0;
}
```

Inputs	Outputs
1,2,3,0,-1	Result:
3,4,5,6,-5	Result:
0,-5	Result:
-10	Result:

EXERCISE 3

Write a C program that implements the following requirements: (20pts)

The program will

- Ask the user to enter a positive number
- Update a variable holding the maximum number entered so far
- Keep asking for another number until the user enters a negative number.
- Output the maximum number entered by the user

Bonus (5pts) Output the average of all the numbers entered