		King Saud University College of Computer and Information Sciences Computer Science Department				
		Course Code:	CSC 111			
		Course Title:	Introduction to Programmir	ng 1		
		Semester:	Fall 2017-18			
		Exercises Cover Sheet:	Mid 2 Exam (Form C)		
		Duration: 90 min				
Student Na	ame:					
Student ID):					
Student Se	ection No.					
Tick the Relevant	Computer	Question No. Relevant Is Hyperlinked	Covering %			
1	a) Apply knowledge of computing and mathematics appropriate to the discipline;			1,2	50%	
		Analyze a problem, and identify and define the computing requirements ropriate to its solution;				
	c) Design, implement and evaluate a computer-based system, process, component, or program to meet desired needs;					
	d) Function effectively on teams to accomplish a common goal;					
	e) Understanding of professional, ethical, legal, security, and social issues and responsibilities;					
	f) Communica					
	g) Analyze the organizations an	local and global impact of comp d society;	uting on individuals,			
	h) Recognition of the need for, and an ability to engage in, continuing professional development;					
1	i) Use current techniques, skills, and tools necessary for computing practices.			1,2	50%	
	j) Apply mathe science theory ir that demonstrate					
	k) Apply desig systems of varyi	the construction of software				

Question 1. (6 Marks)
Put your answers of question 1 (<u>multiple choice questions</u>) in the following table:

Question	Answer
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	

```
1) Which of the following is not nested loop?
     for(i=0;i<10;i++)
a)
         for(j=1;j<i+2;j++)
b)
     for(i=0;i<10;i++)
         while (j\%2==0) { System.out.println(j+""+(++j));}
     for (i=0; i<10,i++) {
c)
     System.out.println(i)
     for(j=1;j<i+2;j++) System.out.println("j="+j); }</pre>
d)
     for(i=0;i<10;i++)
        System.out.println(i);
        for(j=1;j<i+2;j++) System.out.println("j="+j);</pre>
2) Which for loop is equivalent to the following while loop
     x=10;
     while (x>1) {
        System.out.println(x+" ");
```

```
--x;
}
```

- a) for (x=10; x>=1; x--) {System.out.println(x+" ");}
- b) for (x=10; x>=1; --x) {System.out.println(x+" ");}
- c) for (x=10; x>1; x--) {System.out.println(x+" ");}
- d) for (x=10; x>=0; --x) {System.out.println(x+" ");}

3) What values of j and k will make this program print hello?

```
int j = ---;
     int k = ---;
     for (int i = j; i > k; i--) {
          j++;
          System.out.println("hello");
     }
a) j = 1, k = 2
b) j = 3, k = 2
c) j = 2, k = 4
d) j = 5, k = 5
```

4) Consider the following code segment:

```
int x = 1, y = 6;
while (y--) {
    x++;
}
System.out.println("x = " + x + " y = " + y);
```

Which statement is true?

- a) There is a compilation error.
- b) x = 6 y = 0
- c) x = 7 y = 0
- d) x = 6 y = -1

5) Which of the pattern is produced by the following code?

a)	b)	(c)	d)
1	1111111	1222222	1
21	1222222	2233333	12
321	1233333	3334444	123
4321	1234444	4444555	1234
54321	1234555	5555566	12345
654321	1234566	6666667	123456
7654321	1234567	777777	1234567

6) How many times will the following code print "Week end"?

```
int count = 10;
while (count-- >= 10) {
        System.out.println("Week_end");
        count+=1;
}
```

- a) Infinite loop
- b) 8
- c) 9
- d) 10

7) Given following class:

```
public class Test {
    public static void main(String args[]) {
        int x=10, y=100, s=0;
        for(int x=0; x<=y; x+=10)
            s+=x;
        System.out.println("s = " + s);
    }
}</pre>
```

Which statement is true?

- a) This class prints "s = 0"
- b) This class prints "s = 100"
- c) This class prints "s = 550"
- d) There is a compilation error.

8) This code will not compile. What is wrong with it?

```
int a = 0, b = 0;
for (int i = 0; i < 5; i++) {
    if (++a > 2 || ++b > 2) {
        a++;
        }}
System.out.println("a=" + a + " b=" + b);
System.out.println("Value of i after completion of loop: "+i);
```

- a) loop counter i is not initialized
- b) loop counter i is initialized to zero
- c) loop counter i should be declared before the loop
- d) loop counter i is not updated inside the loop

9) What will be the output of the following code?

```
public class Test {
    public static void main(String args[]) {
        char c = 'b';
        switch (c)
        {
            case 'a': System.out.print("1");
            case 'b': System.out.print("2");
            case 'c': System.out.print("3");
        }
        System.out.println("Done");
    }
}
```

- a) Done
- b) 23Done
- c) 1Done
- d) 123Done

10) Suppose you have the following class:

```
class Point {
public int x, y;
public int getX() { return this.x*2%3; }
public int getY() { return this.y-2; }}
```

What is the output of the following code, if any:

```
public class PointTest {
    public static void main(String args[]) {
        Point p = new Point();
        p.x=2;
        System.out.println( p.getX());
}}
```

- a) 1
- b) 0
- c) 2
- d) There is a compilation error.

11) What is the output of this program?

```
class Calc {
         public void m1(int a, int b) {
             System.out.print( (a+b) +" " );
         }
         public double m2(int q, int p) {
             return p;
         }
     }
     public class Test{
         public static void main(String args[]) {
             Calc o = new Calc();
             o.m1(2,3);
             System.out.print(o.m2(2,3));
         }
     }
a) 2 3.0
b) 5 3.0
c) 3.0 2.0
```

- d) There is a compilation error.

12) Consider the following code segment:

```
switch(x)
{
     default: System.out.println("Hello");
}
```

Which data type is acceptable for x?

- a) long
- b) float
- c) double
- d) char

Question 2. (4 Marks)

A) What is the output of the following program? (2 marks)

```
class Class {
   private int x=2, y=5;
   public void print(String c) {
        System.out.println("x="+x+", y="+y);
   public void update(){
        y=pow(x);
    }
    public void setX(int a) {
        x=a;
   public int getX(){
        return x;
   private int pow(int a){
       return a*a;
public class Test{
   public static void main(String args[]) {
        int x=1, y=2;
        Class c=new Class();
        c.update();
        c.print("First");
        c.setX(10);
        c.update();
        c.print("Second");
    }
}
```

B) Convert the following switch statement into if-else statement. (2 marks)

```
int choice = input.nextInt();
switch (choice) {
    case 1:
        System.out.println("one");
    case 2:
        System.out.println("two");
        break;
    case 3:
        System.out.println("three");
    default:
        System.out.println("Invalid Entry");
        break;
}
```

Result								
Question No.	Relevant Student Outcome	SO is Covered by %	Full Mark	Student Mark	A	ssessor's Feed	lback	
1	a	60	6					
2	i	40	4					
Totals		100%	10					
I certify that the work contained within this assignment is all my own work and referenced where required. Student Signature: Date:				ork	Feedback Received: Student Signature: Date:			
Student Sign	Student Signature: Date:						-	