
General Principles

DYNAMICS, AGE-2320 Ahmed M El-Sherbeeny, PhD Fall-2025

Definition

Mechanics:

Branch of physical sciences
concerned with the state of
rest or motion of bodies
subjected to forces.



Rigid Body Mechanics

Statics – Bodies at rest

Dynamics – Accelerated motion of bodies

Statics

Depends on geometry and forces

Dynamics

Accurate Measurement of time

Basic Quantities

Length

- meter
- foot

Time

second

Mass

- kilogram
- slug

Force

- newton
- pound

Length

Needed to locate the position of a point in space and describe the size of a physical system.

Time

Conceived as a succession of events. Concepts of STATICS are time independent.

Mass

A property of matter by which we can compare the action of one body to another. This property manifests itself as a gravitational attraction between two bodies and provide a qualitative measure of the resistance of matter to a change in velocity.

Force

Generally considered as a push of a pull exerted by one body on another. Interaction occurs when there is direct contact between the bodies. Gravitational, electrical and magnetic forces do not require direct contact. Force is characterized by magnitude, direction and point of application.

Idealizations

- 1. Particle an object having mass but the size is neglected.
- 2. Rigid Body a combination of a large number of particles which remain in a fixed position relative to each other, both before and after the application of a force.

Newton's Three Laws of Motion

First Law: A particle originally at rest, or moving in a straight line with constant velocity, will remain in this state provided the particle is <u>not</u> subjected to unbalanced forces.

 \mathbf{F}_{1} \mathbf{F}_{2} \mathbf{F}_{3}

Equilibrium

Newton's Three Laws of Motion


Second Law: A particle acted upon by an unbalanced force **F** experiences an acceleration **a** that has the same direction as the force and a magnitude that is directly proportional to the force. If **F** is applied to a particle of mass *m* then: **F** = *m***a**.



Accelerated motion

Newton's Three Laws of Motion

Third Law: The mutual forces of action and reaction between two particles are equal, opposite and collinear.



Action - reaction

Newton's Laws of Gravitational Attraction

$$\mathbf{F} = \mathbf{G} \frac{\mathbf{m_1} \mathbf{m_2}}{\mathbf{r}^2}$$

Where:

F = force of gravitation

G = universal constant of gravitation

m₁,m₂= mass of two particles

r = distance between two particles

Weight

$$\mathbf{W} = \mathbf{G} \frac{\mathbf{m}_1 \mathbf{m}_2}{\mathbf{r}^2}$$

$$\mathbf{W} = \mathbf{G} \frac{\mathbf{mm}_2}{\mathbf{r}^2}$$

$$\downarrow \downarrow$$

$$\mathbf{W} = \mathbf{mG} \frac{\mathbf{m}_2}{\mathbf{r}^2}$$

m = mass of object

m₂ = mass of earth

r = distance from

center of earth to

particle

Units

- Basic quantities (force, mass, length, time) are related by Newton's second law.
- 2. Units used to measure quantities are not all independent.
- 3. Three of four units, called **base** units, are arbitrarily defined and the fourth is derived.


SI Units

- 1. Modern version of metric system.
- 2. Base units are length, time and mass, meter (m), second (s), and kilogram (kg)
- 3. Acceleration of gravity:

$$g = 9.81 \frac{m}{s^2}$$

SI Units

4. Force is derived quantity measured in unit called a **newton**



$$1 N = 1 \frac{kg \cdot m}{s^2}$$


U.S. Customary Units (fps)

- 1. Base units are length, time and force.
- 2. feet (ft), second (s), and pound (lb)
- 3. Acceleration of gravity:

$$g = 32.2 \frac{ft}{s^2}$$

U.S. Customary Units (fps)

4. Mass is derived quantity measured in a unit called a **slug**:



$$1 slug = 1 \frac{lb \cdot s^2}{ft}$$

Systems of Units

Name	Length	Time	Mass	Force
SI	meter (m)	second (s)	kilogra m (kg)	newton (N)
US Customary	foot (ft)	second (s)	slug (lb s²/ft	pound (lb

8/31/2025

Unit Conversions

Force: 1 lb = 4.4482 N

Mass: 1 slug = 14.5938 kg

Length: 1 ft = 0.3048 m

Prefixes for SI units

	Exponential form	Prefix	SI symbol
Multiple			•
1,000,000,000	10 ⁹	giga	G
1,000,000	10 ⁶	mega	M
1,000	10 ³	kilo	k
Submultiple			
0.001	10 ⁻³	milli	m
0.00001	10 ⁻³ 10 ⁻⁶	micro	μ
0.0000001	10⁻⁹	nano	'n

8/31/2025 General Principles 24

Dimensional Homogeneity

Each of the terms of an equation must be expressed in the same units.

$$s = vt + 1/2at^2$$

s is position in meters

v is velocity in m/s

a is acceleration in m/s²

t is time in seconds

$$m = m/s \cdot s + m/s^2 \cdot s^2 = m$$

Procedure for Analysis

- Read the problem carefully and correlate the actual physical situation with the theory studied.
- 2. Draw necessary diagrams and tables.
- 3. Apply relevant principles, generally in mathematical form.

Procedure for Analysis

- 4. Solve the equations algebraically (without numbers) as far as possible, then obtain a numerical answer.
- 5. Be sure to use a consistent set of units.
- 6. Report the answer with no more significant figures than the accuracy of the given data.
- 7. Decide if answer seems reasonable.
- 8. Think about what the problem taught you!

Important Points

- 1. Statics is the study of bodies at rest or moving with constant velocity.
- 2. A particle has mass but a size that can be neglected.
- 3. A rigid body does not deform under load.
- 4. Concentrated forces are assumed to act at a point on a body.

Important Points

- 1. Newton's three laws of motion must be memorized!
- 2. Mass is a property of matter that does not change from one location to another.
- 3. Weight is the gravitational attraction of the earth on a body or quantity of mass. Its magnitude depends on the location of the mass.

Important Points

- 1. In the SI system the unit of force is the newton. It is a derived quantity. Mass, length and time are the base quantities.
- 2. In the SI system prefixes are used to denote large or small numerical quantities of a unit.
- 3. Perform numerical calculation to several significant figures and report answers to three significant figures.
- 4. Be sure that all equations are dimensionally homogeneous.