MATH 111

يمنع منعا باتا استخدام الآلة الحاسبة

King Saud University Science and Medical Studies Section for girls Dept. of Mathematics Second midterm exam 1433H 1½ hours

Feacher's Name: Sequence No.:							
Question No.	I	II	III	IV	Total		
Mark							
Question I A- Choose the	correct an	swer					
I. If $x = 5^y$, then $\frac{d}{d}$	$\frac{dy}{dx}$ is equal to	:					
$\frac{\ln x}{\ln 5}$	ii. $\frac{1}{x \ln 5}$		iii. $\frac{x}{\ln 5}$	iv. No	iv. None of the previous.		
2. If $f(x) = \tanh^{-1}(5)$	$\frac{dx}{dx}$ then $\frac{df}{dx}$)) is equal to:					
. 5		ii. 25 .		iv. No	iv. None of the previous.		
3. The expression $\cos 3x + 1$	$\sinh^2(3x+1) - $ ii		is equal to : iii. 1	iv. No	ne of the previous.		
3- Approximate the i	ntegral \int_0^2 ($(2x^2-1)dx$	using the trapezo	oidal rule with n = 4.			
3- Approximate the i	ntegral \int_0^2 ($(2x^2-1)dx$	using the trapezo	oidal rule with n = 4.			
3- Approximate the i	ntegral \int_0^2 ($(2x^2-1)dx$	using the trapezo	oidal rule with n = 4.			
3- Approximate the i	ntegral \int_0^2 ($(2x^2-1)dx$	using the trapezo	oidal rule with n = 4.			
3- Approximate the i	ntegral \int_0^2 ($(2x^2-1)dx$	using the trapezo	oidal rule with n = 4.			
B- Approximate the i	ntegral \int_0^2 ($(2x^2-1)dx$	using the trapezo	oidal rule with n = 4.			

$+\sqrt{x^2+1}$), $x \in \square$

Question III

A- Solve $log_9(2x+5) - log_9(x+1) = 1$

B. Find
$$\frac{dy}{dx}$$
, if $y = \ln \sqrt{\frac{x^3}{x^5 + 1}}$

Question I	V: Evaluate the following integrals
1 Sir	$n^{-1} r dr$

$$2. \int \frac{\sqrt{x^2 - 4}}{x} dx$$

$$3. \int \sqrt{\sin x} \cos^3 x \, dx$$