

King Saud University

College of Engineering

IE – 341: “Human Factors”

Spring – 2016 (2nd Sem. 1436-7H)

Chapter 3. Information Input and Processing

Part – 5: Memory – Attention

Prepared by: Ahmed M. El-Sherbeeney, PhD

Contents

- Memory
- Attention


Memory

Memory

- Memory: storage of information
- Human Memory Subsystems
 1. Sensory storage
 2. Working memory
 3. Long-term memory
- Discuss here
 - Each of 3 subsystems (*see next slide*)
 - How information is coded in each
 - Practical applications in each subsystem

Cont. Memory

Human Information Processing Model



Cont. Memory

1. Sensory Storage

- Mechanism

- Part of each sensory channel
- Keeps record of stimulus for short period after stimulus is finished then fades
- Allows further processing of stimulus
- Associated with visual system
 - “iconic storage”
 - Lasts < 1 s
- Associated with auditory system
 - “echoic storage”
 - Last: few seconds

- Information Representation:

- Information not coded
- Info. kept in original representation
- Sensory representation cannot be prolonged
- To keep for longer time ⇒ transfer to working memory

Cont. Memory

2. Working Memory (aka Short-term memory)

- Information coded as
 - Visual code
 - Phonetic code
 - Semantic code
 - Note, all 3 can exist at same time in WM for particular stimulus
- Visual and phonetic codes
 - Visual or auditory representations of stimuli
 - Generated:
 - Internally from long-term memory (without hearing or seeing)
 - Using opposite stimulus
 - e.g. when seeing word *DOG* ⇒ coded as sound (the word)
 - e.g. when hearing the word *DOG* ⇒ visual code/picture of dog
- Semantic code
 - Abstract representations of meaning of stimulus
 - Important in long-term memory

Cont. Memory

2. Cont. Working Memory

- Capacity of Working Memory

- Information maintained by rehearsal (i.e. paying attention to process)
- Example:
 - Think of four letters (e.g. *J, T, N, L*)
 - Count backwards by 3s from 187
 - What happens? You forget letters after 15s, why? No rehearsal*
- When list of items in memory increases
 - This “decay” occurs faster
 - Due to greater gap \Rightarrow delay in rehearsing each item
- Imp. Q: what is max. # of items that can be held in working memory?
 - Miller, 1956: “magical number”: 7 ± 2 (i.e. 5 – 9) items/units
 - Made of “chunks” of familiar units (e.g. words), i.e. 7 ± 2 chunks
 - This increases capacity of working memory
 - Example:
 - *C.A.T.D.O.G.R.A.T.*: string of 9 items
 - But *CAT.DOG.RAT*: 3 chunks (within 7 ± 2 limit)

0 5 3 4 2 9 6 7 5 1

055 649 5378

Cont. Memory

2. Cont. Working Memory

- Cont. Capacity of Working Memory

- Summary:

- Don't present more than 5 – 9 chunks of information to remember
 - Make chunks meaningful (e.g. 055)
 - Provide training on recalling chunked information

- Searching Working Memory

- Time to search for item in WM list (e.g. names) ↑ as list items ↑ linearly
 - Time to search for item in WM per item of memory = 38 ms
 - All items are searched for equally


Cont. Memory

3. Long-term memory

- Transferring information from WM to LTM
 - Transferred by semantic coding
 - i.e. by adding meaning to information + linking to items already in LTM
 - e.g.: studying for exams:
 - If by repeating material \Rightarrow hard to recall info.
 - Effective method: semantically encode info.
- Ways to recall information from LTM
 - Analyze, compare, relate to past knowledge
 - Organizing info. at start
 - \Rightarrow easier to transfer to LTM
 - \Rightarrow more organized info. in LTM
 - \Rightarrow easier to recall/retrieve info. from LTM
 - Using "mnemonics" to organize info.:
 - i.e. use first letter of item in a list and attach word/image to it
 - Makes info. retrieval faster



Cont. Memory



Attention

Attention

- Four types of attention tasks / situations
 1. Selective attention
 2. Focused attention
 3. Divided attention
 4. Sustained attention

Cont. Attention

1. Selective attention

- Monitoring several sources of info. (aka channels) to perform a single task
- E.g.: A pilot scanning the instruments
- E.g.: player looking for opening in soccer field

• Improving selective attention

- Use as few channels to be scanned for signals as possible
- Tell user which channel is more important \Rightarrow more effective attention
- Reduce level of stress on person \Rightarrow scan more channels
- Show person where signal is more likely to show up
- Train person on how to scan effectively
- Visual channels: keep close together (to scan easier)
- Auditory channels: make sure they don't mask each other

Cont. Attention

2. Focused attention

- Attending one source of information and excluding other sources
- e.g.: trying to read while someone is talking on the phone
- e.g.: listening to a person talk in a crowded, noisy gathering

• Improving focused attention

- Make competing channels as distinct as possible from channel of interest
- Separate (in physical space) competing channels from channel of interest
- Reduce number of competing channels
- Make channel of interest (vs. competing channels)
 - Larger
 - Brighter
 - Louder, etc.

Cont. Attention

3. Divided attention

- Paying attention to
 - Two (or more) sources of information,
 - Perform two (or more) tasks simultaneously (aka time-sharing)
- E.g.: driving a car while talking to a passenger
 - Driving: visual input and manual response
 - Talking: auditory input and vocal responses
- E.g.: eating dinner while watching evening news
- Theories existing to explain performance in divided attention:
 - Single-resource theories: 1 source of resources, shared by all mental processes
 - Multiple-resource theories: multiple, independent resource pools
- Improving divided attention
 - Minimize as much as possible sources of information
 - Decrease as much as possible difficulty of tasks
 - Make tasks as different as possible in terms of input/output modes
 - Good way to divide attention: prioritize tasks relatively

Cont. Attention

- 4. Sustained attention (aka monitoring, vigilance)
 - Attention over long period of time to detect infrequently occurring signals
 - E.g.: security guards viewing TV monitors for the infrequent intruder
 - E.g.: air defense radar operator waiting to see missile
 - E.g.: inspector on assembly line looking for defect in endless line of products moving by
 - Vigilance decrement:
 - Decline in speed of signal detection with time for task
 - Decline in accuracy of detection with time for task
 - Occurs for first 20 – 35 min of “vigil” (see *next slide*)

- Improving vigilance:
 - Scheduled rest breaks, task variation
 - Increase conspicuity of signal (e.g. make it larger, brighter, etc.)
 - Insert false signals to see how operator will respond
 - Motivation (i.e. show importance of task)
 - Stimulants (e.g. coffee)
 - Keep noise, temp., illumination, other environmental factors: optimum

Cont. Attention

Sustained attention (vigilance)

