King Saud University

College of Engineering

IE – 341: "Human Factors Engineering"

Spring – 2025 (2nd Sem. 1446H)

Human Capabilities Part – A. Vision (Chapter 4) Part 2 (b): Symbols – Codes Prepared by: Ahmed M. El-Sherbeeny, PhD

Lesson Overview: Vision

Part 1:

- Process of Seeing (Vision)
- Visual Capabilities
 - Accommodation
 - Visual Acuity
 - Convergence
 - Color Discrimination
 - Adaptation
 - Perception

Factors Affecting Visual Discrimination

- o Luminance Level
- o Contrast
- o Exposure Time
- Target Motion
- o Age
- o Training

Cont. Lesson Overview: Vision

Part 2 (this part):


- <u>Alphanumeric Displays</u>
 - Characteristics
 - o Typography
 - Typography Features
 - <u>Hardcopy</u>
 - Visual Display Terminals (VDT)
- Graphic Representations
- <u>Symbols</u>
- <u>Codes</u>


Graphic Representations




GRAPHIC REPRESENTATIONS

- Graphic Representations of Text
 - graphically representation: possible for text or numeric data
 - pictorial information: important for speed
 - text information: important for accuracy
 - o instructional material should combine:
 - pictures + text = speed + accuracy + long-term retention
- Graphic Representations of Data
 - o data graphs:
 - e.g. pie charts, bar charts, line graphs










•5

GRAPHIC REPRESENTATIONS Graphic Representations of Data (cont.)

- o data graphs (cont.):
 - 2-D graphs, 3-D graphs (as shown below for same data)
 - research: there is no one best format for representing numeric data
 - different formats may best show different types of information

FIGURE 4-13

Illustrations of two graphic representations of data. Left, multiple-line graph; right, three-dimensional clustered bar chart. The data presented is the same in both representations.




۲


GRAPHIC REPRESENTATIONS Graphic Representations of Data (cont.)

- o graph should be:
 - consistent with numerical data
 - properly, clearly labelled (all variables, units, etc.)
- problem with some representations:
 - may distort data perception ⇒
 - leads to inaccurate interpretations of the data (<u>next slide</u>)
 - e.g. 1 and 2: graph may change perception for the differences between 2 variables (which one is better?)
 - e.g. 3 and 4: use of 3D blocks/volume (vs. 2D) gives exaggerated impression of increase among different conditions

Percent Who Agreed With Court








Effect of omitting the baseline Source: "5 Ways Writers Use Misleading Graphs <u>To Manipulate</u> You"

۲

GRAPHIC REPRESENTATIONS (cont.)

FIGURE 4-14 Examples of possible distortions in perceptions of data presented in graphics. Part 1 can suggest that the difference between A and B increases; however, part 2 shows that this is not the case. Part 3 can suggest disproportionate increases from condition a to b to c; part 4 corrects for such an impression.




•8

GRAPHIC REPRESENTATIONS (cont.)



Graph A

Graph B



Symbols




- Visual symbols should be very clear •
 - e.g. men vs. women restroom sign 0
- Comparison of Symbolic & Verbal Signs
 - verbal sign may require "recoding" (i.e. interpretation) Ο
 - e.g. sign saying "beware of camels"
 - symbols mostly do not require "recoding" 0
 - e.g. road sign showing camels crossing
 - \Rightarrow no recoding (i.e. immediate meaning)
 - note, some symbols require learning & recoding 0
 - Ells and Dewar (1979): 0
 - conducted study on traffic signs and symbols
 - subjects listened to a spoken traffic message
 - then shown traffic signs (symbolic sign or verbal sign)
 - then asked to say whether/not spoken message matched each sign
 - mean reaction time for correct response was less for symbols (next slide)















• Comparison of Symbolic & Verbal Signs

• Cont. Ells and Dewar (1979): see results below







FIGURE 4-15

Mean reaction times of yes and no responses to symbolic and verbal traffic signs viewed under nondegraded and degraded viewing conditions. (Source: Ellis and Deward, 1979, Fig. 1, p. 168.)

SYMBOLS Objectives of Symbolic Coding Systems

- symbolic coding system consists of:
 - symbols: that best represent their referents
 - referents: concept that symbol represents
- o objective: strong association of symbol-referent
- o association depends on either:
 - any established association, "recognizability"
 - or ease of learning such an association



"Beware of camels"

- guidelines for using coding systems (discussed in Ch. 3):
 Detectability
 - Discriminability
 - Compatibility
 - Meaningfulness
 - Standardization

• Symbols:

- o either are used (or developed to be used) confidently
- o otherwise, they are tested experimentally for suitability
- Criteria for Selecting Coding symbols



- 1. Recognition: subjects presented with symbols and asked,
 - to write down
 - or say what each represents (<u>see example</u>)



- Criteria for Selecting Coding symbols (cont.)
 - 2. Matching:
 - symbols are presented to subjects along with a list of all referents represented
 - subjects match each symbol with its referent
 - ⇒ confusion matrix : indicating number of times each symbol is confused with every other one
 - also num. of correct and incorrect matches
 - also reaction time may be measured
 - 3. Preferences and Opinions: subjects are asked to express their preferences or opinions about experimental design of symbols





- Examples of Code Symbol Studies
 - 1. Mandatory-action symbols (1982)
 - e.g.: "<u>recognition</u>" testing of symbols + learning/training (see below)
 - shown to a group of newly arrived Vietnamese in Australia

FIGURE 4-16

Symbols of mandatory-action messages used in a study of recognition and recall of such symbols. The percentages below the symbols are the percentages of correct recognition, as follows: O = original test; R = recall 1 week later. (*Source: Adapted from Cairney and Siess, 1982, Fig. 1.*)



16

- Examples of Code Symbol Studies (cont.)
 - 2. Comparison of exit symbols for visibility (1983):
 - example of symbol recognition/<u>matching</u>
 - here alternative designs were made/tested for the same referent
 - signs (18): viewed under difficult viewing conditions & brief time
 - note, some "no-exit" symbols: perceived as "exit"!





Green & White B % error ----- 10

Black & White





Green & White

FIGURE 4-17

Examples of a few of the 18 exit signs used in a simulated emergency experiment, with percentages of errors in identifying them as exit signs. (Source: Adapted from Collins and Lerner, 1983.)



Red, White & Black % error —-> 39



Black & White


40



Black & White

SYMBOLS (cont.) Examples of Code Symbol Studies (cont.)

- 2. Comparison of exit symbols for visibility (cont.):
- Generalizations about features of signs:
 - Filled figures: superior to outline figures
 - Square or rectangular backgrounds: better identified than circular figures



Simplified figures
 (i.e. reduced number
 of symbol elements)
 are better than
 complex figures

SYMBOLS (cont.)

Perceptual Principles of Symbolic Design

Easterby (1967, 1970) developed principles to enhance the use of symbols:

- Figure to ground: e.g. direction must be clear (e.g. CW or CCW)
- Figure boundaries: solid boundary better than outline boundary
- **Closure**: figure should generally be closed (i.e. continuous)
- **Simplicity**: include only necessary features

Unity: include text and other details close to symbol




FIGURE 4-18

Examples of certain perceptual principles relevant to the design of visual code symbols. These particular examples relate to symbols used with machines. (*Source: Adapted from Easterby*, 1970.)

Ο

SYMBOLS (cont.)

- Standardization of Symbolic Displays
 - o symbols should be standardized (i.e. same symbol) if:
 - used for same referent
 - used by the same people
 - e.g. international road signs (below)




FIGURE 4-19

Examples of a few international road signs. These are standardized across many countries, especially in Europe. Most of these signs are directly symbolic of their referents.


Codes



CODES

Square

- Coding elements:
 - o **Referents:** items to be coded
 - Code: sign/symbol used to indicate referent
 - **Coding dimensions**: visual stimuli used, eg.:
 - colors
 - geometric shapes



• sizes

- numbers ABC123
- letters
- Codes could have:
 - single dimension
 - or more than one dimension (multidimensional)

CODES

- Single Coding Dimensions
 - experiments can be done to find best dimension
 - experiment by Smith and Thomas (1964):
 - varied shapes, geometric forms, symbols, colors (below)
 - e.g. red, gun, circle, or B-52 in a large display of items
 - mean time/errors to count target class was measured
 - color showed greatest superiority (<u>see next slide</u>)

Aircraft shapes	C-54	C-47	F-100	F-102	в-52			
Geometric forms	Triangle	Diamond	mond Semicircle C		Star			
Military symbols	Radar	Gun	Aircraft	Missile	Ship			
Colors (Munsell notation)	Green (256 5/8)	Blue (5 BG 4/5)	White (5 Y ⁸ /4)	Red (5R 4/9)	Yellow (10 YR 6/10)			

Four sets of codes used in a study by Smith and Thomas. The notations under the color labels are the Munsell color matches of the colors used.



CODES

- Single Coding Dimensions (cont.)
 - o cont. Experiment by Smith and Thomas
 - results shown below: why is color the best code?




FIGURE 4-21

Mean time a and errors b in counting items of four classes of codes as a function of display density. The Xs indicate comparison data for displays of 100 items with color (or shape) held constant. (Source: Smith and Thomas, 1964. Copyright © 1964 by the American Psychological Association and reprinted by permission.)

CODES (cont.) Single Coding Dimensions (cont.)

different coding

Ο

0

TABLE 4-5

Alphanumeric

Color (of surfaces)

Color (of lights)

Triangle

Geometric shapes

Angle of inclination

Size of forms (such

Flash rate of lights

as squares)

Visual number

Circle Square

SUMMARY OF CERTAIN VISUAL CODING METHODS

coding dimensions differ in relevance for various tasks and situations

table (right):

appropriate

visual code

guide to

selecting

(Numbers refer to number of levels which can be discriminated on an absolute basis under optimum conditions.)

Single numerals, 10; single letters, 26; combinations, unlimited. Good; ABC123 especially useful for identification; uses little space if there is good contrast. Certain items easily confused with each other.

Hues, 9; hue, saturation, and brightness combinations, 24 or more. Preferable limit, 9. Particularly good for searching and counting tasks. Affected by some lights; problem with color-defective individuals.*†

10. Preferable limit, 3. Limited space required. Good for qualitative reading.‡



15 or more. Preferable limit, 5. Generally useful coding system, particularly in symbolic representation; good for CRTs. Shapes used

together need to be discriminable; some sets of shapes more difficult to discriminate than others.‡

24. Preferable limit, 12. Generally satisfactory for special purposes such as indicating direction, angle, or position on round instruments like clocks, CRTs, etc.§

5 or 6. Preferable limit, 3. Takes considerable space. Use only when specifically appropriate.

6. Preferable limit, 4. Use only when specifically appropriate, such as to represent numbers of items. Takes considerable space; may be confused with other symbols.

3-4. Preferable limit, 2. Use only when specifically appropriate. Weaker signals may be masked.‡

Preferable limit, 2. Limited applicability if receiver needs to differentiate flash rates. Flashing lights, however, have possible use in combination with controlled time intervals (as with lighthouse signals and naval communications) or to attract attention to specific areas.





CODES (cont.)

Color coding

- o color is a very useful visual code
- Q: What is # of distinct colors that normal color vision person can differentiate (absolute basis)?
- Jones (1962) found that the normal observer could identify <u>9 surface colors</u> (different hues)
- with training, people are able to identify around 24 colors or more (Feallock, 1966) (different hues, saturation, or <u>lightness</u>)
- but when dealing with untrained people, it is wise to use a smaller number of colors





CODES (cont.)


- Color coding (cont.)
 - color coding is very useful in "searching"/ "spotting", <u>counting</u>, locating (as compared to other dimensions), e.g.:
 - searching maps
 - items in a file
 - identifying color-coded wires
 - reason is the fact that colors "catch the eye"
 - o note, color is not a universal "identification" code
 - e.g. study by Christ (1975) found (as result of 42 studies):
 - color codes: generally better for searching tasks (vs. other visual codes)

init indif, speed-5

smith!

-D hatti', threatforth, areas)

but letters/numerals were better for identification tasks (why?)





CODES (cont.)

Multidimensional codes

• Recommended (Heglin, 1973): no more than 2 dimensions be used

FIGURE 4-22

Potential combinations of coding systems for use in multidimension coding. (Source: Adapted from Heglin, 1973, Tables VI-6, VI-22.)

tter

ation

 certain combinations do not 'go well' together (see figure)

interpretation

together

for rapid

 → not always more effective than singledimension codes ABC1

hyphen

'go ogether jure)			Numeral and le	Ð		Brightness	Location	Flash rate .	Line length	ilar orient
always		Color	Ű,	Shape	Size	Brigh	000	last	-Ine	Angular
effective			~	0,	<u>с,</u>		الت. محمد م	<u>ш</u>		~
ngle- sion	Color 😽		x	x	x	×	×	x	x	X
ABC123	Numeral and letter	х			x	•	×	X		
	Shape 🛕 🔵	×			×	×		x		
	Triangle Circle Square	х	X	×		X		X		
	Brightness 業 茶 ※	x		х	×					
	Location	×	X						X	X
	Flash rate	×	X	х	х					X
	Line length	х					Х			Х
en dash em dash	Angular orientation	×					Х	Х	×	

References Human Capabilities - Vision

 Human Factors in Engineering and Design. Mark
 S. Sanders, Ernest J. McCormick. 7th Ed. McGraw: New York, 1993. ISBN: 0-07-112826-3.