
Question	1	2	3	4	5	Total
Grade						

Q1. (a) Without using truth tables, show that $(p \lor q) \land (p \lor \neg q) \land (\neg p \lor q)$ is logically equivalent to $p \land q$. (3pts)

(b) Use induction to show the following for every $n \ge 1$: (4 pts)

$$2+8+14+\cdots+(6n-4)=n(3n-1)$$




- **Q2.** (a) Let R be the relation on \mathbb{Z} defined by mRn if and only if 10 divides $m^4 n^4$.
 - (i) Show that R is an equivalence relation. (3pts)

(ii) Show that $(m, -m) \in R$ for every $m \in \mathbb{Z}$. (1pts)

(iii) Is [3] = [-1]? (Justify your answer.) (1pts)

(b) Let P be the partial order on $A=\{a,b,c,d,e,f\}$ represented by the following Hasse diagram.



(i) List all ordered pairs of P. (2pts)

(ii) Is P a total order? (Justify your answer.) (1pts)

- (c) Let $S = \{(1,1), (1,2), (2,3), (3,2), (3,4), (4,4), (5,5)\}$ be a relation on $B = \{1,2,3,4,5\}$.
 - (i) Represent S by a digraph. (1pts)

(ii) Is S antisymmetric? (Justify your answer.) (1pts)

Q3. (a) Let G = (V, E) be an r-regular graph with |V| = |E|. Find the value of r. (1pts)

(b) Let H be a graph with degree-sequence b-1, b, b+1, b+2. Find the value of b if H has 9 edges. (2pts)

(c) Let N be the simple graph represented by the following adjacency matrix.

$$\left[\begin{array}{ccccc}
0 & 1 & 0 & 1 & 0 \\
1 & 0 & 1 & 0 & 1 \\
0 & 1 & 0 & 1 & 0 \\
1 & 0 & 1 & 0 & 0 \\
0 & 1 & 0 & 0 & 0
\end{array}\right]$$


(i) Draw N. (1pts)

(ii) Is N connected? (Justify your answer.) (1pts)


(iii) Determine whether N is bipartite. If so, give a bipartite representation. (2pts)

(d) Determine whether the following graphs I and J are isomorphic.


(2pts)



J



Q4. (a) For the graph L below, find a spanning tree with root r,



(i) using depth-first search;

(1pts)

(ii) using $\mathit{breadth}\text{-}\mathit{first}$ search.

(1pts)

(b)	(i)	Using alphabetical order	r, form a b	binary search	tree for the	words Makkah,
		Madinah, Riyadh, Jedd	th, Qassim,	Al-Khobar, 1	Dammam.	(2 pts)

- **Q5.** (a) Let $f(x, y, z) = (\overline{x} + \overline{y})(x + z)$ be a Boolean function.
 - (i) Find the complete sum-of-products expansion (CSP) of f. (2pts)

(ii) Find the complete product-of-sums expansion (CPS) of f. (2pts)

- (b) Let $g(x,y,z)=xyz+xy\overline{z}+x\overline{y}z+\overline{x}y\overline{z}+\overline{x}y\overline{z}+\overline{x}\overline{y}\overline{z}$ be a Boolean function.
 - (i) Build the K-map of g. (1pts)

(ii) Simplify g (i.e., write in MSP form). (2pts)