

جامعة الملك سعود	King Saud University
كلية التمريض	Nursing College
وكالة الكلية للشؤون الأكاديمية	Vice Dean for Academic Affairs
	ورقة الامتحان
	First Mid Term Examination sheet

A - معلومات

اسم الطالب :	Student Name :
FORMAL ANSWER	
الرقم الجامعي للطالب :	Student No:
اسم مدرس المقرر : أ. ايمان أبو الفوارس , أ. تهاى بن عون	Instructor name
السنة الدراسية : 1436-1437	Academic year:
الفصل الدراسي : 1 الاول	Semester
اسم ورقم المقرر : تمض 311	Module No.
اليوم والتاريخ : 37-1-12	Day
الوقت : 1-12	Time:

درجة الامتحان : 15 درجة	Examination Mark : 20
-------------------------	-----------------------

B - Guidelines - إرشادات

<p>الامتحان يتكون من خمس فئات من الأسئلة - ومجموع العلامات (15)</p> <p>. العلامة مكتوبة إزاء كل سؤال -</p> <p>يجب كتابة الإجابة بوضوح وتحديد رقم السؤال - المتعلق بالإجابة .</p> <p>/ يمنع منعاً باتاً الالتفات/ أو الكلام - .</p> <p>أو - الغش خلال الامتحان تحت طائلة العقاب</p>	<p>-The exam consist of FIVE categories and the total mark is(15)</p> <p>- Each question has its own mark beside it.</p> <p>-The answer must be written clearly and write the question number relevant to the answer.</p> <p>- Student must not talk or cheat during the exam or He will be subject to penalty</p>
--	--

C- student Comments about the Questions (If any) (ج - ملاحظات الطالب حول الأسئلة) إن وجد

--	--

	1.	1.
	2.	2.

Part I :True and False(2 .5 marks)

Read the following statement carefully, if it is true encircle(T), if it is false encircle (F) .

No	Statement	Answer	
1	Sense of trust develop during the infancy	T	F
2	Posterior fontanel closes at 2 months	T	F
3	The Infant sets alone without support by 8 months	T	F
4	Head Circumference increase by 3 cm in the first 3 months	T	F
5	Egocentrism is the child ability to accept other child' opinions.	T	F
6	Child learns second language at 2-3 years.	T	F
7	During the immediate new born care, The nose is suctioned before the mouth to prevent aspiration of secretion	T	F
8	Toddler child can tolerate brief period of separation from parents	T	F
9	At age of 2 years the chest circumference exceeds head circumference	T	F
10	When in a supine position, the full-term newborn lies with the pelvis high and the knees drawn up under the abdomen	T	F

Part II: Multiple Choice Questions (4.5 marks)

Read the following statements carefully and encircle the best answer:

1. Children playing beside eachother's, not with each other, such a way of playing is a characteristic of which age group?

- a. Toddler
- b. Preschool
- c. School – age
- d. Adolescents

2. Child' gender identity begging at:

- a. 18 months
- b. 5 years
- c. 3 years
- d. 13 months

3. Physiological control of anal and urethral sphincters occurs at----- years.

- a. 1-2
- b. 3-4
- c. 2-3
- d. 4 -5

4. Because toddlers cannot understand the need for restrictions, they revolt by:

- a. Temper tantrum
- b. Sleeping
- c. Obey the parent
- d. Guilt

5 . Which of the following statements is correct regard 24 th month's boy gross motor development?

- a. Build a tower of 8 blocks
- b. Turn on and off the button
- c. Run well
- d. Walks up and down stairs, one foot on a step

6 . Which of the following is true about toddler?

- a. Toddler wake with their feet speared
- b. Can brush and comb hair independently
- c. They can't tolerate separation from their parents
- d. Children in this age play in group

7 . A nurse is evaluating the developmental level of a 2-year-old. Which of the following does the nurse expect to observe in this child?

- a. Uses a fork to eat
- b. Uses a cup to drink
- c. Uses a knife for cutting food
- d. Pours own milk into a cup

8 . At the age of 15 th month the toddlers can do all of the following except

- a. Creeps upstairs
- b. Walk alone
- c. Walk upstairs with one hand held
- d. Building tower of 2-3 blocks

9 . The toddler can imitate circle and horizontal stroke at what age.

- a. 30 th months .

- b. 18 th months
- C. 15 th months
- d. 24 th months

10. During health supervision visit for an infant, her mother mention that the child start to, try to get things out of reach roll over from front to back these are most typical for an infant whose age

- a.2months
- b.4months
- c . 6 months
- d . 5 months

11. According to Erickson ,the toddler develop task of :

- a. Autonomy versus shame or doubt.
- b. Initiative versus guilt
- C. Trust versus mistrust
- d. Identité vs. rôle confusion

12 . A clinic nurse assesses the communication patterns of a 9-month-old infant. The nurse determines that the infant is demonstrating the highest level of developmental achievement expected if the infant:

- a. Responds to his name
- b. Uses monosyllabic babbling
- c. Links syllables together
- d. Coos when comforted

1 3 . At age of 11 th months the infant teeth will erupted is:

- a. Lower first molar
- b. Lower capsids
- c. L ower lateral incisors
- d. Upper second molars

1 4 . At 3 months the infant is able to :

- a. Turn head to attempt to locate a sound
- b. Follow objects through transition from one place to another
- C. Site alone
- d. Recognize his name

1 5 . The neonate temperature will fall below normal at birth due to all the following excepts :

- a. Heat loss
- b. Limited metabolic reserves
- c. Immature temperature regulation system

d . the temperature of the room

16 . Rooting reflex is considered as:

- a. Muscle tone reflex.
- b. Feeding reflex.
- C. Protective reflex
- d. Moro reflex

17 . The total weight loss for the newborn at birth is :

- a.20%
- b.10%
- c. 5 %
- d.15%

18. A mother of a 3-year-old tells a clinic nurse that the child is rebelling constantly and having temper tantrums. The nurse most appropriately tells the mother to:

a. Top of Form

- a. Punish the child every time the child says “no”, to change the behaviour
- b. Allow the behaviour because this is normal at this age period
- C. Set limits on the child’s behaviour
- d. Ignore the child when this behaviour occurs

Part III: Compare between the different toddler’ age according the following points (4 marks)

Toddler age Point	1 8 th Months	24 th Months	30 th Months
Tower block NO	3-4	6-7	8
Waking up stair	With one hand held	Alone with 2 feet on each step	One foot on a step
Running	Often fall	Run well	Jumps with both feet

Part IV: Calculate the weight and length for 10 months boy, knowing that his weight at birth was 3.0kg and length was 50 cm . (1 marks)

- Weight = Age in month + 9 $10+9 = 8\text{kg}$

2.2

- From birth to 4 months--- $\frac{3}{4}$ kg/month
- 5 to 8 months-----1/2 kg/month
- 9 to 12 months-----1/4 kg/month

$3+3+2+.25=8.25\text{kg}$

- 3 cm/month during first 3 months.
- Age 4-6 month----- increase 2 cm/month.
- Age 7-12 month -----increase 1.5cm /month.

$50+9+6+6=71\text{cm}$

Part V: Essay question ?(3 marks)

1.List the items of preventing accident in the infant age? (1.5 marks)

1. Discussing safety issues with caregivers is important.

2. Provide information about:

- car safety
- child- proofing
- preventing aspiration
- Falls
- Burns
- Poisoning , and bathing accidents.

1. Remind caregivers that the infant is developing rapidly.

2. Older children in the family should be taught to be watchful for possible dangers to the infant.

2. As a nurse how can you prevent neonate infection and injury ? (1.5 marks)

1. Keep the baby's environments, all clothes, linens and equipment clean as possible

2. Always hand washing before handling the baby or doing care for them.

3. If the mother did not receive vitamin k before delivery, the newborn should receive 1 mg of water soluble vitamin k IM injection to prevent hemorrhage.

4. Prophylactic treatment to prevent newborn gonococci ophthalmic is required by introducing silver nitrate 1%, 1-2 drops in each eye or by tetracycline ointment 1%.

5. Applies alcohol to the umbilical stump to prevent infection, promote drying and inhibit the growth of bacterial organisms. The diaper should be placed below the cord to allow dryness and prevent the irritation from the diaper surface. Any redness area around the umbilicus or foul discharge should be reported immediately.

Good Luck , tbinaoun