

# CSC 212 Tutorial # 1 - Solution Revision

07-11/09/2014

## Problem 1

Two solutions are shown: *selection sort* and *bubble sort*.

- Selection sort:

```
public void selectionSort(int A[], int n) // n is the size of
    the array A
    for(int i=0; i<n-1; i++){
        int min= i;
        for(int j=i+1; j<n; j++){ // Search for the
            minimum
                if(A[j]<A[min])
                    min= j;
        }
        // Swap A[i] with A[min]
        int tmp= A[i];
        A[i]= A[min];
        A[min]= tmp;
    }
}
```

**Example 1.1.** The symbol  $\uparrow$  denotes the position of  $i$  and  $\uparrow$  the position of  $min$ .

$$\begin{aligned} &\left( \begin{matrix} 12, 5, 8, 16, 9, 31 \\ \uparrow \uparrow \end{matrix} \right) \\ &\left( \begin{matrix} 5, 12, 8, 16, 9, 31 \\ \uparrow \end{matrix} \right) \\ &\left( \begin{matrix} 5, 8, 12, 16, 9, 31 \\ \uparrow \end{matrix} \right) \\ &\left( \begin{matrix} 5, 8, 9, 16, 12, 31 \\ \uparrow \end{matrix} \right) \\ &\left( \begin{matrix} 5, 8, 9, 12, 16, 31 \\ \uparrow \end{matrix} \right) \end{aligned}$$

- Bubble sort:

```
public void bubbleSort(int A[], int n) // n is the size of the
array A
    for(int i=0; i<n-1; i++){
        for(int j=0; j<n-1-i; j++){
            if(A[j]<A[j+1]){
                // Swap A[j] with A[j+1]
                int tmp= A[j];
                A[j]= A[j+1];
                A[j+1]= tmp;
            }
        }
    }
}
```

**Example 1.2.**

(12, 5, 8, 16, 9, |31)  
(5, 8, 12, 9, |16, 31)  
(5, 8, 9, |12, 16, 31)  
(5, 8, |9, 12, 16, 31)  
(5, |8, 9, 12, 16, 31)

.....