

## Tutorial III

### Subscriptions:

- 1- Disp. Supp. rect. no. xii.
- 2- M. ft. iso. sol. Disp. 120 mL.
- 3- M. et ft. caps. DTD xlvii

### Signa:

- 1- Gtt. ii each eye q. 4h. p.r.n. pain.
- 2- Tbsp. i in 1/3 gl. aq. q. 6h.
- 3- Tsp. i in 1/2 gl. aq. q. 4 or 5 h. p.r.n. pain.

A- If the pharmacist receives the following prescription

R/

Lisinopril

Hydrochlorothiazide aa. 10 mg

Calcium Phosphate 40 mg

Lactose q.s. ad 300 mg

M. ft. cap. i D.T.D. # 30

Sig: cap. i AM a.c.

- 1- How many milligrams of lisinopril and hydrochlorothiazide are required to fill the prescription?
- 2- What is the weight of lactose required?
- 3- Translate the label direction to the patient?

XYZ PHARMACY SYSTEM  
Electronically Transmitted to Smith Pharmacy  
1234 Broad Street  
Anytown, State, Zip

Date: 10/20/20yy  
Rx # 9876543 ID # 11223344

Patient Information

Last Name: Jones  
First Name: Mary  
DOB: 10/18/YY Phone: (XXX)-888-7777  
Sex: F  
Address: 567 King Street  
Anytown, State, Zip

Drug, SIG, and Refill Information

Drug Name: Gabapentin  
Strength: 100 mg  
Quantity: 60 Dose Form: capsules  
SIG: Take 1 capsule at bedtime  
Refills: 6  
Label: yes

Prescriber Information

Last Name: Brown  
First Name: James M  
Address: 100 Main Street  
Anytown, State, Zip  
DEA: CB1234XXX  
NPI: 9876543XXX

B- Identify the error in the above prescription label:

Patient: Mary Jones Dr. JM Brown

Date: Sep 20, 20yy

Swallow one (1) capsule at bedtime.

Gabapentin 50 mg

R/: 9876543

Refills: 5